

BUILDINGS DIVISION ERNAKULAM

LOCAL MARKET RATES FOR THE HALF YEAR FROM 01-04-2014

		Unit	Rate
	<u>0.1 HIRE CHARGES OF PLANTS</u>	Unit	Rate
Code No.	Description		
0001	Hire charges of Coaltar Boiler 900 to 1400 litres	Day	1200
0002	Hire charges of Concrete Mixer 0.25 to 0.40 cum with Hopper	Day	2000
0003	Hire charges of Diesel Road Roller - 8 to 10 tonne	Day	2100
0004	Production cost of concrete by batch mix plant	cum	850
0005	Hire charges of Diesel Truck - 9 tonne	Day	3500
0006	Hire charges of Spraying machine including electric charges	Day	350
0007	Hire charges of Coaltar Sprayer	Day	450
0008	Hire charges of Barber green, drying, mixing and Asphalt Plant, with accessories, capacity 30/45 tonne	Day	11000
0009	Pumping charges of concrete including Hire charges of pump, piping work & accessories etc.	cum	250
0010	Hire charges of Derrick monkey rope	Day	1110
0011	Hire charges of Pump set of capacity 4000 litres/hour	Day	750
0012	Vibrator (Needle type 40 mm)	Day	800
0013	Machine for rubbing of floors	Day	750
0014	Front end loader capacity 1.00 cum	Day	7000
0016	Mastic Cooker	Day	1050
0017	Hire and running charges of tipper	Day	4000
0018	Hire and running charges of loader	Day	6500
0019	Hand Grinder for mirror polish	Day	500
0020	Hydraulic Excavator (3D) with driver and fuel	Day	11100
0021	Pin vibrator	Day	500
0022	Surface Vibrator	day	600
0023	Hot Bitumen Mixer 0.5 cum i/c hand cart	day	5500
0024	Hire and running charges of hydraulic piling rig with power unit etc. including complete accessories and shifting at site	day	45000
0025	Hire and running charges of light crane	day	3000
0026	Hire and running charges of bentonite pump	day	5700
0027	Hire and running charges of vibrating pile driving hammer complete with power unit and accessories	Day	48000
0028	Hire and running charges of crane 20 tonne capacity	Day	12000
0029	Carriage of concrete by transit mixer	km/cum	50
0030	Generator 250 KVA	day	3000
0033	Paint applicator	day	1000
0037	Mobile crane	day	8500
0038	Tractor with ripper attachment	day	2000
0039	Tractor with trolley	day	2250
0040	Air compressor 250 cfm with two leads for pneumatic cutters /		

	hammers	day	2600
0041	Joint cutting machine with 2-3 blades	day	1350
0042	C.C .batch mix plant	day	13500
0043	Road sweeper	day	800
0045	Slip form paver with sensor	day	17000
0046	Water tanker 5000 litre	day	2000
0047	Concrete joint cutting machine	day	1500
0048	Texturing machine	day	1200
	Note :- Above hire - charges include cost of services of operating staff and supply of lubricating oil.		
0049	Dozer D-80-A 12	hour	5200
0050	Motor Grader 3.35 metre blade	hour	3300
0051	Hydraulic Excavator of 1 cum bucket	hour	1700
0052	Front end loader 1 cum bucket capacity (incl POL)	hour	1100
0053	Tipper -5 Cum	tonne km	7
0054	Vibratory roller 8 to 10 tonne	hour	2000
0055	Smooth Wheeled Roller 8 to 10 tonne	hour	700
0056	Tandem Road Roller	Hours	1500
0057	Water Tanker 5 to 6 KL capacity	hour	250
0058	Air compressor	Hours	450
0059	Wet Mix Plant 60 TPH	hour	1600
0060	Mechanical Broom Hydraulic	hour	500
0061	Emulsion Pressure Distributor @ 1750 sqm per hour	Hours	1100
0062	Hot mix Plant -120 TPH capacity	Hours	32000
0063	Hot mix Plant 100 TPH Capacity	hour	24000
0064	Paver finisher Hydrostatic with sensor control 100 TPH	hour	3500
0065	Paver finisher Mechanical 100 TPH	hour	1500
0066	Batching and Mixing Plant @ 75 cum per hour	hour	3400
0068	Concrete Paver finisher with 40 HP Motor and sensor	hour	4000
0069	Generator 250 KVA	hour	1200
0070	Generator 100 KVA/125 KVA	hour	950
0071	Truck 5.5 cum/ 10 tonnes	tonne km	5
0075	Road sweeper (Mechanical Broom) @ 1250 sqm per hour	Hour	475
0076	Drum Type HMP of 60-90 TPH capacity @ 75 tonne per hour		
	actual output	Hour	19000
0080	Hire and running charges of drill machine up to 400 mm dia	day	10000
	(including cost of mobile oil, diesel consumption in ordinary soil and operator)		
0081	Pile Integrity testing equipment	day	4000
0082	Excavation of Diaphragm wall by Mechanical Grab	sqm	2000
	Note :- Above hire - charges (from item code 0049 to 0082) include cost of services of operating staff, supply of lubricating oil and diesel also.		
	<u>0.2 LABOUR</u>		
Code No.	Description		

0100	Bandhani	Day	650.00
0101	Bhisti	Day	650.00
0102	Blacksmith 1 st class	Day	850.00
0103	Blacksmith 2nd class	Day	800.00
0111	Carpenter 1 st class	Day	850.00
0112	Carpenter 2nd class	Day	800.00
0113	Chowkidar	Day	650.00
0114	Beldar	Day	700.00
0115	Coolie	Day	600.00
0116	Fitter (grade 1)	Day	800.00
0117	Assistant Fitter or 2nd class Fitter	Day	750.00
0119	Glazier	Day	700.00
0122	Mason (for plaster of paris work) 1 st class	Day	850.00
0123	Mason (brick layer) 1 st class	Day	850.00
0124	Mason (brick layer) 2nd class	Day	800.00
0125	Mason (for plain stone work) 2nd class	Day	800.00
0126	Mason (for ornamental stone work) 1 st class	Day	900.00
0127	Driver (for Road Roller, Concrete Mixer, Truck etc.)	Day	850.00
0128	Mate	Day	650.00
0130	Mistry	Day	750.00
0131	Painter	Day	700.00
0132	Rock Excavator	Day	800.00
0133	Rock Breaker	Day	800.00
0134	Rock Hole Driller	Day	800.00
0135	Stone Chiseller	Day	800.00
0138	Sprayer (for bitumen, tar etc.)	Day	750.00
0139	Skilled Beldar (for floor rubbing etc.)	Day	700.00
0141	White Washer	Day	700.00
0155*	Mason (average)	Day	750.00
0156*	Carpenter (average)	Day	750.00
0157	Operator (Pile/ Special machine)	Day	800.00
0159	Skilled torch operator for laying tack	Day	800.00
0160	Technician	per day	1000.00
0161	Helper (Technician)	per day	750.00
	0.3 MATERIALS		
Code No.	Description		
0222	Seam bolts and nuts 6 mm dia and 25 mm long	10 Nos	50
0223	Fibre (high impact poly propylene reinforced) cement corrugated sheet 6 mm thick	sqm	325
0224	Fibre (high impact poly propylene reinforced) cement close fitting adjustable ridge	m	250
0225	Fibre (high impact poly propylene reinforced) cement corrugate serrated adjustable ridge	m	250
0226	Fibre (high impact poly propylene reinforced) cement plain wing		

	adjustable ridge	m	225
0227	Fibre (high impact poly propylene reinforced) cement unserrated		
	adjustable ridge for hips	m	350
0228	Fibre (high impact poly propylene reinforced) cement corrugated		
	apron piece	m	275
0229	Fibre (high impact poly propylene reinforced) cement eaves filler		
	piece	each	200
0230	Fibre (high impact poly propylene reinforced) cement north light		
	curves	m	350
0231	Fibre (high impact poly propylene reinforced) cement ventilator		
	curves	each	450
0232	Fibre (high impact poly propylene reinforced) cement barge boards		
	6 mm thick	metre	450
0233	Fibre (high impact poly propylene reinforced) cement ridge finial	pair	175
0234	Fibre (high impact poly propylene reinforced) cement special		
	north light curves	each	600
0235	Fibre (high impact poly propylene reinforced) cement S type louvers	each	300
0236	Multi purpose fibre (high impact poly propylene reinforced) cement		
	board 6 mm thick	sqm	250
0237	Multi purpose fibre (high impact poly propylene reinforced) cement		
	board 8 mm thick	sqm	300
0285	Brick Aggregate (Single size) : 63 mm nominal size	cum	450
0286	Brick Aggregate (Single size) : 50 mm nominal size	cum	500
0287	Brick Aggregate (Single size) : 40 mm nominal size	cum	550
0291	Stone Aggregate (Single size) : 63 mm nominal size	cum	1100
0292	Stone Aggregate (Single size) : 50 mm nominal size	cum	1150
0293	Stone Aggregate (Single size) : 40 mm nominal size	cum	1200
0294	Stone Aggregate (Single size) : 25 mm nominal size	cum	1200
0295	Stone Aggregate (Single size) : 20 mm nominal size	cum	1300
0296	Stone Aggregate (Single size) : 12.5 mm nominal size	cum	1250
0297	Stone Aggregate (Single size) : 10 mm nominal size	cum	1250
0298	Stone Aggregate (Single size) : 06 mm nominal size	cum	1250
0302	Safeda ballies 125 mm diameter	metre	50
0303	Cowdung	cum	150
0304	Bajri	cum	1100
305	Bamboo 9 metre long	EACH	500
0308	Bhusa	quintal	425
0309	Paving bitumen of grade VG-10 of approved quality	tonne	54000
0310	Bitumen emulsion	tonne	48000
0312	Bitumen grade PMB - 40	tonne	56000
0313	Blown type petroleum bitumen of penetration 85/25 of approved		
	quality	tonne	47000
0314	Bitumen hot sealing compound : grade A	kilogram	30
0316	Bitumen solution primer of approved quality	litre	55
0317	Premoulded joint filler 12 mm thick	sqm	400
0318	Bitumen felt fibre base (vegetable or animal):As per IS 7193 Grade I	sqm	70
0319	Bitumen felt as per IS 7193 Grade II	sqm	90

0322	Bitumen felt :Type 3 grade 1	sqm	70
0323	Separation Membrane of impermeable plastic sheeting 125 micron thick	sqm	20
0324	Coal Tar	litre	35
0325	Blasting powder	kilogram	40
0326	Blasting fuse (fuse wire)	each	20
0328	White face insulating board:12 mm thick	sqm	420
0332	Natural colour insulating board:12 mm thick	sqm	325
0336	Flame retardant face insulating board: 12 mm thick	sqm	375
0339	Flame retardant face insulating, Impregnated fibre board 12 mm thick	sqm	425
0341	Flat pressed 3 layer particle board (medium density) Grade 1, 12 mm thick	sqm	400
0346	Extra for veneered particle board with Teak veneering on one side and commercial veneering on other side	sqm	300
0347	Extra for veneered particle board with Commercial veneering on both sides	sqm	200
0348	Extra for veneered particle board with Teak veneering both sides	sqm	600
0349	Curing compound	litre	80
0362	Brick bats	cum	600
0364	Wire brush	each	35
0365	Soft brush	each	25
0367	Portland Cement	tonne	7400
0368	White Cement	kg	28
0369	Plastic sheath, 1.25 mm thick for dowel bars	sqm	45
0370	Coal (steam)	quintal	420
0371	Sealant primer	kilogram	130
0373	Cramp Gun metal 25x6x300 mm	each	80
0374	Pre moulded Joint filler, 25 mm thick for expansion joint.	sqm	600
0378	Brass butt hinges (light/ordinary type) : 125x70x4 mm	10 Nos	900
0379	Brass butt hinges (light/ordinary type) : 100x70x4 mm	10 Nos	800
0380	Brass butt hinges (light/ordinary type) : 75x40x2.5 mm	10 Nos	450
0381	Brass butt hinges (light/ordinary type) : 50x40x2.5 mm	10 Nos	200
0382	Brass butt hinges (heavy type) : 125x85x5.5 mm(0.70 kg)	10 Nos	3250
0383	Brass butt hinges (heavy type) : 100x85x5.5 mm(0.56 kg)	10 Nos	2750
0384	Brass butt hinges (heavy type) :75x65x4.0 mm(0.20 kg)	10 Nos	975
0385	Brass parliamentary hinges 150x125x27x5 mm	10 Nos	3050
0386	Brass parliamentary hinges 125x125x27x5 mm	10 Nos	2650
0387	Brass parliamentary hinges 100x125x27x5 mm	10 Nos	2425
0388	Brass parliamentary hinges 75x100x20x3.2 mm	10 Nos	1900
0389	Brass single acting spring hinges 150 mm	each	340
0390	Brass single acting spring hinges 125 mm	each	300
0391	Brass single acting spring hinges 100 mm	each	195
0392	Brass double acting spring hinges 150 mm	each	500
0393	Brass double acting spring hinges 125 mm	each	390
0394	Brass double acting spring hinges 100 mm	each	320
0400	Brass tower bolt (barrel type) 250x10 mm	each	230

0401	Brass tower bolt (barrel type) 200x10 mm	each	180
0402	Brass tower bolt (barrel type) 150x10 mm	each	145
0403	Brass tower bolt (barrel type) 100x10 mm	each	95
0404	Brass flush bolt 250 mm	each	175
0405	Brass flush bolt 150 mm	each	145
0406	Brass flush bolt 100 mm	each	100
0408	Brass handles 125 mm with plate 175x32 mm	each	155
0409	Brass handles 100 mm with plate 150x32 mm	each	150
0410	Brass handles 75 mm with plate 125x32 mm	each	125
0411	Brass door latch 300x16x5 mm (0.380 kg)	each	180
0412	Brass door latch 250x16x5 mm (0.350 kg)	each	175
0413	Brass mortice latch and lock 100x65 mm with 6 levers and a pair of brass lever handles	each	550
0414	Brass mortice latch 100x65mm with a pair of brass lever handles	each	500
0417	Brass 150 mm floor door stopper (0.357kg)	each	175
0418	Brass hard drawn hooks and eyes 300 mm	10 Nos	800
0419	Brass hard drawn hooks and eyes 250 mm	10 Nos	725
0420	Brass hard drawn hooks and eyes 200 mm	10 Nos	670
0421	Brass hard drawn hooks and eyes 150 mm	10 Nos	640
0422	Brass hard drawn hooks and eyes 100 mm	10 Nos	550
0423	Brass casement window fastener	each	55
0424	Brass casement stays (straight peg type) 300 mm weighing not less than 0.33 kg	each	150
0425	Brass casement stays (straight peg type) 250 mm weighing not less than 0.28 kg	each	120
0426	Brass casement stays (straight peg type) 200 mm weighing not less than 0.24 kg	each	110
0427	Brass quadrant stays 300 mm	each	135
0428	Brass fanlight catch	10 Nos	190
0429	Brass fanlight pivot	10 Nos	210
0430	Brass chain with hook for fan light catch	each	45
0431	Brass hasps and staples (safety type) 150 mm	10 Nos	805
0432	Brass hasps and staples (safety type) 115 mm	10 Nos	675
0433	Brass hasps and staples (safety type) 90 mm	10 Nos	580
0438	Brass night latch	each	510
0442	Brass helical spring 150 mm	each	325
0444	Brass curtain rod 20 mm dia 1.25 mm thick	metre	130
0445	Brass curtain rod 25 mm dia 1.25 mm thick	metre	155
0446	Brass brackets (curtain rods) 20 mm	each	46
0447	Brass cupboard knob or wardrobe knob 50 mm	each	38
0449	Brass screws 50 mm	100Nos	225
0450	Brass screws 40 mm	100Nos	180
0451	Brass screws 30 mm	100Nos	145
0452	Brass screws 25 mm	100Nos	105
0453	Brass screws 20 mm	100Nos	100
0524	Chromium plated Brass butt hinges (heavy) type 75x65x4 mm (200gms)	10 Nos	1100

0525	Chromium plated Brass butt hinges (light/ordinary) type 125x70x4mm	10 Nos	900
0526	Chromium plated Brass butt hinges (light/ordinary) type 100x70x4 mm	10 Nos	760
0527	Chromium plated Brass butt hinges (light/ordinary) type 75x40x2.5 mm	10 Nos	495
0528	Chromium plated Brass butt hinges (light/ordinary) type 50x40x2.5 mm	10 Nos	220
0555	Chromium plated Brass handles 125 mm with plate 175 x32 mm	each	190
0556	Chromium plated Brass handles 100 mm with plate 150 x 32 mm	each	165
0557	Chromium plated Brass handles 75mm with plate 125x32 mm	each	130
0558	Chromium plated Brass mortice latch and lock 100x65 mm with 6		
	levers and a pair of brass lever handles	each	570
0568	Chromium plated brass casement window fastener	each	105
0569	Chromium plated Brass casement stays (straight peg type) 300		
	mm weighing not less than 0.33 kg	each	165
0570	Chromium plated Brass casement stays (straight peg type) 250		
	mm weighing not less than 0.28 kg	each	150
0571	Chromium plated Brass casement stays (straight peg type) 200		
	mm weighing not less than 0.24 kg	each	130
0583	Chromium plated Brass Night latch	each	550
0584	Chromium plated Brass Wardrobe Knob 50 mm	each	55
0585	Chromium plated Brass screws 50 mm	100Nos	260
0586	Chromium plated Brass screws 40 mm	100Nos	220
0587	Chromium plated Brass screws 30 mm	100Nos	170
0588	Chromium plated Brass screws 25 mm	100Nos	130
0589	Chromium plated Brass screws 20 mm	100Nos	115
0590	Chromium plated Brass curtain rod 12 mm dia 1.25mm thick	metre	210
0591	Chromium plated Brass curtain rod 20 mm dia 1.25mm thick	metre	280
0592	Chromium plated Brass curtain rod 25 mm dia 1.25mm thick	metre	370
0594	Bright finished or black enameled mild steel butt hinges		
	125x65x2.12 mm	10 Nos	155
0595	Bright finished or black enameled mild steel butt hinges		
	100x58x1.90 mm	10 Nos	100
0596	Bright finished or black enameled mild steel butt hinges		
	75x47x1.70 mm	10 Nos	70
0597	Bright finished or black enameled mild steel butt hinges		
	50x37x1.50 mm	10 Nos	60
0608	Nickel plated bright finished mild steel piano hinges 1 mm thick		
	25 mm wide	metre	45
0635	Bright finished or black enameled mild steel screws 50 mm	100Nos	75
0637	Bright finished or black enameled mild steel screws 40 mm	100Nos	60
0638	Bright finished or black enameled mild steel screws 30 mm	100Nos	50
0639	Bright finished or black enameled mild steel screws 25 mm	100Nos	40
0640	Bright finished or black enameled mild steel screws 20 mm	100Nos	35
0641	Bright finished or black enameled mild steel bolts and nuts		
	50x6 mm	each	8
0642	Oxidised mild steel butt hinges 125x65x2.12 mm	10 Nos	150
0643	Oxidised mild steel butt hinges 100x58x1.90 mm	10 Nos	95
0644	Oxidised mild steel butt hinges 75x47x1.70 mm	10 Nos	70
0645	Oxidised mild steel butt hinges 50x37x1.50 mm	10 Nos	60

0646	Oxidised mild steel parliamentary hinges 150x125x27x2.8 mm	10 Nos	350
0647	Oxidised mild steel parliamentary hinges 125x125x27x2.8 mm	10 Nos	325
0648	Oxidised mild steel parliamentary hinges 100x125x27x2.8 mm	10 Nos	250
0649	Oxidised mild steel parliamentary hinges 75x100x20x2.24 mm	10 Nos	220
0650	Oxidised mild steel single acting spring hinges 150 mm	each	120
0651	Oxidised mild steel single acting spring hinges 125 mm	each	115
0652	Oxidised mild steel single acting spring hinges 100 mm	each	100
0653	Oxidised mild steel double acting spring hinges 150 mm	each	120
0654	Oxidised mild steel double acting spring hinges 125 mm	each	120
0655	Oxidised mild steel double acting spring hinges 100 mm	each	95
0656	Nickel plated mild steel piano hinges 1 mm thick 35 mm wide	metre	50
0660	Oxidised mild steel sliding door bolt 300x16 mm	each	100
0661	Oxidised mild steel sliding door bolt 250x16 mm	each	98
0662	Oxidised mild steel door latch 300x20x6 mm	each	56
0663	Oxidised mild steel door latch 250x20x6 mm	each	45
0664	Oxidised mild steel tower bolt (barrel type) 250x10 mm	each	50
0665	Oxidised mild steel tower bolt (barrel type) 200x10 mm	each	45
0666	Oxidised mild steel tower bolt (barrel type) 150x10 mm	each	35
0667	Oxidised mild steel tower bolt (barrel type) 100x10 mm	each	30
0668	Oxidised mild steel handles 125 mm	each	23
0669	Oxidised mild steel handles 100 mm	each	19
0670	Oxidised mild steel handles 75 mm	each	18
0679	Oxidised mild steel hasps and staples (safety type) 150 mm	10 Nos	130
0680	Oxidised mild steel hasps and staples (safety type) 115 mm	10 Nos	105
0681	Oxidised mild steel hasps and staples (safety type) 90 mm	10 Nos	80
0682	Oxidised mild steel screws 50 mm	100Nos	80
0683	Oxidised mild steel screws 40 mm	100Nos	70
0684	Oxidised mild steel screws 30 mm	100Nos	60
0685	Oxidised mild steel screws 25 mm	100Nos	50
0686	Oxidised mild steel screws 20 mm	100Nos	40
0687	Anodised Aluminium butt hinges 125x75x4 mm	10 Nos	700
0688	Anodised Aluminium butt hinges 125x63x4 mm	10 Nos	680
0689	Anodised Aluminium butt hinges 100x75x4 mm	10 Nos	660
0690	Anodised Aluminium butt hinges 100x63x3.2 mm	10 Nos	650
0691	Anodised Aluminium butt hinges 100x63x4 mm	10 Nos	670
0692	Anodised Aluminium butt hinges 75x63x4 mm	10 Nos	650
0693	Anodised Aluminium butt hinges 75x63x3.2 mm	10 Nos	620
0694	Anodised Aluminium butt hinges 75x45x3.2 mm	10 Nos	520
0696	Anodised Aluminium sliding door bolt 300x16 mm	each	220
0697	Anodised Aluminium sliding door bolt 250x16 mm	each	200
0698	Anodised Aluminium tower bolt (barrel type) 300x10 mm	10 Nos	910
0699	Anodised Aluminium tower bolt (barrel type) 250x10 mm	10 Nos	780
0700	Anodised Aluminium tower bolt (barrel type) 200x10 mm	10 Nos	500
0701	Anodised Aluminium tower bolt (barrel type) 150x10 mm	10 Nos	480
0702	Anodised Aluminium tower bolt (barrel type) 100x10 mm	10 Nos	400
0703	Anodised Aluminium handles 125 mm with plate 175 x 32 mm	10 Nos	650
0704	Anodised Aluminium handles 100 mm with plate 150 x 32 mm	10 Nos	500

0705	Anodised Aluminium handles 75mm with plate 125 x 32 mm	10 Nos	450
0706	Anodised Aluminium kicking plate 50 cm long 100x3.15 mm	each	190
0713	Block board construction flush door with teak wood ply on both		
	faces 35 mm thick	sqm	2000
0714	Block board construction flush door with teak wood ply on both		
	faces 30 mm thick	sqm	1850
0715	Block board construction flush door with teak wood ply on both		
	faces 25 mm thick	sqm	1700
0717	Block board construction flush door with commercial ply on both		
	faces 35 mm thick	sqm	1350
0718	Block board construction flush door with commercial ply on both		
	faces 30 mm thick	sqm	1200
0719	Block board construction flush door with commercial ply on both		
	faces 25 mm thick	sqm	1100
0752	Block board construction flush door lipping	sqm of door area	450
0753	Square vision panel in Block board construction flush door	sqm of door area	140
0754	Circular vision panel in Block board construction flush door	sqm of door area	220
0755	Decorative type louvers in Block board construction flush door	sqm of door area	340
0757	Rebate cutting in block board construction flush door	sqm of door area	110
0759	Decorative plywood 4 mm	sqm	480
0761	Fuel wood	qtl	600
0763	Glue	kilogram	70
0765	Hessian cloth	sqm	30
0768	Cement Concrete Jali 50 mm thick	sqm	250
0769	Cement Concrete Jali 40 mm thick	sqm	200
0770	Cement Concrete Jali 25 mm thick	sqm	180
0771	Kerosene oil	Litre	48
0773	Unslaked lime	qtl	350
0775	Dehradun white lime	qtl	500
0776	Satna lime	qtl	350
0777	Dry hydrated lime (factory made)	qtl	250
0784	Marble dust/ powder	cum	1100
0785	Marble chips up to 4 mm and down size White & black	qtl	230
0788	Marble chips large size above 4 mm White & black	qtl	230
0801	Silicon and acrylic emulsion	Litre	230
0802	Acrylic distemper 1st quality , having VOC content less than		
	50 grams/ litre	kilogram	45
0803	Acrylic emulsion , having VOC content less than 50 grams/ litre	Litre	280
0804	Premium acrylic emulsion of interior grade, having VOC content		
	less than 50 grams/ litre	Litre	380
0805	Synthetic enamel paint , having VOC (Volatile Organic Compound)		
	content less than 150 grams/ litre	Litre	260

0806	Ready mixed pink or grey primer on wood work (hard and soft wood) having VOC content less than 50 grams/ litre	Litre	140
0807	Ready mixed red oxide zinc chromatic on steel/ iron work, having VOC content less than 250 grams/ litre	Litre	150
0808	Water thinnable cement primer for interior wall surface, having VOC content less than 50 grams/ litre	Litre	145
0809	Exterior primer	kilogram	50
0810	Moorum	cum	475
0811	Mud (dry)	cum	75
0815	Dry distemper	kg	160
0816	Oil bound washable distemper/ Acrylic distemper	kg	220
0818	Linseed oil (double boiled)	Litre	125
0820	Cement primer	Litre	100
0821	Distemper primer	Litre	100
0823	Pink primer (for wood)	Litre	140
0824	White cement based putty	kg	62
0826	Aluminium paint	Litre	160
0827	Acid proof paint (chocolate or black)	Litre	160
0828	Anticorrosive bituminous paint (black)	Litre	100
0829	Black Japan paint	Litre	110
0830	Enamel paint	Litre	210
0831	Floor enamel paint in all shades except green	Litre	140
0833	Synthetic enamel paint in black or chocolate shade	Litre	230
0834	Synthetic enamel paint in all shades except black or chocolate shade	Litre	260
0835	Plastic emulsion paint	Litre	250
0845	Roofing paint for iron sheets in red colour	Litre	150
0850	White lead	kg	100
0851	Water proofing cement paint	kg	60
0855	Wax polish (ready made)	kg	230
0856	Ordinary varnish	Litre	90
0857	Superior copal varnish	Litre	150
0858	Superior spar varnish	Litre	150
0859	Oil type wood preservative	Litre	100
0863	Putty for wood work	kg	50
0865	Pig lead	kg	150
0868	Premixed super white gypsum plaster.	kg	10
0869	Plaster of Paris	kg	8
0870	Plug	each	12
0873	Copper pins 6 mm dia 7.5 cm long	each	12
0874	Black colour dark shade pigment	kg	70
0875	Red, chocolate, orange, buff or yellow (red oxide of iron) light shade pigment	kg	90
0876	Green or blue medium shade pigment	kg	80
0886	Standard holder bat clamps for sand cast iron or cast iron pipes 150 mm dia	each	40
0966	Sand Cast iron plain shoe 150 mm dia	each	350

0967	Copper plate	kg	300
0969	Pulley 25 mm dia	each	50
0973	Rolling shutter made of 80x1.25 mm machine rolled laths	sqm	1300
0974	Top cover for rolling shutters 1.25 mm thick	metre	650
0975	27.5 cm long wire spring grade No. 2 for rolling shutters	each	300
0976	Ball bearing for rolling shutters	each	350
0977	Extra for mechanical devices chain and cranked operation for		
	operating rolling shutters: exceeding 10.00 sqm and up to 16.80		
	sqm area of door	sqm	600
0978	Extra for mechanical devices chain and cranked operation for		
	operating rolling shutters: exceeding 16.80 sqm area of door	sqm	620
0979	Royalty for good earth	cum	50
0980	Royalty for sludge	cum	100
0982	Coarse sand (zone III)	cum	3000
0983	Fine sand (zone IV)	cum	1500
0992	Galvanised steel plain sheets	qtl	5500
0994	Standard quality hard board sheet 3 mm thick	sqm	140
0996	Standard quality hard board sheet 4.5 mm thick	sqm	175
0999	Shellac	kg	250
1000	Spirit	Litre	100
1001	Spun yarn	kg	50
1002	Mild steel round bar 12 mm dia and below	qtl	5300
1003	Mild steel round bar above 12 mm dia	qtl	5000
1004	Average rate of Mild steel round bars for reinforcement	qtl	4800
1005	Twisted steel/ deformed bars	qtl	5700
1006	Mild steel square bars	qtl	5300
1007	Structural steel such as tees, angles channels and R.S. joists	qtl	5500
1008	Flats up to 10 mm in thickness	qtl	5000
1009	Flats exceeding 10 mm in thickness	qtl	5500
1010	Mild steel plates	qtl	5200
1011	Steel glazed door,window/ ventilator, all members viz. F7D, F4B,		
	K11 and K12B etc.	kg	55
1013	Mild steel sheets for tanks	qtl	5200
1015	Mild steel expanded metal 20x60 mm strands	sqm	320
1019	Mild steel hooks	each	50
1020	Mild steel rivets	qtl	5500
1021	Hard drawn steel wire fabric	sqm	480
1022	Galvanised steel bolts & nuts 6 mm dia and 25 mm long round		
	head with slots	10nos	40
1023	Galvanised steel J or L hooks 8 mm dia	10nos	150
1024	Galvanised steel bolts & nuts 10 mm dia and 125 mm long round		
	head with slots	each	18
1025	Mild steel bolts 6 mm dia and 25 mm long with hexagonal head	10nos	50
1028	Straining bolts	each	100
1029	Galvanised steel barbed wire	qtl	5500
1030	Galvanised steel turn buckles	each	22
1031	Galvanised steel bolts & nuts 10 mm dia and 27 cm long both		

	sides threaded with 4 galvanised steel nuts	each	40
1032	Galvanised steel bolts 10 mm dia and 7 cm long with nuts	each	25
1034	Bolts and nuts up to 300 mm in length	qtl	6000
1035	Bolts and nuts above 300 mm in length	qtl	6000
1036	Iron pintels including welded pin	each	50
1143	Steel beading	metre	40
1145	Aluminium Plain Strip edging 38x12x3 mm	metre	125
1149	Glass strip 4 mm thick 40 mm deep	metre	12
1151	Boundary stone top chisel dressed 15x15x90 cm	each	125
1154	Through and bond stone	100nos	1300
1157	Stone for masonry work	cum	1000
1158	Stone for pitching 15 cm x 22.5 cm	cum	900
1159	Stone dust	cum	1050
1160	Red sand stone block	10cudm	90
1161	White sand stone block	10cudm	100
1163	White sand stone slab 75 mm thick (un-dressed)	sqm	400
1164	Red sand stone slab 40 mm thick (un-dressed)	sqm	200
1165	White sand stone slab 40 mm thick (un-dressed)	sqm	220
1166	Red sand stone slab 30 mm thick (un-dressed)	sqm	150
1168	Kota stone slab 20 mm to 25 mm thick (semi-polished)	sqm	325
1169	Kota stone slab 25mm thick (rough chiseled)	sqm	230
1174	Red sand stone slab 45 mm to 50 mm thick (un-dressed)	sqm	190
1175	White sand stone slab 45 mm to 50 mm thick (un-dressed)	sqm	250
1177	Stone grit 6 mm and down size or pea sized gravel	cum	1100
1179	Crushed stone 2.36 mm to 12.5 mm size	cum	1200
1182	Surkhi	cum	850
1186	Superior class teak wood such as Dandeli, Balarshah or Malabar		
	in planks	10cudm	1500
1187	First class teak wood in scantling	10cudm	1300
1188	First class teak wood in planks	10cudm	1400
1189	Second class teak wood in scantling	10cudm	1100
1190	Second class teak wood in planks	10cudm	1200
1194	Second class deodar wood in planks	10cudm	600
1196	First class kail wood in planks	10cudm	400
1197	Second class kail wood in scantling	10cudm	300
1198	Second class kail wood in planks	10cudm	300
1199	Sal wood in scantling	10cudm	600
1200	Kiln seasoned selected sheesham wood planks	10cudm	750
1201	Precast terrazzo tiles 22 mm thick (light shade)	sqm	300
1202	Precast terrazzo tiles 22 mm thick (medium shade)	sqm	280
1203	Precast terrazzo tiles 22 mm thick (dark shade)	sqm	260
1204	Precast heat resistant terrace tiles (size 300x300 mm) and		
	20 mm thick	sqm	550
1207	G.I. Limpet washer	100nos	40
1208	Bitumen washer	100nos	35
1209	G.I. plain washer thick	100nos	40
1210	G.I. plain washer thin	100nos	40

1211	G.I. plain washer for seam bolts	100nos	35
1213	Water proofing materials	kg	35
1214	Welding by gas plant	cm	5
1215	Welding by electric plant	cm	3
1216	Whiting	qtl	550
1219	Wire nails	kg	80
1220	Wire mesh (rabbit)	sqm	60
1221	20 mm dia holding down bolts	qtl	6000
1222	Mild steel sheets with bolts and nuts to rest on pintels	each	150
1224	Hard drawn steel wire	qtl	6000
1225	Mild steel flat strap fitting	qtl	5000
1227	Chequered terrazzo tiles 22 mm thick(light shade)	sqm	350
1228	Chequered terrazzo tiles 22 mm thick(medium shade)	sqm	300
1229	Chequered terrazzo tiles 22 mm thick (dark shade)	sqm	275
1231	Extra for selected planks of second class teakwood	10cudm	180
1234	Aluminium Plain Strip edging 57x12x3 mm	metre	150
1235	Diesel oil	liter	58
1237	Cutting marble or sand stone slab up to 50 mm thick by mechanical device	metre	15
1238	Extra for selected planks of first class teakwood	10cudm	180
1239	18 mm thick Flamed finish granite stone slab	sqm	2000
1240	18 mm thick Italian Marble stone slab, Perlato (slab area up to 0.5 sqm).	sqm	4000
1241	Commercial LPG in cylinder	kg	90
1242	Glass mosaic tiles (20 mm x 20 mm x 4 mm).	sqm	1200
1243	Tile fixing chemical adhesive	kg	45
1244	Cement Polymer Grout Compound	kg	45
1245	Acid for cleaning tiles	litre	25
1301	Bleaching powder	qtl	1900
1304	Surface box for stop cock	each	140
1305	Surface box for sluice valve	each	240
1307	Surface box for water meter	each	280
1309	C.I. bracket for wash basin and sinks	pair	100
1314	C.P.brass chain with 32 mm dia rubber plug	each	60
1315	C.P.brass chain with 40 mm dia rubber plug	each	60
1330	Clamps and M.S. stays including bolts and nuts for 100 mm pipe	each	50
1331	M.S.Holder bat clamp of approved design for 100 mm S.C.I. pipe	each	35
1332	M.S.Holder bat clamp of approved design for 75 mm S.C.I. pipe	each	25
1334	Clamps and M.S. stays including bolts and nuts for 50 mm pipe	each	35
1335	Clamps and M.S. stays including bolts and nuts for 75 mm pipe	each	40
1336	Clearing eye with chain and lid 100 mm dia	each	55
1337	Clearing eye with chain and lid 150 mm dia	each	65
1339	Brass bib-cock 15 mm dia	each	240
1340	Brass bib-cock 20 mm dia	each	250
1342	Brass stop-cock 15 mm dia	each	240
1343	Brass stop-cock 20 mm dia	each	310
1350	Mosquito proof coupling of approved design	each	40

1352	C.I. cover and frame 300x300 mm inside	each	375
1353	C.I. cover without frame 300x300 mm inside i/c cover of 4.50 kg	each	250
1354	Rectangular cover 455x610 mm with frame (low duty)	each	1750
1355	Rectangular cover 455x610 mm without frame (low duty)	each	1250
1356	500 mm dia cover with frame (medium duty)	each	5000
1357	500 mm dia cover without frame (medium duty)	each	2500
1360	C.I. mouth, brass ferrule 15 mm dia	each	170
1361	C.I. mouth, brass ferrule 20 mm dia	each	190
1362	C.I. mouth, brass ferrule 25 mm dia	each	250
1363	Vitreous china foot rests 250x130x30 mm	pair	125
1364	C.I. grating 100x100 mm	each	25
1366	C.I. grating 150x150 mm	each	40
1367	C.I. grating 180x180 mm	each	50
1369	S.C.I. gully or nahani grating 100 mm dia	each	30
1373	Rubber insertions for 80 mm dia pipe joints	each	20
1374	Rubber insertions for 100 mm dia pipe joints	each	30
1375	Rubber insertions for 125 mm dia pipe joints	each	35
1376	Rubber insertions for 150 mm dia pipe joints	each	35
1377	Rubber insertions for 200 mm dia pipe joints	each	40
1378	Rubber insertions for 250 mm dia pipe joints	each	55
1379	Rubber insertions for 300 mm dia pipe joints	each	50
1380	Rubber insertions for 350 mm dia pipe joints	each	60
1381	Rubber insertions for 400 mm dia pipe joints	each	80
1382	Rubber insertions for 450 mm dia pipe joints	each	100
1383	Rubber insertions for 500 mm dia pipe joints	each	120
1384	Rubber insertions for 600 mm dia pipe joints	each	150
1392	Mirror of superior make glass 60x45 cm	each	450
1396	Vitreous china pedestal for wash basin	each	1350
1397	Pig lead	kg	150
1464	S & S.C.I. standard specials upto 300 mm dia (heavy class)	qtl	3800
1466	S & S.C.I. standard specials over 300 mm dia (heavy class)	qtl	3900
1468	Flanged C.I. standard specials upto 300 mm dia (heavy class)	qtl	5750
1470	Flanged C.I. standard specials over 300 mm dia (heavy class)	qtl	6000
1472	Casing pipe 100 mm dia	metre	360
1532	Flush pipe with union spreaders and clamps all in C.P. brass for single stall	each	280
1533	Flush pipe with union spreaders and clamps all in C.P. brass for double stall	each	425
1534	Flush pipe with union spreaders and clamps all in C.P. brass for range of three stall	each	550
1535	Flush pipe with union spreaders and clamps all in C.P. brass for range of four stall	each	650
1540	Flush pipe and spreaders G.I. for single set of one squatting plate urinal	each	185
1541	Flush pipe and spreaders G.I. for range of two squatting plates urinal	each	275
1542	Flush pipe and spreaders G.I. for range of three squatting plates urinal	each	325
1543	Flush pipe and spreaders G.I. for range of four squatting plates urinal	each	420

1545	G.I. pipes 15 mm dia	metre	100
1546	G.I. pipes 20 mm dia	metre	130
1547	G.I. pipes 25 mm dia	metre	180
1548	G.I. pipes 32 mm dia	metre	210
1549	G.I. pipes 40 mm dia	metre	250
1550	G.I. pipes 50 mm dia	metre	300
1551	G.I. pipes 65 mm dia	metre	400
1552	G.I. pipes 80 mm dia	metre	500
1555	G.I. back (jam) nuts 25 mm dia	each	20
1559	G.I. back (jam) nuts 65 mm dia	each	30
1608	G.I. tees (equal) 25 mm	each	60
1612	G.I. tees (equal) 65 mm	each	310
1614	G.I. inlet connection	each	80
1616	S.C.I. soil, waste and vent single socketed pipe 1.80 metres long:		
	75 mm dia	each	1100
1617	S.C. I. soil, waste and vent single socketed pipe 1.80 metres		
	long: 100 mm dia	each	1250
1618	S.C.I. soil, waste and vent single socketed pipe 1.80 metres long:		
	150 mm dia	each	1850
1620	S.C.I. plain bend 75 mm dia	each	180
1621	S.C.I. plain bend 100 mm dia	each	365
1622	S.C.I. plain bend 150 mm dia	each	650
1624	S.C.I. bend with access door 75 mm dia	each	230
1625	S.C.I. bend with access door 100 mm dia	each	275
1627	S.C.I. plain single equal junctions 75x75x75 mm dia	each	280
1628	S.C.I. plain single equal junctions 100x100x100 mm dia	each	500
1630	S.C.I. single equal junctions 75x75x75 mm dia with access door	each	290
1631	S.C.I. single equal junctions 100x100x100 mm dia with access door	each	390
1633	S.C.I. plain double equal junctions 75x75x75x75 mm dia	each	370
1634	S.C.I. plain double equal junctions 100x100x100x100 mm dia	each	550
1636	S.C.I. double equal junctions 75x75x75x75 mm dia with access door	each	450
1637	S.C.I. double equal junctions 100x100x100x100 mm dia with		
	access door	each	575
1639	Slotted cowl (terminal guard) 75 mm dia	each	170
1640	Slotted cowl (terminal guard) 100 mm dia	each	210
1641	G.I. Union 15 mm nominal bore	each	75
1642	G.I. Union 20 mm nominal bore	each	90
1643	G.I. Union 25 mm nominal bore	each	110
1644	G.I. Union 32 mm nominal bore	each	140
1645	G.I. Union 40 mm nominal bore	each	200
1646	G.I. Union 50 mm nominal bore	each	250
1647	G.I. Union 65 mm nominal bore	each	460
1648	G.I. Union 80 mm nominal bore	each	550
1649	Polyethylene water storage tank with cover and suitable locking		
	arrangement	litre	6
1653	Sand cast iron S&S plain single unequal junctions: 100x100x		
	75 mm dia	each	375

1656	Sand cast iron S&S single unequal junctions: 100x100x75 mm dia with access door	each	420
1659	Sand cast iron S&S plain double unequal junctions:100x100x 75x75 mm dia	each	575
1662	Sand cast iron S&S double unequal junctions: 100x100x 75x75 mm dia with access door	each	575
1666	Sand cast iron heel rest bend 75 mm dia	each	225
1667	Sand cast iron heel rest bend 100 mm dia	each	275
1669	S.C.I. single equal invert branch of required degree 75x75x75 mm dia	each	330
1670	S.C.I. single equal invert branch of required degree 100x100x 100 mm dia	each	430
1672	S.C.I. double equal invert branch of required degree 75x75x75x 75 mm dia	each	430
1673	S.C.I. double equal invert branch of required degree 100x100x 100x100 mm dia	each	575
1674	S.C.I. single unequal invert branch of required degree 100x100x 75 mm dia	each	510
1677	S.C.I. double unequal invert branch of required degree 100x100x75x 75 mm dia	each	590
1682	S.C.I. door pieces 75 mm dia	each	290
1683	S.C.I. door pieces 100 mm dia	each	430
1685	S.C.I. collar 75 mm dia	each	125
1686	S.C.I. collar 100 mm dia	each	150
1687	Unplasticised P.V.C. connection pipe with brass union 30 cm long 15 mm bore	each	32
1688	Unplasticised P.V.C. connection pipe with brass union 30 cm long 20 mm bore	each	38
1689	Unplasticised P.V.C. connection pipe with brass union 45 cm long 15 mm bore	each	38
1690	Unplasticised P.V.C. connection pipe with brass union 45 cm long 20 mm bore	each	50
1693	S.C.I. hand pump	each	680
1700	R.C.C. pipes NP2 class 100 mm dia	m	350
1701	R.C.C. pipes NP2 class 150 mm dia	m	350
1702	R.C.C. pipes NP2 class 250 mm dia	m	450
1703	R.C.C. pipes NP2 class 300 mm dia	m	600
1704	R.C.C. pipes NP2 class 450 mm dia	m	700
1705	R.C.C. pipes NP2 class 500 mm dia	m	800
1706	R.C.C. pipes NP2 class 600 mm dia	m	1100
1707	R.C.C. pipes NP2 class 700 mm dia	m	1300
1709	R.C.C. pipes NP2 class 800 mm dia	m	1400
1710	R.C.C. pipes NP2 class 900 mm dia	m	1550
1711	R.C.C. pipes NP2 class 1000 mm dia	m	1800
1712	R.C.C. pipes NP2 class 1100 mm dia	m	2100
1713	R.C.C. pipes NP2 class 1200 mm dia	m	2150
1714	R.C.C. collars NP2 class 100 mm dia	each	32
1715	R.C.C. collars NP2 class 150 mm dia	each	38

1716	R.C.C. collars NP2 class 250 mm dia	each	55
1717	R.C.C. collars NP2 class 300 mm dia	each	60
1718	R.C.C. collars NP2 class 450 mm dia	each	120
1719	R.C.C. collars NP2 class 500 mm dia	each	130
1720	R.C.C. collars NP2 class 600 mm dia	each	160
1721	R.C.C. collars NP2 class 700 mm dia	each	155
1723	R.C.C. collars NP2 class 800 mm dia	each	210
1724	R.C.C. collars NP2 class 900 mm dia	each	240
1725	R.C.C. collars NP2 class 1000 mm dia	each	285
1726	R.C.C. collars NP2 class 1100 mm dia	each	310
1727	R.C.C. collars NP2 class 1200 mm dia	each	380
1728	RCC pipe 450 mm dia NP-3 spigot	m	1510
1729	RCC pipe 600 mm dia NP-3 spigot	m	2200
1730	RCC pipe 900 mm dia NP-3 spigot	m	3300
1731	RCC pipe 1000 mm dia NP-3 spigot	m	4010
1732	RCC pipe 1200 mm dia NP-3 spigot	m	5500
1733	RCC pipe 1800 mm dia NP-3 spigot	m	10000
1734	RCC pipe 450 mm dia NP-4 spigot	m	2850
1735	RCC pipe 600 mm dia NP-4 spigot	m	2480
1736	RCC pipe 900 mm dia NP-4 spigot	m	4850
1737	RCC pipe 1000 mm dia NP-4 spigot	m	5925
1738	RCC pipe 1200 mm dia NP-4 spigot	m	6950
1739	RCC pipe 1800 mm dia NP-4 spigot	m	14100
1854	Stoneware pipes grade A (60 cm long) 100 mm dia	each	55
1855	Stoneware pipes grade A (60 cm long) 150 mm dia	each	88
1856	Stoneware pipes grade A (60 cm long) 200 mm dia	each	148
1857	Stoneware pipes grade A (60 cm long) 230 mm dia	each	185
1858	Stoneware pipes grade A (60 cm long) 250 mm dia	each	240
1859	Stoneware pipes grade A (60 cm long) 300 mm dia	each	260
1863	Fire clay kitchen sink: 600x450x250 mm	each	1600
1871	White vitreous china laboratory sink 450x300x150 mm	each	1000
1872	White vitreous china laboratory sink 600x450x200 mm	each	1700
1875	White plastic seat (solid) with lid C.P. brass hinges and rubber buffers	each	400
1876	Black plastic seat (solid) with lid C.P. brass hinges and rubber buffers	each	335
1878	Shower rose C.P. brass for 15 to 20 mm inlet 100 mm dia	each	60
1879	Shower rose C.P. brass for 15 to 20 mm inlet 150 mm dia	each	70
1881	Spun yarn	Kg	55
1882	Strainer brass 40 mm dia 1.5 metre long	each	660
1885	15 mm C.P. brass tap	each	250
1889	C.P. brass toilet paper holder of standard size	each	210
1891	C.I. trap for standard urinal with vent arm with operating and other couplings in C.P. brass: 50 mm dia	each	210
1893	C.I. trap for standard urinal with vent arm with operating and other couplings in C.P. brass: 80 mm dia	each	260
1895	C.P. brass trap 40 mm dia	each	180

1896	100 mm S.C.I. trap with vent heel	each	345
1897	100 mm S.C.I. trap with 100 mm inlet and 100 mm outlet	each	300
1898	100 mm S.C.I. trap with 100 mm inlet and 75 mm outlet	each	235
1900	S.W. gully trap P type 100x100 mm	each	95
1902	S.W. gully trap P type 150x100 mm	each	140
1904	S.W. gully trap P type 180x150 mm	each	245
1913	Vitreous china lipped front urinal	each	550
1915	Vitreous china squatting plate urinal	each	950
1922	H.P. or L.P. ball valve with polythene floats: 15 mm dia	each	230
1923	H.P. or L.P. ball valve with polythene floats: 20 mm dia	each	330
1924	H.P. or L.P. ball valve with polythene floats: 25 mm dia	each	350
1927	Brass full way valve with C.I. wheel (screwed end) 25 mm dia	each	380
1928	Brass full way valve with C.I. wheel (screwed end) 32 mm dia	each	450
1929	Brass full way valve with C.I. wheel (screwed end) 40 mm dia	each	510
1930	Brass full way valve with C.I. wheel (screwed end) 50 mm dia	each	675
1931	Brass full way valve with C.I. wheel (screwed end) 65 mm dia	each	1180
1932	Brass full way valve with C.I. wheel (screwed end) 80 mm dia	each	1750
1933	Gunmetal non-return valve-horizontal (screwed end) 25 mm dia	each	350
1934	Gunmetal non-return valve-horizontal (screwed end) 32 mm dia	each	485
1935	Gunmetal non-return valve-horizontal (screwed end) 40 mm dia	each	570
1936	Gunmetal non-return valve-horizontal (screwed end) 50 mm dia	each	900
1937	Gunmetal non-return valve-horizontal (screwed end) 65 mm dia	each	1550
1938	Gunmetal non-return valve-horizontal (screwed end) 80 mm dia	each	2500
1940	C.I. sluice valve (with caps) class I: 100 mm dia	each	2600
1941	C.I. sluice valve (with caps) class I : 125 mm dia	each	2750
1942	C.I. sluice valve (with caps) class I: 150 mm dia	each	4000
1943	C.I. sluice valve (with caps) class I : 200 mm dia	each	8000
1944	C.I. sluice valve (with caps) class I : 250 mm dia	each	11500
1945	C.I. sluice valve (with caps) class I: 300 mm dia	each	16250
1947	Vitreous china flat back wash basin 630x450 mm	each	900
1949	Vitreous china angle back wash basin 600x480 mm	each	1800
1950	Vitreous china angle back wash basin 400x400 mm	each	700
1951	C.P. brass waste 32 mm	each	100
1952	C.P. brass waste 40 mm	each	125
1953	Vitreous china Indian type W.C. pan size 580 mm	each	700
1954	Vitreous china orrisa type W.C. pan size 580 mm	each	900
1955	Vitreous china pedestal type water closet	each	850
1956	Bolts and nuts 16 mm dia 60 mm long	each	15
1957	Bolts and nuts 16 mm dia 65 mm long	each	15
1958	Bolts and nuts 20 mm dia 65 mm long	each	20
1959	Bolts and nuts 20 mm dia 70 mm long	each	20
1960	Bolts and nuts 20 mm dia 75 mm long	each	22
1961	Bolts and nuts 20 mm dia 80 mm long	each	25
1962	Bolts and nuts 24 mm dia 85 mm long	each	35
1963	Bolts and nuts 24 mm dia 90 mm long	each	40
1964	Bolts and nuts 27 mm dia 100 mm long	each	45
1965	White vitreous china dual purpose closet (Anglo Indian W.C.)	each	1600

	suitable for use as squatting pan or European type water closet		
	as per manufacturer's specifications		
1970	Vitreous china foot rests 250x125x25 mm	pair	125
1980	Fly ash	cum	10
1984	Common burnt clay F.P.S. bricks tile class designation 10	1000nos	6000
1986	Common burnt clay modular bricks class designation 12.5	1000nos	6500
2391	Strips-Aluminium fluted 3.15 mm thick and 150 mm wide	metre	240
2392	Strips Aluminium fluted 3.15 mm thick and 200 mm wide	metre	360
2393	1 mm thick Stainless Steel Cover plate grade 304	kg	340
2394	Coupler 16 mm dia	each	75
2395	Coupler 20 mm dia	each	95
2396	Coupler 25 mm dia	each	145
2397	Coupler 28 mm dia	each	220
2398	Coupler 32 mm dia	each	245
2399	Complete Roof Joint of 100 mm	metre	4600
2400	Complete Roof Joint of 150 mm	metre	4900
2401	Complete Roof Joint of 200 mm	metre	5200
2402	Epoxy adhesive	kg	175
2403	Floor Joint of 100 mm	metre	4600
2404	Floor Joint of 150 mm	metre	5200
2405	Floor Joint of 200 mm	metre	5500
2406	Float glass sheet of nominal thickness 4 mm (weight not less		
	than 10 kg/sqm)	sqm	350
2407	Float glass sheet of nominal thickness 5.5 mm (weight not less		
	than 13.50 kg/sqm)	sqm	550
2408	Float glass sheet of nominal thickness 8 mm (weight not less		
	than 20.00 kg/sqm)	sqm	750
2409	Wall Joint of 100 mm	metre	3450
2410	Wall Joint of 150 mm	metre	3750
2411	Wall Joint of 200 mm	metre	4100
2412	Ply wood 5 ply with commercial ply on both faces 6 mm thick	sqm	450
2413	12 mm commercial ply	sqm	725
2414	18 mm thick block board with commercial ply veneering on both side	sqm	850
2447	Hollock ballies 125 mm diameter	metre	45
2449	Oxidised mild steel pull bolt lock (locking bolt) of size 85 mm x		
	42 mm with screws, bolts, nuts and washers complete	each	75
2451	Brass cupboard lock 6 levers of approved quality, 40 mm size	each	90
2452	Brass cupboard lock 6 levers of approved quality, 50 mm size	each	100
2453	Brass cupboard lock 6 levers of approved quality, 65 mm size	each	120
2454	Brass cupboard lock 6 levers of approved quality, 75 mm size	each	150
2455	Brass hanging type door stopper 150 mm	each	85
2456	Hydraulic door closer bottle type M.S. body with necessary		
	accessories and screws complete	each	1200
2459	Anodised Aluminium hanging type door stopper	each	35
2464	Anodised Aluminium pull bolt lock (locking bolt) of size 85 mm x	each	
	42 mm with screws, bolts, nuts and washers complete	each	60
2465	Anodised Aluminium Casement stay 250 mm	each	60

2466	Hollock wood in scantling	10cudm	400
2467	Chromium plated Brass pull bolt lock (locking bolt) of size 85 mm x 42 mm with screws, bolts, nuts and washers complete	each	190
2468	Nickled Chromium Brass cupboard lock 40 mm size	each	90
2469	Nickled Chromium Brass cupboard lock 50 mm size	each	100
2470	Nickled Chromium Brass cupboard lock 65 mm size	each	110
2471	Nickled Chromium Brass cupboard lock 75 mm size	each	140
2480	Ply wood 5 ply with teak ply on both faces 9 mm thick	sqm	1100
2481	Ply wood 5 ply with teak ply on one face and commercial ply on another face 9 mm thick	sqm	900
2483	Ply wood 7 ply with teak ply on one face and commercial ply on another face 9 mm thick	sqm	1000
2484	Pre-laminated with decorative lamination on both side exterior Grade - I MDF Board 12 mm thick confirming to IS:14587	sqm	725
2485	Pre-laminated with decorative lamination on both side exterior Grade - I MDF Board 18 mm thick confirming to IS:14587	sqm	975
2486	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 25 mm thick confirming to IS:14587	sqm	1225
2487	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 12 mm thick confirming to IS:14587	sqm	725
2488	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 18 mm thick confirming to IS:14587	sqm	900
2489	PVC edge bending tape 2.00 mm thick	metre	35
2500	Extra for selected planks of second class deodar wood	10cudm	125
2504	Kiln seasoning of timber	cum	775
2505	Hollock wood in planks	10cudm	410
2506	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 60 mm	10nos	300
2507	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 80 mm	10nos	330
2508	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 120 mm	10nos	410
2509	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 140 mm	10nos	500
2510	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 160 mm	10nos	625
2602	Common burnt clay F.P.S. (non modular) bricks class designation 7.5	1000nos	5000
2603	Common burnt clay F.P.S. (non modular) bricks class designation 5.0	1000nos	4000
2605	Structural sealant - 6 mm x 12 mm	metre	45

2606	Spacer tape 6.4 mm thick x 6 mm wide	metre	30
2607	Weather Sealant - Non Staining	each	550
2608	Weather Sealant - Normal (300 ml)	each	160
2609	MS Brackets/Aluminium Alloy Brackets	kg	150
2610	Silicon Gasket in Kg (Above 50 g / m)	kg	730
2611	EPDM Gasket in Kg (Above 60 g / m)	kg	200
2612	Anchor Fastner - M10	each	125
2613	SS Bolt with washer of sizes for structural glazing / ACP Cladding	each	50
2614	SS Screws of sizes for structural glazing / ACP Cladding	each	10
2615	Protective Tape	metre	35
2616	GI flashing - 1.2 mm Thick	kg	75
2617	6 mm thick High performance glass	sqm	2300
2618	6 mm thick clear heat strengthened glass	sqm	950
2619	6 mm thick clear heat strengthened glass	each	170
2620	ARMS GS HD -TOP HUNG -20"-TYPE P-COUPLE	pair	1750
2621	Connection Block	each	50
2622	Curtain wall striker	each	130
2623	Adjustable Fastening Pawl	each	50
2624	Corner drive	each	325
2625	Top wedge Block	each	150
2626	Glass wool Denisity 48 Kg / m3 with Black Glass Tissue (BGT)	sqm	250
2627	SS Screws - # 8 x 19	each	15
2628	Weather Sealant - DC 789	cartridge	150
2629	Cement Board	sqm	270
2630	Baker rod	metre	6
2631	4 mm thick ACP	sqm	1300
2632	Fire Stop	metre	590
2634	GI/Aluminium Sheet (0.8 mm thick)	kg	65
2704	Aluminium Strip 40 mm wide and 2 mm thick	kg	250
2708	Truf Paver (500 x 500 x 40 mm)	sqm	1300
2709	Ceremic Tiles Pieces for Crazy Flooring	q1tl	150
2710	White marble makrana second quality plain veined stone pieces		
	for crazy flooring	qtl	160
2711	FS800H Grade Flooring Panel (Size 600 mm x600 mm x32 mm)		750
2712	Zinc Electroplated Pedestals - 300 mm	each	160
2713	Zinc Electroplated Pedestals - 450 mm	each	170
2714	Zinc Electroplated Tube Stinger	each	80
2715	Machine Screw for Fixing	each	2.5
2750	8 mm thick granite stone tiles (mirror polished of all shades)	sqm	780
2751	8 mm thick marble tiles (polished) Raj Nagar	sqm	400
2901	Stone Aggregate (Single size) : 100 mm nominal size	cum	1000
2902	Stone Aggregate (Single size) : 80 mm nominal size	cum	1000
2903	Stone chippings/ screenings 4.75 mm nominal size	cum	1300
2904	Stone chippings/ screenings 150 micron nominal size	cum	1250
2908	Over burnt (Jhama) Brick Aggregate: 120 mm to 40 mm size	cum	410
2909	Over burnt (Jhama) Brick Aggregate: 90 mm to 40 mm size	cum	500
2910	Stone chippings/ screenings 12.5/ 13.2 mm nominal size	cum	1300

2911	Stone chippings/ screenings 10/ 11.2 mm nominal size	cum	1300
2914	Solvent	kg	30
2916	Paving Asphalt VG 10 of approved quality	tonne	54000
3002	Polyvinyle chloride sheet 400 micron thick	sqm	45
3004	Stone ware spouts 100 mm dia 60 cm long	each	45
3050	Galvanised steel corrugated sheets	quintl	6500
3080	Gunmetal non-return valve - vertical (screwed end) 25 mm dia	each	450
3084	Gunmetal non-return valve - vertical (screwed end) 32 mm dia	each	600
3088	Gunmetal non-return valve - vertical (screwed end) 40 mm dia	each	900
3092	Gunmetal non-return valve - vertical (screwed end) 50 mm dia	each	1200
3096	Gunmetal non-return valve - vertical (screwed end) 65 mm dia	each	2000
3213	Vitreous china Surgeon type wash basin of size 660x460 mm	each	1250
3228	600x120 mm glass shelf with anodised aluminium angle frame,		
	C.P. brass brackets and guard rail of standard size	each	300
3229	Vitreous china flat back wash basin 550x400 mm	each	600
3300	Gunmetal non-return valve - vertical (screwed end) 80 mm dia	each	3500
3311	C.I.sluiice valve (with caps) class II : 100 mm dia	each	3650
3314	C.I.sluiice valve (with caps) class II : 125 mm dia	each	4000
3317	C.I.sluiice valve (with caps) class II : 150 mm dia	each	5000
3320	C.I.sluiice valve (with caps) class II : 200 mm dia	each	10500
3321	C.I.sluiice valve (with caps) class II : 250 mm dia	each	17500
3326	C.I.sluiice valve (with caps) class II : 300 mm dia	each	22500
3327	15 mm Battery Based Sensor Pillar Cock	each	7200
3617	C.P. Brass union 40mm dia	each	220
3620	C.C.I. (spun) socketed soil, waste and vent pipe 1.80 metres		
	long:100 mm dia	each	1450
3621	C.C.I. (spun) socketed soil, waste and vent pipe 1.80 metres long:		
	75 mm dia	each	1250
3624	S.C.I. S&S bends with access door 100 mm dia	each	330
3625	S.C.I. S&S bends with access door 75 mm dia	each	310
3628	S.C.I. S&S bend 100 mm dia	each	320
3629	S.C.I. S&S bend 75 mm dia	each	230
3634	S.C.I. S&S heel rest sanitary bend 100 mm dia	each	390
3635	S.C.I. S&S heel rest sanitary bend 75 mm dia	each	310
3640	S.C.I. S&S single equal junctions 100x100x100 mm	each	520
3641	S.C.I. S&S single equal junctions 75x75x75 mm	each	370
3644	S.C.I. S&S single equal junctions with access door 100x100x		
	100 mm	each	530
3645	S.C.I. S&S single equal junctions with access door 75x75x75 mm	each	410
3650	S.C.I. S&S double equal junctions 100x100x100x100 mm	each	690
3651	S.C.I. S&S double equal junctions 75x75x75x75 mm	each	530
3654	S.C.I. S&S double equal junctions with access door 100x100x		
	100x100 mm	each	680
3655	S.C.I. S&S double equal junctions with access door 75x75x75x		
	75 mm	each	520
3660	S.C.I. S&S single unequal junctions 100x100x75 mm	each	610
3664	S.C.I. S&S single unequal junctions with access door 100x100x		

	75 mm	each	700
3670	S.C.I. S&S double unequal junctions 100x100x75x75 mm	each	850
3674	S.C.I. S&S double unequal junctions with access door 100x100x		
	75x75 mm	each	900
3681	S.C.I. S&S single equal invert branch of required degree 100x100x		
	100 mm dia	each	490
3682	S.C.I. S&S single equal invert branch of required degree 75x75x		
	75 mm dia	each	370
3685	S.C.I. S&S double equal invert branch of required degree		
	100x100x 100x100 mm dia	each	580
3686	S.C.I. S&S double equal invert branch of required degree 75x75x		
	75x75 mm dia	each	460
3690	S.C.I. S&S single unequal invert branch of required degree 100x		
	100x75 mm dia	each	590
3695	S.C.I. S&S double unequal invert branch of required degree 100x		
	100x75x75 mm dia	each	790
3699	S.C.I. S&S, 75 mm offset for 75 mm dia pipe	each	250
3707	S.C.I. S&S, 150 mm offset for 75 mm dia pipe	each	310
3708	S.C.I. S&S, 150 mm offset for 100 mm dia pipe	each	430
3712	S.C.I. S&S, 114 mm offset for 75 mm dia pipe	each	330
3713	S.C.I. S&S, 114 mm offset for 100 mm dia pipe	each	420
3716	S.C.I. S&S, 152 mm offset for 75 mm dia pipe	each	390
3717	S.C.I. S&S, 152 mm offset for 100 mm dia pipe	each	500
3728	S.C.I. S&S door pieces 100 mm dia	each	450
3729	S.C.I. S&S door pieces 75 mm dia	each	330
3733	S.C.I. S&S, Slotted Cowl (Terminal Guard) 100 mm	each	380
3734	S.C.I. S&S, Slotted Cowl (Terminal Guard) 75 mm	each	330
3738	S.C.I. S&S, collars 100 mm	each	270
3739	S.C.I. S&S, collars 75 mm	each	190
3746	S.C.I. S&S, 75 mm offset for 75 mm dia pipe	each	240
3747	S.C.I. S&S, 75 mm offset for 100 mm dia pipe	each	390
3749	Vitreous china toilet paper holder of standard size	each	180
3860	560 mm dia cover with frame (Heavy duty)	each	9100
3861	560 mm dia cover without frame (Heavy duty)	each	5100
4001	Stainless steel (Grade-304)hollow section round/square tubes	kg	375
4002	Stainless steel bolts/square bar and plates	kg	160
4006	Pressed steel door frames (mild steel sheet 1.60 mm) Profile "B"	metre	260
4007	Pressed steel door frames (mild steel sheet 1.60 mm) Profile "C"	metre	300
4008	Pressed steel door frames (mild steel sheet 1.60 mm) Profile "E"	metre	325
4009	Mild steel tubes hot finished welded type	kg	70
4010	Mild steel tubes hot finished seamless type	kg	85
4011	Mild steel tubes electric resistant or induction butt welded	kg	90
4012	Circular C.I. Box for ceiling fan	each	80
4013	Pulley 40 mm dia	each	50
4201	Aluminium primer	Litre	130
4202	Red oxide Zinc chromate primer	Litre	100
4203	Copper acetate	kg	350

4204	Hydrochloric acid	kg	60
4205	Copper chloride	kg	350
4206	Copper nitrate	kg	270
4207	Ammonium chloride	kg	50
5001	Mobil oil	Litre	230
6001	White marble slab Makrana second quality plain veined 18 mm thick	sqm	2250
6007	Pink marble slab plain 18 mm thick	sqm	700
6010	Udaypur green marble slab plain 18 mm thick	sqm	820
6019	Black Zebra marble slab plain 18 mm thick	sqm	530
6501	Sand zone V (Jamuna)	cum	700
7001	Brass 100mm mortice latch and lock with 6 levers without pair of handles	each	300
7003	Pair of Anodised Aluminium lever handles for 100 mm mortice latch and lock	each	360
7004	Vitreous china flat back wash basin 450x300 mm		500
7005	Vitreous china 10 litres low level cistern without fittings	each	1100
7006	Vitreous china 10 litres low level cistern with fittings	each	2000
7008	F.P.S. (non modular) clay fly ash bricks class designation 7.5	1000nos	5500
7009	12.5 mm thick tapered edge gypsum plain borad	sqm	240
7010	Galvanised Steel ceiling section (size 80x26x0.50 mm)	metre	50
7011	Galvanised Steel perimetre Channel (Size 20x27x30x0.50 mm)	metre	35
7012	Galvanised Steel intermediate Channel (Size 15x45x15x0.90 mm)	metre	55
7013	Galvanised Steel angle hanger (Ceiling angle) (Size 25x10x0.50 mm)	metre	25
7014	Galvanised Steel connecting clips (2.64 mm dia and 230 mm long GI wire)	each	7
7015	Galvanised Steel soffit cleat (Size 27x37x25x0.60 mm)	each	5
7016	Joint filler	kg	30
7017	Joint finisher	kg	35
7018	Joint tape roll	roll	160
7019	Dash fastener / Chemical fastner	each	25
7020	All drive screws (for gypsum board)	100nos	75
7021	Primer (for gypsum board)	Litre	110
7022	Chlorpyriphos 20% E.C. / Lindane 20% E.C.	Litre	185
7023	Chromium plated brackets (curtain rods)	each	10
7024	Acid Proof cement	tone	8250
7027	M.S. Butt hinges 125x90x4 mm	10nos	130
7028	12.5 mm thick Fully Perforated gypsum board	sqm	975
7029	Galvanised wire mesh of average width of aperture 1.4 mm and nominal dia of wire 0.63 mm	sqm	300
7030	12.5 mm thick tapered edge gypsum fire resistant board	sqm	280
7031	12.5 mm thick tapered edge gypsum moisture resistant board	sqm	320
7032	Frosted glass sheet of nominal thickness 4 mm (weighing not less than 10 kg/sqm)	sqm	400
7033	Nickel plated M.S. pipe 25 mm dia	metre	125
7034	Nickel plated M.S. pipe 20 mm dia	metre	110
7035	Nickel plated M.S. Brackets for curtain rod 20 mm	each	12
7036	Nickel plated M.S - Brackets for curtain rod 25 mm	each	15

7040	Oxidised mild steel screws 35 mm	100nos	75
7042	Mild steel conduit pipe (heavy type) ISI marked-20 mm dia	metre	100
7043	Mild steel conduit pipe (heavy type) ISI marked-25 mm dia	metre	110
7044	Rolling shutters of 80x0.90 mm laths	sqm	1300
7045	Rolling shutters of 80x1.2 mm laths	sqm	1400
7046	Top cover of Rolling shutters 0.90 mm thick	metre	350
7047	Top cover of Rolling shutters 1.20 mm thick	metre	380
7048	Rawl plug 50 mm (designation 10 nos)	each	15
7049	Teak wood lipping of size 25x3 mm in pelmets	metre	30
7050	PU Primer	sqm	55
7051	40 mm (average) PU spray having 40-45 kg/m ³ density	sqm	520
7052	GI wire netting 3/4" x 24 G	sqm	35
7053	400 G polythene sheet	sqm	20
7055	Flat pressed 3 layer and graded particle board (medium density)		
	Grade 1 conforming to IS : 3087 - 18 mm thick	sqm	500
7056	Aluminium tee channel (heavy duty) with rollers and stop end	metre	75
7059	Aluminium hanging floor door stopper with twin rubber & stopper	each	80
7060	Hydraulic door closer tubular type Aluminium section body	each	1000
7063	Oxidised M.S.casement stay (straight peg type) 300 mm not less than 0.33 kg	each	35
7064	Oxidised M.S.casement stay (straight peg type) 250 mm not less than 0.28 kg	each	30
7065	Oxidised M.S. casement stay (straight peg type) 200 mm not less than 0.24 kg	each	25
7068	Extra for providing grilled rolling shutters with 8 mm dia M.S. rod	sqm	300
7070	Chequered precast cement concrete tiles 22 mm thick using marble chips of size 6mm - Light shade using white cement	sqm	500
7071	White marble Raj Nagar plain 18 mm thick upto 0.50 sqm area	sqm	650
7072	Wall mounted water closet	each	4750
7073	Adjustable Vetricious China Cistern with fittings	each	2750
7074	White Vetricious China Waterless Urinal	each	16000
7075	Cistern with fittings for Waterless Urinal	each	3450
7076	White Vetricious Urinal	each	15000
7077	Acid and alkali resistant tiles 300x300 mm size, 10 mm thick	10nos	600
7087	S.C.I. Tee 150 mm	each	650
7090	Expanded polystyrene type N- Normal	sqm	150
7091	Expanded polystyrene type - SE	sqm	175
7095	Stainless steel kitchen sink - with drain board bowl depth 250 mm	each	6000
7096	Stainless steel kitchen sink - with drain board 510 x 1040 mm bowl depth 225 mm	each	5500
7097	Stainless steel kitchen sink - with drain board 510 x 1040 mm bowl depth 200 mm	each	5000
7098	Stainless steel kitchen sink - with drain board 510x1040 mm bowl depth 178 mm	each	3500
7101	Stainless steel kitchen sink - without drain board 610x510 mm bowl depth 200 mm	each	3250
7102	Stainless steel kitchen sink - without drain board 610x460 mm		

	bowl depth 200 mm	each	3000
7103	Stainless steel kitchen sink - without drain board 470x420 mm		
	bowl depth 178 mm	each	2250
7104	Coloured Orissa pattern W.C. pan 580x440 mm		1400
7105	Coloured Pedestal type W.C. pan 580x440 mm (European type)	each	1200
7106	Coloured Vitreous china 10 lit. low level cistern	each	1800
7107	Coloured (other than black) solid P.V.C. seat in European W.C. pan	each	600
7112	Circular shape 450 mm dia Mirror with Plastic moulded frame	each	500
7113	Rectangular shape 453x357 mm Mirror with Plastic moulded frame	each	350
7114	Oval shape 450x350 mm (outer dimensions) Mirror with Plastic		
	moulded frame	each	400
7115	Rectangular shape 1500x450 mm Mirror with Plastic moulded frame	each	800
7116	Hard board 6 mm thick	sqm	200
7117	Semi Rigid PVC waste pipe for sink and wash basin 32 mm dia		
	with length not less than 700 mm i/c PVC waste fittings	each	50
7118	Semi Rigid PVC waste pipe for sink and wash basin 40 mm dia		
	with length not less than 700 mm i/c PVC waste fittings	each	45
7119	Flexible (coil shaped) PVC waste pipe for sink and washbasin 32		
	mm dia with length not less than 700 mm i/c PVC waste fittings	each	35
7120	Flexible (coil shaped) PVC waste pipe for sink and wash basin 40		
	mm dia with length not less than 700 mm i/c PVC waste fittings	each	40
7123	Coloured High density polyethylene / poly propylene 10 lit. (full		
	flush) capacity controlled low level flushing cistern with fittings	each	725
7126	White Vitreous china 10 litre (full flush) capacity controlled low		
	level flushing cistern with all fittings	each	1000
7127	Coloured Vitreous china 10 litre (full flush) capacity controlled low		
	level flushing cistern with all fittings	each	1550
7128	S.W. intercepting trap 100 mm dia	each	220
7129	S.W. intercepting trap 150 mm dia	each	275
7130	Rectangular shape 600x450 mm precast R.C.C. manhole cover		
	with frame - L.D. - 25	each	900
7131	Square shape 450x450 mm precast R.C.C. manhole cover with		
	frame - L.D. - 25	each	700
7132	Circular shape 450 mm dia precast R.C.C. manhole cover with		
	frame - L.D. - 25	each	650
7133	Rectangular shape 500x500 mm precast R.C.C. manhole cover		
	with frame - M.D. - 10	each	750
7134	Circular shape 500 mm dia precast R.C.C. manhole cover with		
	frame -M.D.-10	each	700
7135	Circular shape 560 mm dia precast R.C.C. manhole cover with		
	frame - H.D. - 20	each	1200
7136	Circular shape 560 mm dia precast R.C.C. manhole cover with		
	frame - E.H.D. - 35	each	1300
7137	Factory made 35 mm thick shutters with laminated veneer lumber		
	styles & rails as per TADS 15:1995 and panels of 12 mm thick		
	plain type-I, medium density flat pressed three layer, graded particle		
	board (FPT-I) as per IS:3087 bonded with BWP type synthetic		

	resin adhesive, as per IS:848	sqm	1950
7139	Factory made 35 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of 12 mm thick both sides prelaminated type-I, medium density flat pressed three layer, graded particle board (FPT-I) as per IS:3087 bonded with BWP type synthetic resin adhesive, as per IS:848	sqm	2150
7143	Factory made 35 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of 12 mm thick one side prelaminated type-I, and other side balancing lamination, medium density flat pressed three layer, graded particle board (FPT-I) as per IS:3087 bonded with BWP type synthetic resin adhesive, as per IS:848	sqm	2100
7151	Factory made 30 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of sheet glass using 10 kg/ sqm glass panes	sqm	1750
7154	Factory made 35 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of galvanised wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm	sqm	1725
7155	Factory made 30 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of galvanised wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm	sqm	1500
7157	Laminated veneer lumber confirming to TADS 15:1995 manufactured in factory in frames of doors, windows	10cudm	800
7178	Chemical ASTM C-type I	kg	150
7181	C.I. pile shoe	kg	75
7182	M.S. clamps for pile shoe	kg	60
7183	Bentonite	Tonne	3900
7184	Oxidised M.S. safety chain (weighing not less than 450 gms) for door	each	80
7187	C.I. grating 150 mm dia, weighing not less than 440 gm	each	40
7188	uPVC pipes (working pressure 4 kg / cm ²) Single socketed pipe 75 mm dia	metre	75
7189	uPVC pipes (working pressure 4 kg / cm ²) Single socketed pipe 110 mm dia	metre	140
7190	uPVC pipes (working pressure 4 kg / cm ²) Rubber (Seal) Ring 75 mm dia	each	25
7191	uPVC pipes (working pressure 4 kg / cm ²) Rubber (Seal) Ring 110 mm dia	each	30
7192	uPVC coupler for UPVC drainage pipes 75 mm	each	40
7193	uPVC coupler for UPVC drainage pipes 110 mm	each	65
7194	uPVC pushfit coupler (single) 75 mm thick	each	60
7195	uPVC pushfit coupler (single) 110 mm thick	each	95
7196	uPVC single equal Tee (without door) 75x75x75 mm	each	110
7197	uPVC single equal Tee (without door) 110x110x110 mm	each	140
7198	uPVC single equal Tee (with door) 75x75x75 mm	each	130

7199	uPVC single equal Tee (with door) 110x110x110 mm	each	200
7208	UPVC bend 87.5° 75 mm bend	each	70
7209	UPVC bend 87.5° 110 mm bend	each	110
7212	UPVC plain shoe 75 mm bend	each	120
7213	UPVC plain shoe 110 mm bend	each	220
7214	UPVC pipe clip 75 mm bend	each	25
7215	UPVC pipe clip 110 mm bend	each	40
7231	Resin Bonded Glass wool 16 kg/ m3: 50 mm thick	sqm	160
7232	Resin Bonded Glass wool 24 kg/ m3: 50 mm thick	sqm	220
7233	Fibre glass tissue reinforcement Type II Grade I	sqm	85
7236	Precast chequered cement tiles 22 mm thick Dark shade using ordinary cement	sqm	250
7237	Precast chequered cement tiles 22 mm thick medium shade using 50% white cement 50% ordinary cement	sqm	400
7238	High Albedo paint	kg	300
7239	Epoxy paint	Litre	300
7240	Fire retardant paint	Litre	300
7241	Melamine polish	Litre	350
7244	Table rubbed polished stone 18 mm thick (75x50cm) Agaria Marble stone - 18 mm thick	sqm	2000
7245	Table rubbed polished stone 18mm thick (75x50cm) Granite stone- 18 mm thick	sqm	2200
7246	Vertical load testing (initial) of piles in accordance with IS : 2911 (Part-IV) including installation of loading platform and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification and up to 50 tonne capacity pile	per test	40000
7247	Vertical load testing (initial) of piles in accordance with IS : 2911 (Part-IV) including installation of loading platform and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification & above 50 tonne and up to 100 tonne	per test	50000
7248	Vertical load testing (initial) of piles in accordance with IS : 2911 (Part-IV) including installation of loading platform and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification & group of two or more up to 50 tonne	per test	58000
7249	Cyclic vertical load testing of piles in accordance with IS : 2911 (Part-IV) including preparation of pile head etc. for Single pile up to 50 tonne capacity	per test	24000
7250	Cyclic vertical load testing of piles in accordance with IS : 2911 (Part- IV) including preparation of pile head etc. for Single pile above 50 tonne capacity pile and up to 100 tonne capacity pile	per test	32000
7251	Cyclic vertical load testing of piles in accordance with IS : 2911 (Part- IV) including preparation of pile head etc. for Group of two piles up to 50 tonne capacity each	per test	38500
7252	Lateral load testing of single pile in accordance with IS : 2911 part		

	-IV for determining safe allowable lateral load on pile up to 50		
	tonne capacity	per test	24000
7253	Lateral load testing of single pile in accordance with IS : 2911 part		
	-IV for determining safe allowable lateral load on pile above 50		
	tonne capacity	per test	32000
7254	Hardening compound	Litre	65
7255	Road marking paint (spirit based)	Litre	200
7256	Superior quality road marking paint (water based)	Litre	250
7257	C.P. Brass bibcock 15 mm	each	450
7258	C.P. Brass long nose bibcock 15 mm	each	800
7259	C.P. Brass long body bibcock 15 mm	each	600
7260	C.P. Brass stop cock (concealed) 15 mm	each	600
7261	C.P. Brass angle valve 15 mm	each	500
7266	Pressed clay tiles 20mm thick 250x250 mm size	1000nos	15000
7267	Plain ceiling tiles (BWP type phenol formaldehyde synthetic resin		
	bonded) (600x600x12 mm)	each	150
7268	Semi perforated ceiling tiles (600x600x12 mm)	each	150
7269	25 mm thick particle board	sqm	525
7270	30 mm thick prelaminated flush door shutter	sqm	1000
7271	IInd class teak wood lipping 25 mm wide x 12 mm thick	metre	60
7272	25 mm thick melamine faced prelaminated three layer particle board	sqm	1000
7273	Resin Bonded Rockwool 48 kg/m3	sqm	250
7280	Waste plastic additive	Tonne	50000
7281	Chemical ASTM C-type II	kg	200
7295	Granite of any colour, 18 mm thick (slab area upto 0.50 sqm)	sqm	2250
7296	Granite of any colour, 30 mm thick (slab area upto 0.50 sqm)	sqm	2400
7297	Granite of any colour, 18 mm thick (slab area above 0.50 sqm)	sqm	2100
7306	Aluminium T or L sections	kg	240
7307	For flush door shutters Extra for providing teak veneering on one		
	side instead of commercial veneering	sqm	400
7309	Paving Asphalt of grade VG-30 of approved quality	Tonne	56000
7312	Expandable fastener with plastic sleeve and M.S. screws :		
	25 mm long	each	15
7313	Expandable fastener with plastic sleeve and M.S. screws :		
	32 mm long	each	17
7314	Expandable fastener with plastic sleeve and M.S. screws :		
	40 mm long	each	18
7315	Expandable fastener with plastic sleeve and M.S. screws.		
	50 mm long	each	20
7318	Plasticizer / super plasticizer	kg	45
7319	Wall form panel 1250x500 mm	each	1100
7320	Tie bolt 12 mm dia 100 mm length	each	75
7321	Tie bolt 12 mm dia 150 mm length	each	90
7322	Tie bolt 20 mm dia 150 mm length	each	120
7323	Tie bolt 20 mm dia 225 mm length	each	150
7324	Spring coil 12 mm	each	25
7325	Plastic cone 12 mm dia	each	30

7326	Corner angle 45x45x5 mm 1.50 m long	each	340
7327	100 mm channel shoulder 2.5 m long	each	1220
7328	Double clip (bridge clip)	each	110
7329	Single clip	each	90
7330	M.S. tube 40 mm dia	metre	310
7331	Wall form panel 1250x450 mm	each	1100
7332	Corner angle 45x45x5 mm 2.50 m long	each	380
7333	Column clamp 450x1070 mm	each	1300
7334	Prop 2 m (2-3.5 m)	each	900
7335	Binding wire	kg	65
7338	Gun metal cramp	kg	350
7339	Stainless steel cramp	kg	365
7340	Stainless steel pin.	kg	210
7342	Adjustable span ESO+SI (2.35-3.40)	each	1950
7343	Adjustable telescopic prop 3 m (2.02-3.75 m)	each	1250
7344	Beam clamp 300-380 mm (450-1070 mm)	each set	440
7345	Prop 4 m	each	1200
7346	Double coupler	each	80
7347	Cadmium plated full threaded steel screws (30x4 mm dia)	100nos	40
7348	Aluminium washer 2 mm thick 15 mm dia	100nos	20
7349	12 mm M.S. 'U' beading	metre	20
7354	Plastic encapsulated M.S. foot rest 30x20x15 cm	each	125
7358	Flushing Cistern P.V.C. 10 litre capacity (low level) (White) (with fittings, accessories and flush pipe)	each	665
7359	P.V.C. automatic flushing cistern 5 litre capacity	each	520
7361	P.V.C. automatic flushing cistern 10 litre capacity	each	560
7363	15 mm C.P. brass tap with elbow operation lever	each	750
7364	White glazed fire clay draining board 600x450x25 mm	each	600
7366	Glass reinforced Gypsum (GRG) board 12.5 mm thick	sqm	260
7367	Galvanised M.S. sheet 0.5 mm thick pressed channel section of size 50x32 mm	metre	80
7369	Galvanised M.S. sheet 0.50 mm thick pressed stud : 48x34x36 mm	metre	100
7375	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Single lipped urinal	each	500
7376	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Range of two lipped urinals	each	1300
7377	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Range of three lipped urinals	each	1500
7378	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Range of four lipped urinals		
7379	White vitreous china clay half stall urinal flat back 580x380x350 mm or angle back 450x375x350 mm with waste fittings as per IS:	each	2300
	2556	each	1650
7380	Precast R.C.C. grating with frame 500x450 mm horizontal grating	each	680
7381	Precast R.C.C. grating with frame 450x100 mm vertical grating	each	350
7382	Bitumen emulsion rapid setting (R.S.) conforming to IS : 8887	tonne	46000
7385	3 mm thick translucent white acrylic plastic sheet	sqm	700

7386	12 mm thick particle board ceiling tile	sqm	300
7387	Spigot for standard jointing	kg	60
7388	Dash hold fastener 12.5 mm dia, 50 mm long with 6 mm dia bolt	each	70
7389	Anodising 15 microns on aluminium sections	kg	55
7390	Neoprene/EPDM rubber gasket	metre	50
7391	Anodising 25 microns on aluminium sections	kg	70
7392	Powder coating 50 microns on aluminium sections	kg	75
7393	Polyester powder coating 50 microns on aluminium sections	kg	85
7394	Double action hydraulic floor spring with stainless steel cover plate	each	1600
7395	6 mm dia G.I. adjustable hangers including clips (up to 1.2 m length)	each	40
7396	Double action hydraulic floor spring with brass cover plate	each	1850
7397	Base Jack	each	195
7398	Challies	each	880
7399	Cup locks	each	95
7400	15 mm PTMT bib cock	each	110
7401	15 mm PTMT bib cock with flange (fancy)	each	155
7402	15 mm PTMT bib-cock long body with flange	each	175
7403	15 mm dia PTMT stop cock(male thread)	each	110
7405	20 mm dia PTMT stop cock	each	145
7406	PTMT pillar cock	each	175
7407	PTMT push cock 15 mm dia	each	100
7408	PTMT push cock 12 mm dia 20 mm BSP	each	85
7409	PTMT grating 100 mm dia	each	35
7410	PTMT Pillar cock (fancy) 15 mm foam flow	each	245
7411	125 mm grating with waste hole	each	46
7412	Rectangular type with openable circular lid 150 mm size 18 mm high with 100 mm dia (110 gm)	each	132
7415	Double acting air valve 50 mm	each	4400
7416	Double acting air valve 80 mm	each	5700
7417	Double acting air valve 100 mm	each	7400
7418	Water meter (including testing charges) 80 mm	each	2300
7419	Water meter (including testing charges) 100 mm	each	3600
7420	Water meter (including testing charges) 150 mm	each	5500
7421	Water meter (including testing charges) 200 mm	each	5900
7422	Dirt box strainer 80 mm	each	3000
7423	Dirt box strainer 100 mm	each	4950
7424	Dirt box strainer 150 mm	each	6250
7425	Dirt box strainer 200 mm	each	8980
7426	Cat's eye	each	400
7427	Water stops Serrated with central bulb (225 mm wide, 8-11 mm thick)	each	455
7428	Water stops Dumb bell with central bulb	each	420
7429	Kickers	each	415
7430	Wedge expansion hold fastener 1/4" or 6 mm	each	18
7431	Wedge expansion hold fastener 3/8" or 10 mm	each	19
7432	Wedge expansion hold fastener 1/2" or 12 mm	each	30
7439	8mm thick (mirror polished tiles machine cut edge) Raj Nagar white	each	550
7442	Wheel 75 mm dia. 40 mm wide	each	70

7443	Aluminium single cleat of size 30x32x3 mm	each	15
7444	Aluminium grip strip of size 50x12x2 mm	each	12
7445	25 mm thick prelaminated flush door shutter both side decorative	sqm	905
7449	Aluminium U beading	kg	240
7451	Glass sheet (Pin headed) 4 mm thick	sqm	330
7452	Raj nagar plain white marble (table rubbed and polished) 18 mm thick (slab area upto 0.50 sqm)	sqm	710
7453	Raj nagar plain white marble (table rubbed and polished) 18 mm thick (slab area more than 0.50 sqm)	sqm	820
7466	Second class deodar teak wood lipping 30 mm wide x 12 mm thick	sqm	32
7468	Veneered particle board with commercial veneering on both sides 12 mm thick	sqm	550
7477	Prelaminated particle board with one side decorative and other side balancing lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS : 12823 (exterior grade) 12 mm thick	sqm	800
7478	Prelaminated particle board with one side decorative and other side balancing lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS : 12823 (exterior grade) 18 mm thick	sqm	925
7479	Prelaminated particle board with one side decorative and other side balancing lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS : 12823 (exterior grade) 25 mm thick	sqm	1020
7480	Pre/aminated particle board with both sides decorative lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS : 12823 (exterior grade) 12 mm thick	sqm	850
7485	Oxidised M. S. hinges finished with nickel plating 50 mm (Over all width)		42
7486	Oxidised M. S. hinges finished with nickel plating 65 mm (Over all width)	metre	58
7491	PTMT - Waste Coupling 31/32 mm	each	55
7492	PTMT - Waste Coupling 38/40 mm	each	70
7493	PTMT - Bottle Trap 31/32 mm	each	345
7494	PTMT - Bottle Trap 38/40 mm	each	372
7495	PTMT Ball Cock 15mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	145
7496	PTMT Ball Cock 20mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	210
7497	PTMT Ball Cock 25mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	460
7498	PTMT Ball Cock 40mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	850
7499	PTMT Ball Cock 50mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	1250
7500	PTMT Angle Stop cock with Flange 15 mm	each	143

7501	PTMT Swiveling shower 15 mm	each	95
7503	PTMT Liquid Soap Container of 400 ml capacity	each	155
7504	PTMT Towel Ring 215x200x37 mm	each	125
7505	PTMT - Towel Rail (450 mm)	each	208
7506	PTMT - Towel Rail (600 mm)	each	230
7507	PTMT Shelf 450x124x36 mm	each	260
7508	PTMT - Urinal Spreader 15 mm	each	130
7509	PTMT Soap Dish/Holder 138x102x75 mm	each	120
7512	PTMT handle 125x34x24 mm	each	32
7513	PTMT handle 150x34x24 mm	each	36
7514	PTMT butt hinges 75x60x10 mm	each	45
7515	PTMT butt hinges 100x75x10 mm	each	60
7516	PTMT Tower bolt 152x42x18 mm	each	65
7517	PTMT Tower bolt 202x42x18 mm	each	86
7518	PTMT door catcher 72x42 mm	each	29
7552	Coir veneered board 4 mm thick	sqm	315
7553	Coir veneered board 6 mm thick	sqm	418
7555	Coir veneered board 12 mm thick	sqm	709
7556	Coir veneered board 18 mm thick	sqm	1130
7651	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 100 mm dia	metre	875
7652	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 150 mm dia	metre	1320
7653	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 200 mm dia	metre	1730
7654	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 250 mm dia	metre	2495
7655	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 300 mm dia	metre	2990
7656	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 350 mm dia	metre	3775
7657	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 400 mm dia	metre	4850
7658	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 450 mm dia	metre	5680
7659	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 500 mm dia	metre	7020
7660	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 600 mm dia	metre	8540
7661	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 700 mm dia	metre	12000
7662	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 750 mm dia	metre	12500
7663	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 800 mm dia	metre	13100
7664	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 900 mm dia	metre	15500
7665	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 1000 mm dia	metre	17200
7666	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 100 mm dia	each	32
7668	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 150 mm dia	each	40
7669	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 200 mm dia	each	70
7670	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 250 mm dia	each	83
7671	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 300 mm dia	each	125
7672	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 350 mm dia	each	145
7673	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 400 mm dia	each	262
7674	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 450 mm dia	each	305
7675	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 500 mm dia	each	332
7676	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 600 mm dia	each	405
7677	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 700 mm dia	each	615
7678	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 750 mm dia	each	755
7679	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 800 mm dia	each	830

7680	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 900 mm dia	each	1100
7681	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 1000 mm dia	each	1320
7682	Ductile Iron K - 12 specials suitable for push on jointing up to 600 mm dia		
		quintal	14200
7683	Ductile Iron K - 12 specials suitable for push on jointing over 600 mm dia		
		quintal	19500
7684	Ductile Iron specials suitable for mechanical jointing as per I.S. 9523 - up to 600 mm dia		
		quintal	15300
7685	Ductile Iron Specials suitable for mechanical jointing as per I.S. 9523 over 600 mm dia		
		quintal	21500
7686	Ductile Iron Pipe Class K-9 flanges and welding 100 mm dia	metre	2400
7687	Ductile Iron Pipe Class K-9 flanges and welding 150 mm dia	metre	3850
7688	Ductile Iron Pipe Class K-9 flanges and welding 200 mm dia	metre	4510
7689	Ductile Iron Pipe Class K-9 flanges and welding 250 mm dia	metre	3750
7690	Ductile Iron Pipe Class K-9 flanges and welding 300 mm dia	metre	7420
7691	Ductile Iron Pipe Class K-9 flanges and welding 350 mm dia	metre	9400
11	Ductile Iron Pipe Class K-9 flanges and welding 400 mm dia	metre	11650
7693	Ductile Iron Pipe Class K-9 flanges and welding 450 mm dia	metre	14010
7694	Ductile Iron Pipe Class K-9 flanges and welding 500 mm dia	metre	16490
7695	Ductile Iron Pipe Class K-9 flanges and welding 600 mm dia	metre	21300
7696	Ductile Iron Pipe Class K-9 flanges and welding 700 mm dia	metre	26500
7697	S&S Centrifugally (Spun) C.I. Pipe class LA 100 mm dia	metre	1000
7698	S&S Centrifugally (Spun) C.I. Pipe class LA 125 mm dia	metre	1200
7699	S&S Centrifugally (Spun) C.I. Pipe class LA 150 mm dia	metre	1400
7700	S&S Centrifugally (Spun) C.I. Pipe class LA 200 mm dia	metre	2400
7701	S&S Centrifugally (Spun) C.I. Pipe class LA 250 mm dia	metre	3200
7702	S&S Centrifugally (Spun) C.I. Pipe class LA 300 mm dia	metre	4300
7703	S&S Centrifugally (Spun) C.I. Pipe class LA 350 mm dia	metre	5100
7704	S&S Centrifugally (Spun) C.I. Pipe class LA 400 mm dia	metre	6600
7705	S&S Centrifugally (Spun) C.I. Pipe class LA 450 mm dia	metre	8000
7706	S&S Centrifugally (Spun) C.I. Pipe class LA 500 mm dia	metre	9300
7707	S&S Centrifugally (Spun) C.I. Pipe class LA 600 mm dia	metre	13350
7708	S&S Centrifugally (Spun) C.I. Pipe Specials as per IS 1538 suitable for lead jointing up to 300 mm dia		
		quintal	5520
7709	S&S Centrifugally (Spun) C.I. Pipe Specials as per IS 1538 suitable for lead jointing over 300 mm dia		
		quintal	8400
7710	S&S Centrifugally (Spun) C.I. Pipe specials suitable for mechanical joint as per I.S. 13382 up to 300 mm dia		
		quintal	9300
7711	S&S Centrifugally (Spun) C.I. Pipe Specials suitable for mechanical joint as per I.S. 13382 over 300 mm dia		
		quintal	9800
7712	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 100 mm dia		
		metre	1450
7713	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 150 mm dia		
		metre	2200
7714	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 200 mm dia		
		metre	3550
7715	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class		

	B conforming to I.S. 1536, - 250 mm dia	metre	4300
7716	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class		
	B conforming to I.S. 1536, - 300 mm dia	metre	5400
7717	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class		
	B conforming to I.S. 1536, - 350 mm dia	metre	6800
7718	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class		
	B conforming to I.S. 1536, - 400 mm dia	metre	9000
7719	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class		
	B conforming to I.S. 1536, - 450 mm dia	metre	11200
7720	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class		
	B conforming to I.S. 1536, - 500 mm dia	metre	14500
7721	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class		
	B conforming to I.S. 1536, - 600 mm dia	metre	19500
7722	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 100 mm dia	metre	850
7723	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 150 mm dia	metre	1500
7724	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 200 mm dia	metre	1800
7725	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 250 mm dia	metre	2400
7726	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 300 mm dia	metre	3200
7727	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 350 mm dia	metre	3700
7728	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 400 mm dia	metre	4300
7729	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 450 mm dia	metre	5000
7730	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 500 mm dia	metre	5950
7731	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 600 mm dia	metre	7600
7732	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 700 mm dia	metre	9800
7733	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 800 mm dia	metre	12500
7734	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 900 mm dia	metre	16500
7735	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 1000 mm dia	metre	17400
7736	Extruded burnt flyash clay sewer bricks conforming to I.S 4885	nos	5600
7737	Fly ash lime bricks (FALG Bricks) conforming to I.S. 12894	nos	4900
7738	Calcium Silicate Bricks machine moulded conforming to I.S. 4139	nos	5300
7739	Modified Bitumen Refinery produced CRMB - 55	tonne	60000
7741	Modified Bitumen Refinery produced CRMB - 60	tonne	50000
7742	Bitumen emulsion medium setting (M.S.) confirming to IS : 8887	tonne	48000
7743	M.S. pipe 150 mm dia casing pipe	metre	1120
7744	M.S. pipe 200 mm dia casing pipe	metre	1380
7745	PVC blind pipe 150 mm dia as per IS: 12818	metre	550
7746	PVC blind pipe 200 mm dia as per IS: 12818	metre	810
7747	M.S. cap 150 mm dia	each	180
7748	M.S. cap 200 mm dia	each	220
7749	M.S. bail plug 150 mm dia	each	220
7750	M.S. bail plug 200 mm dia	each	250
7751	PVC slotted pipe 150 mm dia as per IS: 12818	metre	530
7752	PVC slotted pipe 200 mm dia as per IS: 12818	metre	750
7753	Boulder 50 mm to 200 mm	cum	800
7754	Gravel 5 mm to 10 mm	cum	1000
7755	Gravel 1.5 mm to 2 mm	cum	950
7756	Gravel 3 mm to 6 mm	cum	980

7757	M.S. pipe 100 mm dia casing pipe	metre	810
7758	uPVC blind pipe 100 mm dia as per IS: 12818	metre	410
7759	uPVC slotted pipe 100 mm dia as per IS: 12818	metre	430
7760	M.S. cap 100 mm dia	each	150
7761	M.S. bail plug 100 mm dia	each	180
7762	Precast R.C.C. perforated slab	each	830
7763	Water supply tanker of 5000 litre capacity	each	830
7764	M.S. socket 100 mm dia	each	210
7765	M.S. socket 150 mm dia	each	250
7766	M.S. socket 200 mm dia	each	310
7767	Stone cleaning chemical approved by ASI	litre	195
7768	Water repellent chemical approved by ASI	litre	1630
7769	Stone surface strengthening chemical approved by ASI	litre	1050
7770	Turpentine oil	litre	80
7771	Liquid Amonia 5%	litre	190
7772	Pea Gravel	cum	810
7773	Coloured inter locking C.C. paver Block	sqm	500
7774	Stone size 10x10x7.50cm	each	12
7775	Sodium pentachlorophenate	kg	680
7800	Ceramic Glazed Tiles 1st quality minimum thickness 5mm in all colours shades and designs except burgundy, bottle green, black	sqm	350
7801	Ceramic Glazed Tiles 1st quality 300 x 300 mm in all shades and designs of White, Ivory, grey, Fume Red brown etc.	sqm	410
7802	Ceramic Glazed Tiles 1st quality 300 x 300 in all shades designs except White, Ivory, Grey, Fume Red Brown etc.	sqm	425
7803	Rectified Ceramic Glazed Tiles 1st quality 300 x 300 mm or more in all shades designs White, Ivory, Grey, Fume Red Brown etc.	sqm	560
7804	Rectified Ceramic Glazed Tiles 1st quality 300 x 300 mm or more in all shades designs except White, Ivory, Grey, Fume Red Brown etc	sqm	585
7805	Salem Stainless steel AISI - 304 (18/8) Orrisa pattern W.C. pan 724 mm X 578 mm	each	3900
7806	Salem Stainless steel AISI - 304 (18/8) Round basin 405mm X 355 mm	each	1950
7807	Salem Stainless steel AISI - 304 (18/8) Wash basin 530mm X 345 mm	each	1750
7808	Centrifugally cast (spun) iron S&S 100 mm inlet and 100 mm outlet	each	460
7809	Centrifugally cast (spun) iron S&S 100 mm inlet and 75 mm outlet	each	498
7850	Agaria White marble slab plain 18 mm thick	sqm	1160
7857	P.T.M.T. Grating square slit 150 mm	each	85
7858	P.T.M.T. Urinal cock 15 mm dia	each	130
7859	P.T.M.T. Bib cock with nozzle 15 mm	each	155
7861	P.T.M.T. Stop cock (concealed) 15 mm	each	170
7862	15 mm nominal bore and 30 cm length PVC connection pipe with P.T.M.T. Nuts	each	40
7863	15 mm nominal bore and 45 cm length PVC connection pipe with P.T.M.T. Nuts	each	50
7864	P.T.M.T. extension nipple 15 mm	each	40
7865	P.T.M.T. extension nipple 20 mm	each	50
7866	P.T.M.T. extension nipple 25 mm	each	70

7893	Tactile tile	sqm	930
7895	Matt finished vitrified tile 100x100 x16 mm	sqm	970
7896	Vitrified tile	sqm	580
7900	Modular common burnt clay bricks of class designation 7.5	1000nos	4600
7901	Machine moulded perforated common burnt clay FPS (non		
	modular) bricks of class designation 12.5	1000nos	4700
7902	Machine moulded common burnt clay modular perforated bricks		
	of class designation 12.5	1000nos	4700
7903	Machine moulded common burnt clay FPS (non modular) bricks		
	of class designation 12.5	1000nos	4600
7904	Machine moulded common burnt clay tile bricks of class		
	designation 12.5	1000nos	5100
8001	24 mm thick Factory made shutters with style, rails and panels of		
	PVC extruded sections in white, grey or wooden finish	sqm	2200
8002	30 mm thick Factory made shutters with style, rails and panels of		
	PVC extruded sections in white, grey or wooden finish	sqm	2400
8003	Factory made PVC rigid foam panelled shutter i/c carriage	sqm	2300
8004	Factory made PVC rigid foam panelled shutter as per IS : 4020 i/		
	c carriage	sqm	2700
8006	Factory made PVC rigid foam sheet 1 mm thick	sqm	200
8007	Factory made PVC rigid foam sheet 5 mm thick	sqm	730
8008	Factory made prelaminated PVC rigid foam sheet 5 mm thick	sqm	810
8010	48mmX40mmX1.5mm thick Factory made door frame of PVC		
	extruded sections in white, grey or wooden finish	metre	180
8011	Factory made door frame PVC extruded sheet i/c carriage	metre	360
8012	Adhesive solvent cement	kg	185
8014	Factory made door frame of size 50x47 mm with wall thickness 5		
	mm made of single piece extruded profile	metre	530
8100	Powder coated M.S. butt hinges 100 mm X58 mmX1.9 mm	metre	95
8200	A.P.P. modified polymeric felt (two layers) 1.5 mm thick	sqm	70
8201	A.P.P. modified polymeric felt (two layers) 2 mm thick	sqm	120
8203	A.P.P. modified 2 mm thick membrane reinforced with glass fibre ma	sqm	185
8204	A.P.P. modified 3 mm thick membrane reinforced with glass fibre ma	sqm	225
8205	A.P.P. modified 3 mm thick membrane reinforced with polyester matt	sqm	265
8206	Bitumen primer for bitumen membrane	litre	95
8207	Geotextile 120 grams per sqm membrane	sqm	45
8210	Stainless steel screws 50 mm	100nos	280
8211	Stainless steel screws 40 mm	100nos	225
8212	Stainless steel screws 30 mm	100nos	175
8214	Stainless steel screws 20 mm	100nos	115
8215	Stainless steel butt hinges 125x64x1.9 mm IS : 12817 marked	10nos	275
8216	Stainless steel butt hinges 100x58x1.9 mm IS: 12817 marked	10nos	250
8217	Stainless steel butt hinges 75x47x1.8 mm IS : 12817 marked	10nos	165
8218	Stainless steel butt hinges 50x37x1.5 mm IS : 12817 marked	10nos	140
8219	Stainless steel butt hinges (heavy weight) 125x64x2.5 mm IS :		
	12817 marked	10nos	350
8220	Stainless steel butt hinges (heavyweight) 100x60x2.5 mm IS :		

	12817 marked	10nos	260
8221	Stainless steel butt hinges (heavy weight) 75x50x2.5 mm IS :		
	12817 marked	10nos	215
8222	M.S. heavy weight butt hinges 125x90x4.0 mm IS: 1341 marked.	10nos	350
8223	M.S. heavy weight butt hinges 100x75x3.5 mm IS: 1341 marked	10nos	180
8224	M.S. heavy weight butt hinges 75x60x3.1 mm IS: 1341 marked	10nos	95
8225	M.S. heavy weight butt hinges 50x40x2.5 mm IS : 1341 marked	10nos	80
8300	1216 mm PE-AL-PE Composite pressure pipe	metre	105
8301	1620 mm PE-AL-PE Composite pressure pipe	metre	140
8302	2025 mm PE-AL-PE Composite pressure pipe	metre	180
8303	2532 mm PE-AL-PE Composite pressure pipe	metre	230
8304	3240 mm PE-AL-PE Composite pressure pipe	metre	360
8305	4050 mm PE-AL-PE Composite pressure pipe	metre	400
8501	Polymer modified cementation coating	kg	150
8502	Fibre glass cloth	sqm	50
8504	Multi surface paint	litre	290
8505	Acrylic exterior paint	litre	150
8506	Premium Acrylic exterior paint	litre	250
8507	Textured exterior paint	litre	220
8508	Primer for cement paint	litre	90
8509	Special Primer (C.W.)	litre	95
8510	Metal Primer (U.G.)	litre	140
8589	Calcium Silicate tegular edged ceiling tiles 595x595 mm and 15 mm thick	sqm	875
8590	Galvanised Steel main Tee ceiling section Size 24x38x0.33 mm (3 metre long)	each	202
8591	Galvanised Steel perimeter wall Angle Size 24 x 24 x 0.40 mm (3.00 metre long)	each	135
8592	Galvanised Steel intermediate cross T section Size 24 x 25 x 0.33 mm (1.2 metre long)	each	85
8593	Galvanised Steel intermediate cross T section Size 24 x 25 x 0.33 mm (0.6 metre long)	each	50
8594	Galvanised Steel soffit cleat size 25x35x1.60 mm	each	5
8595	Wooden screws with plastic rawl plugs 35x8 mm	each	0.9
8597	GI Metal Tile Clip in Plain Beveled edge global white colour tiles of size 600x600 mm and 0.5 mm thick	sqm	915
8598	GI Metal Tile Clip in Perforated Beveled edge global white colour tiles of size 600x600 mm and 0.5 mm thick	sqm	1050
8599	GI Metal Tile Lay-in Plain Tegular edge global white color tiles of Size 595x595 mm and 0.5 mm thick	sqm	825
8600	GI Metal Tile Lay-in Perforated Tegular edge global white color tiles of Size 595x595 mm and 0.5 mm thick	sqm	925
8601	PVC Laminated Gypsum Tiles (Square edge) of Size 595x595 mm and 12.5 mm thick	sqm	498
8602	Gypsum Tiles Fully Perforated Square edge of Size 595x595 mm and 12.5 mm thick	sqm	500
8604	Spring T-section 24x34x0.45 mm (3.00 meter long)	metre	200

8605	C Wall angle section 20x30x20x0.50 mm (3.00 meter long)	metre	165
8606	Main C Carrier Size 10x38x10x0.70 mm (3.00 meter long)	metre	175
8607	Spring T-connector	each	7
8608	C Carrier Connector	each	15
8609	C Suspension Clip	each	15
8610	Wire Coupling Clip	each	12
8611	Main T ceiling sections 24x38x0.3 mm (3 metre long)	each	200
8612	Perimeter wall angle 24 x 24 x 0.3 mm (3 metre long)	each	130
8613	Intermediate cross T-Section 24x25x0.3 mm (1.2 m long)	each	85
8614	Intermediate cross T-Section 24x25x0.3 mm (0.6 m long)	each	40
8615	Hanger rod 4 mm thick	each	10
8616	Adjustment clip 85x30x0.8 mm	each	8
8617	Soffit cleat (Size 27x37x25x1.60 mm)	each	5
8618	Dash fastener 6 mm dia 50 mm long	each	15
8620	Vitrified floor tile 50x50 cm	sqm	775
8621	Vitrified floor tile 60x60 cm	sqm	915
8622	Vitrified floor tile 80x80 cm	sqm	1150
8623	Vitrified floor tile 100x100 cm	sqm	1700
8625	Poly propylene- Random - Co - Polymer (PPR) pipes SDR 7.4 - 16 mm Outer dia	metre	45
8626	Poly propylene - Random - Co - Polymer (PPR) pipes SDR 7.4 - 20 mm Outer dia	metre	65
8627	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 - 25 mm outer dia	metre	98
8628	Poly propylene - Random - Co - poymer (PPR) pipes SDR 7.4 - 32 mm Outer dia	metre	155
8629	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 - 40 mm Outer dia	metre	226
8630	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 - 50 mm Outer dia	metre	355
8631	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 - 63 mm Outer dia	metre	540
8632	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 - 75 mm Outer dia	metre	730
8633	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 - 90 mm Outer dia	metre	1100
8634	Poly propylene - Random - Co - polymer (PPR) pipes SDR - 11 - 110 mm Outer dia	metre	1230
8635	Poly propylene - Random - Co - polymer (PPR) pipes SDR - 11- 160 mm Outer dia	metre	2500
8636	Chlorinated Polyvinyl - chloride (CPVC) pipe 15 mm outer dia	metre	60
8637	Chlorinated Polyvinyl - chloride (CPVC) pipe 20 mm outer dia	metre	74
8638	Chlorinated Polyvinyl - chloride (CPVC) pipe 25 mm outer dia	metre	105
8639	Chlorinated Polyvinyl - chloride (CPVC) pipe 32 mm outer dia	metre	142
8640	Chlorinated Polyvinyl - chloride (CPVC) pipe 40 mm outer dia	metre	198
8641	Chlorinated Polyvinyl - chloride (CPVC) pipe 50 mm outer dia	metre	330
8642	Chlorinated Polyvinyl - chloride (CPVC) pipe 62.5 mm inner dia	metre	950

8643	Chlorinated Polyvinyl - chloride (CPVC) pipe 75 mm inner dia	metre	1360
8644	Chlorinated Polyvinyl - chloride (CPVC) pipe 100 mm inner dia	metre	1870
8645	Chlorinated Polyvinyl - chloride (CPVC) pipe 150 mm inner dia	metre	2200
8646	Silicon sealant	cartridge	350
8647	Stainless steel screws 30 mm x4 mm	100nos	35
8648	Hermetically sealed double glazed unit made with 6 mm thick clear float glass both side having 12 mm air gap	sqm	2310
8649	Stainless steel (SS 304 grade) adjustable friction window stay 205 x 19 mm	each	188
8650	Stainless steel (SS 304 grade) adjustable friction window stay 255 x 19 mm	each	230
8651	Stainless steel (SS 304 grade) adjustable friction window stay 355 x 19 mm	each	295
8652	Stainless steel (SS 304 grade) adjustable friction window stay 510 x 19 mm	each	530
8653	Stainless steel (SS 304 grade) adjustable friction window stay 710 x 19 mm	each	930
8654	Masking tape	each	2.7
8655	Autoclaved aerated cement (AAC) blocks	cum	2210
8656	Gypsum panel 666 X 500 X 100 mm size	sqm	520
8657	Bonding plaster for Gypsum panel	kg	60
8659	Water proof ply 12 mm thick	sqm	710
8660	Aluminium casement window fastener (Anodised AC 15)	each	44
8661	Aluminium casement window fastener (powder coated)	each	45
8662	Aluminium casement window fastener (polyester powder coated)	each	44
8663	Aluminium round shape handle (anodised AC 15)	each	54
8664	Aluminium round shape handle (powder coated)	each	58
8665	Aluminium round shape handle (polyester powder coated)	each	64
8666	Stainless steel screws 25 mm x4 mm	100nos	35
8667	UV stabilised 2 mm thick plain FRP sheet	sqm	505
8668	UV stabilised 2 mm thick corrugated FRP sheet	sqm	585
8669	Mangalore ridge tiles 20 mm thick	each	33
8670	Mangalore tiles 20 mm thick	each	10
8671	Precoated galvanised iron profile sheet 0.50 mm TCT	sqm	480
8672	Precoated galvanised steel plain ridges	metre	480
8673	Precoated galvanised steel flashings/aprons	metre	195
8674	Precoated galvanised steel gutter	metre	495
8675	Precoated galvanised steel north light curves	metre	495
8676	Precoated galvanised steel barge board	metre	485
8677	Precoated galvanised steel crimp curve	sqm	525
8678	1 mm thick 35 mm wide bright finished stainless steel piano hinges	metre	44
8682	Epoxy Grout	kg	560
8683	Red sand stone gang saw cut 30 mm thick	sqm	505
8684	White sand stone gang saw cut 30 mm thick	sqm	520
8685	Delineator	each	400
8686	Precast C.C. Kerb stone M - 25	cum	10000
8687	Thermoplastic paint	kg	80

8688	Glass beads	kg	80
8689	Interlocking C.C. paver block (60 mm thick, M-30)	sqm	800
8690	High intensity retro - reflective sheet	sqm	1750
8691	Punched tape concertina coil 600 mm dia 10 m openable length		
	(Total length 90 m)	bundle	825
8692	RBT reinforced barbed wire	metre	9.8
8693	Turn buckle and strengthening bolt	each set	44
8694	Precast pavement slab 450 x 450 x 50 mm (M - 30)	each	66
8695	Chain link fabric fencing mesh of size 50x50 mm made of G.I.		
	wire of dia 4 mm	sqm	285
8696	Chain link fabric fencing mesh of size 50x50 mm made of G.I.		
	wire of dia 4 mm, PVC coated to outer dia 5 mm	sqm	305
8697	Chain link fabric fencing mesh of size 25x25 mm made of G.I.		
	wire of dia 3 mm	sqm	360
8698	Stainless steel cramps(weight 260 grams) with nuts, bolts and		
	washer for dry stone cladding	each	95
8699	8 mm thick tapered edge calcium silicate board	sqm	390
8700	10 mm thick calcium silicate board	sqm	420
8701	SS pipe 304 grades with press fit technology as per JIS 3448		
	standard 48.60 mm outer dia	metre	730
8702	Coupling/Socket fittings for 15.88 mm outer dia SS pipe	each	65
8703	Telescopic drawer channels 300 mm long	set	160
8704	Stainless steel roller for sliding arrangement in racks/ cupboards/		
	cabinets shutter	each	12
8705	50 mmX42 mmX2 mm thick Factory made door frame of PVC		
	extruded sections in white, grey or wooden finish	metre	160
8706	25 mm thick factory made PVC flush door shutter i/c carriage	sqm	2225
8707	Factory made glass reinforced plastic door frame 90x45 mm i/c		
	carriage	metre	400
8708	30 mm thick factory made glass fiber reinforced plastic panel		
	door shutter i/c carriage	sqm	1920
8709	30 mm thick factory made solid PVC profile panelled door single		
	piece extruded profile decorative finish (wood grain printed on		
	both side)	sqm	2775
8710	Factory made solid PVC door frame 60 x 30 mm i/c carriage	metre	320
8711	28 mm factory made solid PVC panel door shutter i/c carriage	sqm	2320
8712	30 mm thick factory made solid PVC profile panelled door single		
	piece extruded profile non decorative finish	sqm	2200
8713	Fiber glass reinforced plastic chajja	sqm	3800
8714	Magnetic catcher triple strip vertical type	each	25
8715	Magnetic catcher double strip horizontal type	each	18
8716	100 mm mortice lock with 6 levers for aluminium door	each	350
8717	12.5 mm thick Glass fibre reinforced Gypsum board	sqm	190
8719	2nd class teak wood lipping / moulded beading or Taj beading of		
	size 18X5 mm	metre	35
8720	Ceiling sections 0.55 mm thick having a knurled web of 51.55 mm		
	and two flanges of 26 mm each with lips of 10.55 mm	metre	45

8721	Perimeter channel having one flange of 20 mm and another flange of 30 mm with thickness of 0.55 mm and web of length 27 mm	metre	30
8722	Nylon sleeves & wooden screws (40 mm)	each	3
8723	Counter sunk ribbed head screw 25 mm	100nos	85
8724	12 mm thick marine plywood conforming to IS: 710	sqm	875
8725	12 mm thick fire retardant plywood conforming to IS: 5509	sqm	895
8726	1.5 mm thick decorative laminated sheet	sqm	500
8727	1.0 mm thick decorative laminated sheet	sqm	395
8730	30 mm thick factory made glass fiber reinforced plastic flush door shutter i/c carriage	sqm	2200
8731	High polymer modified quickset tile adhesive	per kg	20
8732	Synthetic ployster triangular fibre of length 12 mm, effective diameter 10-40 microns and specific gravity of 1.34 to 1.40	kg	395
8733	Synthetic ployster triangular fibre of length 6 mm, effective diameter 10-40 microns and specific gravity of 1.34 to 1.40	kg	395
8734	P.V.C. Single piece extruded door frame of profile size 50 mm x 47 mm with wall thickness of 5 mm	metre	380
8735	35 mm thick factory made solid panel PVC door shutter of single piece extruded profile non decorative finished (Matt finished)	sqm	2200
8736	35 mm thick factory made solid panel PVC door shutter of single piece extruded profile decorative finished (wood grain finished)	sqm	2700
8737	Stainless steel wire guage (Grade-304) aperture 1.4 mm and 0.50 mm dia wire	sqm	880
8738	Factory made door frame fire rated (60 minutes) made with 16 SWG G.I. Sheet of section 143 mm x 57 mm duly filled with vermiculite based concrete mix	metre	1080
8739	Fire rated door shutter made with 16 SWG G.I. sheet(60 minutes) without panel	sqm	5300
8740	Fire seal Putty	kg	750
8741	Clear fire resistant glass panes 6mm thick (60 minutes)	sqm	22000
8742	G.I. U beading of 16 SWG G.I. sheet (zinc coating >120gm/ m2) with ceramic tape of suitable thickness and fire resistant primer coating	metre	280
8743	Matrix Mineral Board	metre	275
8744	Panic Bar / latch (Double point)	each	5100
8745	65 mm x 55 mm x 2 mm thick Factory made door frame of PVC extruded section in white,grey or wooden finish	metre	380
8746	37 mm thick Factory made shutter with style,rails and panels of PVC extruded section in white or grey finish i/c carriage	sqm	2450
8747	75 mm x 53 mm x 2.0 mm thick Factory made door frame of PVC extruded section in white,grey or wooden finish	metre	400
8748	37 mm thick Factory made fusion welded shutter with style,rails and panels of PVC extruded section in wooden finish	sqm	2550
8750	Zinc alloy (white powder coated) casement handle for uPVC windows	each	180
8751	Zinc alloy (white powder coated) Touch Lock for uPVC windows	each	130
8752	Zinc alloy rollers for uPVC windows	each	60
8753	Zinc alloy rollers for uPVC door	each	100

8754	Zinc alloy (white powder coated) casement lock for uPVC windows	each	110
8755	Stainless steel friction hinge of size 200 mm x 19 x 1.9 mm for uPVC windows	each	250
8756	Stainless steel friction hinge of size 250 mm x 19 x 1.9 mm for uPVC windows	each	315
8757	Stainless steel friction hinge of size 300 mm x 19 x 1.9 mm for uPVC windows	each	390
8758	Stainless steel friction hinge of size 350 mm x 19 x 1.9 mm for uPVC windows	each	450
8759	Stainless steel friction hinge of size 400 mm x 19 x 1.9 mm for uPVC windows	each	560
8760	uPVC extruded profile casement window Frame (50 mm x 50 mm)	one metre	179
8761	uPVC extruded profile casement window sash (Style and Rail) (62 mm x 34 mm)	one metre	165
8762	uPVC extruded profile casement window mullion (intermediate section) (66 mm x 50 mm)	one metre	205
8763	uPVC extruded profile casement window 'T' profile (one vertical length in between two shutters) (24 mm x 34.5 mm)	one metre	55
8764	uPVC extruded profile casement window glazing bead (12 mm x 18 mm)	one metre	55
8765	uPVC extruded profile casement window Frame (67 mm x 62 mm)	one metre	255
8766	uPVC extruded profile casement Window Sash/Mullion (67 mm x 75 mm)(Style,rail and intermediate section)	one metre	288
8767	uPVC extruded profile casement window glazing bead (35 mm x 18 mm)	one metre	92
8768	uPVC extruded profile Two Track Sliding frame (67 mm x 52 mm)	one metre	265
8769	uPVC extruded profile Sliding window Sash (60 mm x 44 mm)	one metre	232
8770	uPVC extruded profile Sliding Interlock for Window (one vertical length in each shutter) (45.5 mm x 28 mm)	one metre	55
8771	uPVC extruded profile Sliding Door Sash (80 mm x 44 mm)	one metre	305
8772	Aluminium Track on bottom rail for uPVC window	one metre	26
8773	Wool Pine for uPVC window	one metre	18
8774	Aluminium Grill	kg	275
8775	Steel Galvanised tubular reinforcement for uPVC door/ window	one metre	55
8776	Stainless steel dash fastener of 8 mm dia and 75 mm long bolt	each	22
8778	Toughened glass 12 mm thickness	sqm	3200
8779	SS pipe 304 grades with press fit technology as per JIS 3448 standard 15.88 mm outer dia	one metre	158
8780	SS pipe 304 grades with press fit technology as per JIS 3448 standard 22.22 mm outer dia	one metre	280
8781	SS pipe 304 grades with press fit technology as per JIS 3448 standard 28.58 mm outer dia	one metre	360
8782	SS pipe 304 grades with press fit technology as per JIS 3448 standard 34.00 mm outer dia	one metre	510
8783	SS pipe 304 grades with press fit technology as per JIS 3448 standard 42.70 mm outer dia	one metre	640
8784	8 mm thick Calcium silicate perforated tiles of size 595 x595 mm	sqm	760

8786	Coupling/Socket fittings for 22.22 mm outer dia SS pipe	each	95
8787	Coupling/Socket fittings for 28.58 mm outer dia SS pipe	each	118
8788	Coupling/Socket fittings for 34.00 mm outer dia SS pipe	each	235
8789	Coupling/Socket fittings for 42.70 mm outer dia SS pipe	each	360
8790	Coupling/Socket fittings for 48.60 mm outer dia SS pipe	each	490
8791	Reducer for 22.22 mm X 15.88 mm outer Dia SS pipe	each	113
8792	Reducer for 28.58 mm X 15.88 mm outer Dia SS pipe	each	155
8793	Reducer for 28.58 mm X 22.22 mm outer Dia SS pipe	each	160
8795	Reducer for 34.00 mm X 22.22 mm outer Dia SS pipe	each	260
8796	Reducer for 34.00 mm X 28.58 mm outer Dia SS pipe	each	260
8797	Reducer for 42.70 mm X 15.88 mm outer Dia SS pipe	each	394
8798	Reducer for 42.70 mm X 22.22 mm outer Dia SS pipe	each	398
8799	Reducer for 42.70 mm X 28.58 mm outer Dia SS pipe	each	398
8800	Reducer for 42.70 mm X 34.00 mm outer Dia SS pipe	each	420
8801	Reducer for 48.60 mm X 15.88 mm outer Dia SS pipe	each	510
8802	Reducer for 48.60 mm X 22.22 mm outer Dia SS pipe	each	510
8803	Reducer for 48.60 mm X 28.58 mm outer Dia SS pipe	each	514
8804	Reducer for 48.60 mm X 34.00 mm outer Dia SS pipe	each	519
8805	Reducer for 48.60 mm X 42.70 mm outer Dia SS pipe	each	572
8806	Slip Coupling / Socket 15.88 mm outer dia SS pipe	each	124
8807	Slip Coupling / Socket 22.22 mm outer dia SS pipe	each	202
8808	Slip Coupling / Socket 28.58 mm outer dia SS pipe	each	259
8809	Slip Coupling / Socket 34.00 mm outer dia SS pipe	each	385
8810	Slip Coupling / Socket 42.70 mm outer dia SS pipe	each	535
8811	Slip Coupling / Socket 48.60 mm outer dia SS pipe	each	669
8812	Elbow 90o for 15.88 mm outer dia SS pipe	each	94
8813	Elbow 90o for 22.22 mm outer dia SS pipe	each	168
8814	Elbow 90o for 28.58 mm outer dia SS pipe	each	231
8815	Elbow 90o for 34.00 mm outer dia SS pipe	each	470
8816	Elbow 90o for 42.70 mm outer dia SS pipe	each	718
8817	Elbow 90o for 48.60 mm outer dia SS pipe	each	885
8818	Reducing Elbow 90o for 22.22 mm X 15.88 mm outer dia SS pipe	each	165
8819	Reducing Elbow 90o for 28.58 mm X 15.88 mm outer dia SS pipe	each	238
8820	Reducing Elbow 90o for 28.58 mm X 22.22 mm outer dia SS pipe	each	242
8821	Reducing Elbow 90o for 34.00 mm X 22.22 mm outer dia SS pipe	each	352
8822	Reducing Elbow 90o for 34.00 mm X 28.58 mm outer dia SS pipe	each	428
8823	Reducing Elbow 90o for 42.70 mm X 34.00 mm outer dia SS pipe	each	760
8824	Equal Tee for 15.88 mm outer dia SS pipe	each	174
8825	Equal Tee for 22.22 mm outer dia SS pipe	each	252
8826	Equal Tee for 28.58 mm outer dia SS pipe	each	325
8827	Equal Tee for 34.00 mm outer dia SS pipe	each	677
8828	Equal Tee for 42.70 mm outer dia SS pipe	each	945
8829	Equal Tee for 48.60 mm outer dia SS pipe	each	1125
8830	Reducing Tee for 22.22 mm X 15.88 mm outer dia SS pipe	each	245
8831	Reducing Tee for 28.58 mm X 15.88 mm outer dia SS pipe	each	308
8832	Reducing Tee for 28.58 mm X 22.22 mm outer dia SS pipe	each	315
8833	Reducing Tee for 34.00 mm X 15.88 mm outer dia SS pipe	each	595

8834	Reducing Tee for 34.00 mm X 22.22 mm outer dia SS pipe	each	610
8835	Reducing Tee for 34.00 mm X 28.58 mm outer dia SS pipe	each	620
8836	Reducing Tee for 42.70 mm X 15.88 mm outer dia SS pipe	each	895
8837	Reducing Tee for 42.70 mm X 22.22 mm outer dia SS pipe	each	904
8838	Reducing Tee for 42.70 mm X 28.58 mm outer dia SS pipe	each	905
8839	Reducing Tee for 42.70 mm X 34.00 mm outer dia SS pipe	each	910
8840	Reducing Tee for 48.60 mm X 15.88 mm outer dia SS pipe	each	914
8841	Reducing Tee for 48.60 mm X 22.22 mm outer dia SS pipe	each	978
8842	Reducing Tee for 48.60 mm X 28.58 mm outer dia SS pipe	each	1005
8843	Reducing Tee for 48.60mm X 34.00 mm outer dia SS pipe	each	1035
8844	Reducing Tee for 48.60mm X 42.70mm outer dia SS pipe	each	1092
8845	Male thread Tee for 15.88 mm outer dia X 15 mm nominal dia threaded	each	310
8846	Male thread Tee for 22.22 mm outer dia X 15 mm nominal dia threaded	each	375
8847	Male thread Tee for 22.22 mm outer dia X 20 mm nominal dia threaded	each	405
8848	Male thread Tee for 28.58 mm outer dia X 15 mm nominal dia threaded	each	455
8849	Male thread Tee for 28.58 mm outer dia X 20 mm nominal dia threaded	each	475
8850	Male thread Tee for 28.58 mm outer dia X 20 mm nominal dia threaded	each	532
8851	Male thread Tee for 34.00 mm outer dia X 15 mm nominal dia threaded	each	658
8852	Male thread Tee for 34.00 mm outer dia X 20 mm nominal dia threaded	each	705
8853	Male thread Tee for 34.00 mm outer dia X 25 mm nominal dia threaded	each	848
8854	Male thread Tee for 34.00 mm outer dia X 32 mm nominal dia threaded	each	1075
8855	Male thread Tee for 42.70 mm outer dia X 15 mm nominal dia threaded	each	995
8856	Male thread Tee for 42.70 mm outer dia X 20 mm nominal dia threaded	each	1025
8857	Male thread Tee for 42.70 mm outer dia X 25 mm nominal dia threaded	each	1124
8858	Male thread Tee for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1274
8859	Male thread Tee for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1562
8860	Male thread Tee for 48.60 mm outer dia X 15 mm nominal dia threaded	each	1100
8861	Male thread Tee for 48.60 mm outer dia X 20 mm nominal dia threaded	each	1130
8862	Male thread Tee for 48.60 mm outer dia X 25 mm nominal dia threaded	each	1108

8863	Male thread Tee for 48.60 mm outer dia X 32 mm nominal dia threaded	each	1450
8864	Male thread Tee for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1578
8865	Male thread Tee for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1954
8866	Female thread Tee for 15.88 mm outer dia X 15 mm nominal dia threaded	each	312
8867	Female thread Tee for 22.22 mm outer dia X 15 mm nominal dia threaded	each	382
8868	Female thread Tee for 22.22 mm outer dia X 20 mm nominal dia threaded	each	385
8869	Female thread Tee for 28.58 mm outer dia X 15 mm nominal dia threaded	each	485
8870	Female thread Tee for 28.58 mm outer dia X 20 mm nominal dia threaded	each	495
8871	Female thread Tee for 28.58 mm outer dia X 25 mm nominal dia threaded	each	542
8872	Female thread Tee for 34.00 mm outer dia X 15 mm nominal dia threaded	each	730
8873	Female thread Tee for 34.00 mm outer dia X 20 mm nominal dia threaded	each	745
8874	Female thread Tee for 34.00 mm outer dia X 25 mm nominal dia threaded	each	845
8875	Female thread Tee for 34.00 mm outer dia X 32 mm nominal dia threaded	each	1000
8876	Female thread Tee for 42.70 mm outer dia X 15 mm nominal dia threaded	each	975
8877	Female thread Tee for 42.70 mm outer dia X 20 mm nominal dia threaded	each	1000
8878	Female thread Tee for 42.70 mm outer dia X 25 mm nominal dia threaded	each	1123
8879	Female thread Tee for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1170
8880	Female thread Tee for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1325
8881	Female thread Tee for 48.60 mm outer dia X 15 mm nominal dia threaded	each	1170
8882	Female thread Tee for 48.60 mm outer dia X 20 mm nominal dia threaded	each	1178
8883	Female thread Tee for 48.60 mm outer dia X 25 mm nominal dia threaded	each	1230
8884	Female thread Tee for 48.60 mm outer dia X 32 mm nominal dia threaded	each	1348
8885	Female thread Tee for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1348
8886	Female thread Tee for 48.60 mm outer dia X 50 mm nominal dia		

	threaded	each	1508
8887	Female threaded Connector/Adapter for 15.88 mm outer dia X 15		
	mm nominal threaded	each	205
8888	Female threaded Connector/Adapter for 22.22 mm outer dia X 15		
	mm nominal threaded	each	252
8889	Female threaded Connector/Adapter for 22.22 mm outer dia X 20		
	mm nominal threaded	each	258
8890	Female threaded Connector/Adapter for 28.58 mm outer dia X 15		
	mm nominal threaded	each	299
8891	Female threaded Connector/Adapter for 28.58 mm outer dia X 20		
	mm nominal threaded	each	315
8892	Female threaded Connector/Adapter for 28.58 mm outer dia X 25		
	mm nominal threaded	each	365
8893	Female threaded Connector/Adapter for 34.00 mm outer dia X 25		
	mm nominal threaded	each	445
8894	Female threaded Connector/Adapter for 34.00 mm outer dia X 32		
	mm nominal threaded	each	595
8895	Female threaded Connector/Adapter for 42.70 mm outer dia X 32		
	mm nominal threaded	each	632
8896	Female threaded Connector/Adapter for 42.70 mm outer dia X 40		
	mm nominal threaded	each	742
8897	Female threaded Connector/Adapter for 48.60 mm outer dia X 40		
	mm nominal threaded	each	922
8898	Female threaded Connector/Adapter for 48.60 mm outer dia X 50		
	mm nominal threaded	each	1058
8899	Male threaded Connector/Adapter for 15.88 mm outer dia X 15		
	mm nominal threaded	each	203
8900	Male threaded Connector/Adapter for 22.22 mm outer dia X 15		
	mm nominal threaded	each	245
8901	Male threaded Connector/Adapter for 22.22 mm outer dia X 20		
	mm nominal threaded	each	273
8902	Male threaded Connector/Adapter for 28.58 mm outer dia X 20		
	mm nominal threaded	each	343
8903	Male threaded Connector/Adapter for 28.58 mm outer dia X 25		
	mm nominal threaded	each	350
8904	Male threaded Connector/Adapter for 34.00 mm outer dia X 25		
	mm nominal threaded	each	500
8905	Male threaded Connector/Adapter for 34.00 mm outer dia X 32		
	mm nominal threaded	each	615
8906	Male threaded Connector/Adapter for 42.70 mm outer dia X 32		
	mm nominal threaded	each	710
8907	Male threaded Connector/Adapter for 42.70 mm outer dia X 40		
	mm nominal threaded	each	802
8908	Male threaded Connector/Adapter for 48.60 mm outer dia X 40		
	mm nominal threaded	each	920
8909	Male threaded Connector/Adapter for 48.60 mm outer dia X 50		
	mm nominal threaded	each	1260

8910	Valve Connector for 15.88 mm outer dia X 15 mm nominal dia threaded	each	255
8911	Valve Connector for 22.22 mm outer dia X 15 mm nominal dia threaded	each	305
8912	Valve Connector for 22.22 mm outer dia X 20 mm nominal dia threaded	each	318
8913	Valve Connector for 28.58 mm outer dia X 25 mm nominal dia threaded	each	460
8914	Valve Connector for 34.00 mm outer dia X 32 mm nominal dia threaded	each	685
8915	Valve Connector for 42.70 mm outer dia X 40 mm nominal dia threaded	each	955
8916	Valve Connector for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1285
8917	Female Threaded Elbow 90o for 15.88 mm outer dia X 15 mm nominal dia threaded	each	225
8918	Female Threaded Elbow 90o for 22.22 mm outer dia X 15 mm nominal dia threaded	each	303
8919	Female Threaded Elbow 90o for 22.22 mm outer dia X 20 mm nominal dia threaded	each	314
8920	Female Threaded Elbow 90o for 28.58 mm outer dia X 25 mm nominal dia threaded	each	455
8921	Female Threaded Elbow 90o for 34.00 mm outer dia X 32 mm nominal dia threaded	each	810
8922	Female Threaded Elbow 90o for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1110
8923	Female Threaded Elbow 90o for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1075
8924	Female Threaded Elbow 90o for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1198
8925	Female Threaded Elbow 90o for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1408
8926	Male Threaded Elbow 90o for 15.88 mm outer dia X 15 mm nominal dia threaded	each	235
8927	Male Threaded Elbow 90o for 22.22 mm outer dia X 15 mm nominal dia threaded	each	294
8928	Male Threaded Elbow 90o for 22.22 mm outer dia X 20 mm nominal dia threaded	each	303
8929	Male Threaded Elbow 90o for 28.58 mm outer dia X 25 mm nominal dia threaded	each	411
8930	Male Threaded Elbow 90o for 34.00 mm outer dia X 25 mm nominal dia threaded	each	665
8931	Male Threaded Elbow 90o for 34.00 mm outer dia X 32 mm nominal dia threaded	each	802
8932	Male Threaded Elbow 90o for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1018
8933	Male Threaded Elbow 90o for 42.70 mm outer dia X 40 mm nominal		

	dia threaded	each	1165
8934	Male Threaded Elbow 90o for 48.60 mm outer dia X 40 mm nominal		
	dia threaded	each	1380
8935	Male Threaded Elbow 90o for 48.60 mm outer dia X 50 mm nominal		
	dia threaded	each	1596
8936	Cap for 15.88 mm outer dia pipe	each	48
8937	Cap for 22.22 mm outer dia pipe	each	70
8938	Cap for 28.58 mm outer dia pipe	each	92
8939	Cap for 34.00 mm outer dia pipe	each	182
8940	Cap for 42.70 mm outer dia pipe	each	278
8941	Cap for 48.60 mm outer dia pipe	each	350
8942	Pipe Bridge for 15.88 mm outer dia pipe	each	234
8943	Pipe Bridge for 15.88 mm outer dia pipe	each	298
8944	Pipe Bridge for 28.58 mm outer dia pipe	each	445
8945	4 Point facade glass bracket	nos	3626
8946	2 Point facade glass bracket	nos	1800
8947	1 Point facade glass bracket	nos	1545
8948	Flate head bolt	nos	715
8949	400 fin plate at top	pair	6515
8953	Micro Silica	kg	35
8954	Stop end tubes for diaphragmwall 600 mm dia.	sqm	4.8
8955	Driving end tubes for diaphragm wall 600 mm dia.	sqm	79
9999	Sundries	L.s	1.8
		EXECUTIVE ENGINEER	
Items not included in the DSR 2013			
1	Blaster/Quarry Man/Miner	Each/Day	700.00
2	Brick Moulder	Each/Day	800.00
3	Cable Jointer	Each/Day	800.00
4	Cable Jointer Mate	Each/Day	750.00
5	Cleaner	Each/Day	650.00
6	Cleaner Lift Irrigation	Each/Day	650.00
7	Driver Jeep	Each/Day	700.00
8	Driver-Lorry-Tractor-Dumper-Tipper	Each/Day	1000.00
9	Driver-pile driver	Each/Day	900.00
10	Driver-Pumpdriver-Oper	Each/Day	850.00
11	Electrician	Each/Day	1000.00
12	Ferryman	Each/Day	700.00
13	Hammer man	Each/Day	800.00
14	Laterite cutter	Each/Day	850.00

15	Line man	Each/Day	800.00
16	Line man assistant	Each/Day	700.00
17	Mazdoor-Man Mazdoor	Each/Day	650.00
18	Mazdoor-special(survey)/whitewashing	Each/Day	750.00
19	Mazdoor-Heavy load	Each/Day	800.00
20	Mazdoor-Woman	Each/Day	650.00
21	Mechanic-I	Each/Day	900.00
22	Mechanic-II	Each/Day	750.00
23	Mechanic cum operator/H.M Plant	Each/Day	1000.00
24	Operator-H.E.M machine	Each/Day	1000.00
25	Operator-Lift irrigation	Each/Day	750.00
26	Operator Lift	Each/Day	650.00
27	Operator Lock operator	Each/Day	650.00
28	Operator-Mixer-Compressor	Each/Day	800.00
29	Operator-Paver Finisher	Each/Day	900.00
30	Plumber	Each/Day	850.00
31	Sawyer	Each/Day	800.00
32	Scavenger	Each/Day	850.00
33	Turner-I	Each/Day	800.00
34	Turner-II	Each/Day	700.00
35	Watcher-Channel/Dam/Bund	Each/Day	650.00
36	Watcher-Lift Irrigation	Each/Day	650.00
37	Welder-Gas welding	Each/Day	800.00
38	Welder-Arc welding	Each/Day	800.00
39	Well sinker-ordinary	Each/Day	800.00
40	Well sinker-Diver use diving set	Each/Day	900.00
41	Well sinker-Diver with outdiving set	Each/Day	850.00
42	Wire man	Each/Day	800.00
43	Wire man Assistant	Each/Day	650.00
44	Wire man Helper	Each/Day	600.00
45	Wood cutter	Each/Day	900.00
46	Moulder	Each/Day	800.00
47	Tile paver	Each/Day	850.00
48	Marble cuttrrer	Each/Day	900.00
49	Skilled assistant (B.Tech)	Each/Day	2000.00

50	Skiled assistant(Diploma)	Each/Day	1500.00
51	Skilled assistant (ITI)	Each/Day	1000.00
52	Hard ware technician	Each/Day	1000.00
53	Technican electronic machinery	Each/Day	1000.00
54	Gardner	Each/Day	650.00
55	Aluminium fabricator	Each/Day	900.00
	MATERIALS		
56	Wire cut bricks 19x19x9cm platform moulded	1000Nos	7500.00
57	Wire cut bricks 22.9X11.2X7cm traditional	1000Nos	8000.00
58	Traditional bricks22.9x11.2x7cm	1000Nos	6500.00
59	Paving or flooring tiles225*225mm	1000Nos	8000.00
60	Concrete Hollow bricks40x20x20cm	100Nos	3000.00
61	Concrete Hollow bricks40x20x15cm	100Nos	2700.00
62	Concrete Hollow bricks40x20x10cm	100Nos	2500.00
63	Solid concrete block 30x20x15 cm	100Nos	2850.00
64	Solid concrete block 30x20x10cm	100Nos	2450.00
65	Solid concrete interlocking block 75mm thick	m2	800.00
66	MP roofing tiles340mm size	1000Nos	10000.00
67	MProofing tiles 320mm	1000Nos	9800.00
68	Ventilator or smoke tiles(Double)MP	Each	160.00
69	Ventilator or smoke tiles(Single)MP	Each	130.00
70	Sky light with glass (Double)Mp	Each	125.00
71	Sky light with glass (Single)Mp	Each	80.00
72	Laterite 35x20x20 cm roughly dressed	100 nos	2800.00
73	River sand	m3	3500.00
74	M -Sand	m3	2500.00
75	Brick jelly, 20mm to 40mm ring	m3	450.00
76	Red earth for blinding	m3	700.00
77	Earth for filling	m3	600.00
78	Quarry dust		700.00
79	Anjili wood	m3	50000.00
80	Mango wood	m3	13500.00
81	Mahagany	m3	50000.00
82	Pincoda	m4	77000.00

83	Jack wood	m3	50000.00
84	Teak wood (Exoprt) 183 cm and above	m3	140000.00
85	Teak polesIV	Each	1000.00
86	Vengai	m3	34000.00
87	Coconut tree 6m to 9m	Each	1200.00
88	Arecanut tres 9m long	Each	450.00
89	Plaited cocunut cadajan madals	100nos	150.00
90	Green cocunut cadajan madals	Each	20.00
91	Polycarbonate multiwall sheet -4mm thick	m2	1750.00
92	Polycarbonate multiwall sheet -6mm thick	m2	2100.00
93	Polycarbonate multiwall sheet -8mm thick	m2	2700.00
94	Polycarbonate compact sheet -2mm thick	m2	3400.00
95	Polycarbonate compact sheet -4mm thick	m2	4600.00
96	Polycarbonatecompact sheet -6mm thick	m2	5100.00
97	Crude oil	litre	50.00
98	Ceramic floor tiles ISO 1st quality	m2	470.00
99	E Board for ceiling-4mm thick	m2	250.00
100	Weather strip	m	105.00
101	EPDM beeding-3mm	m	100.00
102	Nylon wheel	Each	20.00
103	Basion panel-both side laminated	m2	700.00
104	Aluminium rivets	Each	2.00
105	Magnum board 6mm	m2	240.00
106	Magnum board 8mm	m2	310.00
107	Gypsum board	m2	380.00
108	PVC ceiling panel(12'x10"x6mm)	m2	280.00
109	PVC ceiling panel(12'x10"x7mm)	m2	300.00
110	Cast iron grill(light duty)	Kg	120.00
111	Cast iron grill (heavy duty)	Kg	135.00
112	Water meter	Each	1000.00
113	PVC Storage water tank up to 5000 litre	Litre	7.00
114	PVC Storage water tank above 5000 litre	Litre	9.00
115	Granite Polished Slab (18mm thick)		
116	Jet black	m2	2000.00
117	Telephone black	m2	2500.00

118	Jem red	m2	2450.00
119	Cats eye red	m2	2350.00
120	Hassan green	m2	1750.00
121	Pista green	m2	1700.00
122	Mayflour white	m2	3000.00
123	Rosy pink	m2	1100.00
124	GI powder coated -Tile Profile Sheet-0.5mm thick	m2	370.00
125	GI powder coated -Tile Profile Sheet-0.45mm thick	m2	345.00
126	GI powder coated -Tile Profile Sheet-0.4mm thick	m2	300.00
127	GI powder coated -Tile Profile Sheet-0.35mm thick	m2	265.00
128	GI powder coated -Tile Profile Sheet-0.3mm thick	m2	250.00
129	GI powder coated -Trafoord/corrugated-0.5mm thick	m2	370.00
130	GI powder coated -Trafoord/corrugated-0.45mm thick	m2	345.00
131	GI powder coated -Trafoord/corrugated-0.4mm thick	m2	325.00
132	Aluminium powder coated tile profile 0.46mm thick or nearest	m2	600.00
133	GI Plain Sheet - Powder Coated	m2	480.00
134	Cement concrete paving Tile (Eurocone Tiles/ Ultra Tiles)	m2	500.00
135	Interlocking tiles	m2	500.00
136	Florolac	litre	210.00
137	Touchwood	litre	225.00
138	Angle stop cock 20mm	each	210.00
139	3mm GI wire	Kg	68.00
140	Touch wood glossy	litre	250.00
141	Hylum sheet	m2	360.00
142	Coloured Galvolume corrugated sheet	m2	350.00
143	do-Ridge	1m	260.00
144	Aluminium composite panel 3 mm thick (Exterior)without frame	m2	900.00
145	PVC gutter 160mm	1m	170.00
146	150mm butt hinges iron best quality	10 Nos	310.00
147	200mm Anodised Aluminium tower bolt best quality	10 Nos	500.00
148	Aluminium Aldrop 200 mm or nearest available size with 16	10 Nos	1500.00
149	Pad lock 65mm or nearest size (7 lever), best quality	1 No	260.00
150	Steel Screws 30mm	10 Nos	13.00

151	Steel Screws 25mm	10 Nos	11.00
152	Anodised aluminium sections (IS Certified)	kg	260.00
153	4mm plain glass	m2	360.00
154	European water closet(White)	Each	1100.00
155	Duroplastic lid	Each	500.00
156	P.V.C flushing cistern 7.5 litres capacity with fittings	Each	800.00
157	15mm PVC connection (heavy)	Each	70.00
158	Flat back lipped front urinal (430 mm x 230 mm x 350 mm) or	Each	650.00
159	C.P. tap long body 15mm, Heavy duty Best quality	Each	660.00
160	32mm PVC pipe, 8 kgf/m2	meter	45.00
161	20mm PVC pipe, 10 kgf/m2	meter	23.00
162	25 mm PVC pipe, 8 kgf/m2	meter	28.00
163	90mm PVC vent cowl	each	68.00
164	110mm PVC tee	Each	195.00
165	110mm PVC Door elbow	Each	145.00
166	110mm PVC Door bent	Each	150.00
167	50mm GM fullway wheel valve	Each	2250.00
168	32mm GM fullway wheel valve	Each	1500.00
169	25mm GM fullway wheel valve	Each	680.00
170	Shell Lime Quick	m3	3575.00
171	MS Sheet for tanks	Qtl.	5000.00
172	Aluminium paint	Litre	235.00
173	Wood primer	Litre	150.00
174	Spike nails of various size - Iron best quality	Kg	75.00
175	Wire nails of various size - Iron best quality	Kg	65.00
176	Petrol	litre	76
177	Engine Oil	litre	220
178	Ferrocement septic tank dia 75cm	each	9000
179	Ferrocement septic tank dia 90cm	each	10000

EXECUTIVE ENGINEER