

PROCEEDINGS OF THE EXECUTIVE ENGINEER, PWD BUILDINGS DIVISION, MALAPPUAM

(Present : Mohammed Ashraff A S)

Sub:- Fixation of Local Market Rate (LMR) for the 1st half of 2014 - 2015

Ref:- Division wise meeting held on 05/06/2014 of Executive Engineer, Assistant Executive Engineer, Assistant Engineers and Representative of PWD Roads Division, Manjeri ,PWD NH Division, Irrigation, Minor irrigation Dept, L.S.G.D,Harbour Engg: Dept, Malappuram for fixation of Local Market Rates.

ORDER NO D7/LMR /2014 Dated 05/06/2014

Executive Engineer, PWD Buildings Division, Malappuram had convened a meeting on 05/06/2014 and decided to fix LMR of Materials at site, T&P and Labour charges in Malappuram District for the first half of the Financial year 2014-2015. The Assistant Executive Engineers under this Division and Executive Engineer PWD Roads Division, Manjeri & Executive Engineer PWD NH Division, Malappuram had obtained rates collected from the open market and decided to prepare the LMR in two zones such as zone I and zone II. Thezone I includes Kondotty, Ernad, Perinthalmenna & Nilambur Taluks. The Zone II included the Tirur,Tirurangadi AND Ponnani Taluks in Malappuram Dt, since the conveyance material of zone II is more (Coastal areas).

<u>ZONE 1</u>			
<u>LOCAL MARKET RATE - (w.e.f .01/04/2014)</u>			
BASIC RATES			Malappura m Dt
0001	Hire charges of Coaltar Boiler 900 to 1400 litres	day	1145.40
0002	Hire charges of Concrete Mixer 0.25 to 0.40 cum with Hopper	day	3000.00
0003	Hire charges of Diesel Road Roller - 8 to 10 tonne	day	2070.00
0004	Production cost of concrete by batch mix plant	cum	483.00
0005	Hire charges of Diesel Truck - 9 tonne	day	2346.00
0006	Hire charges of Spraying machine including electric charges	day	345.00
0007	Hire charges of Coaltar Sprayer	day	414.00
0008	Hire charges of Barber green, drying, mixing and Asphalt Plant, withaccessories, capacity 30/45 tonne	day	10626.00
0009	Pumping charges of concrete including Hire charges of pump, piping work & accessories etc.	cum	350.00
0010	Hire charges of Derrick monkey rope	day	1104.00
0011	Hire charges of Pump set of capacity 4000 litres/hour	day	1500.00
0012	Vibrator (Needle type 40 mm)	day	1500.00
0013	Machine for rubbing of floors	day	483.00
0014	Front end loader capacity 1.00 cum	day	6900.00
0016	Mastic Cooker	day	1035.00
0017	Hire and running charges of tipper	day	2673.00
0018	Hire and running charges of loader	day	6900.00
0019	Hand Grinder for mirror polish	day	400.00
0020	Hydraulic Excavator (3D) with driver and fuel	day	11040.00
0021	Pin vibrator	day	448.50
0022	Surface Vibrator	day	576.00
0023	Hot Bitumen Mixer 0.5 cum i/c hand cart	day	5520.00
0024	Hire and running charges of hydraulic piling rig with power unit etc including complete accessories and shifting at site	day	85000.00
0025	Hire and running charges of light crane	day	5000.00
0026	Hire and running charges of bentonite pump	day	9000.00
0027	Hire and running charges of vibrating pile driving hammer complete with power unit and accessories	day	90000.00
0028	Hire and running charges of crane 20 tonne capacity	day	12834.00

0029	Carriage of concrete by transit mixer	km/cum	41.40
0030	Generator 250 KVA	day	3036.00
0033	Paint applicator	day	1035.00
0037	Mobile crane	day	8970.00
0038	Tractor with ripper attachment	day	1863.00
0039	Tractor with trolley	day	2070.00
0040	Air compressor 250 cfm with two leads for pneumatic cutters /hammers	day	2622.00
0041	Joint cutting machine with 2-3 blades	day	1380.00
0042	C.C .batch mix plant	day	13800.00
0043	Road sweeper	day	759.00
0045	Slip form paver with sensor	day	17940.00
0046	Water tanker 5000 litre	day	1380.00
0047	Concrete joint cutting machine	day	1242.00
0048	Texturing machine	day	1276.50
	Note :- Above hire - charges include cost of services of operating staff and		
0049	Dozer D-80-A 12	hour	5244.00
0050	Motor Grader 3.35 metre blade	hour	3381.00
0051	Hydraulic Excavator of 1 cum bucket	hour	1794.00
0052	Front end loader 1 cum bucket capacity (incl POL)	hour	1104.00
0053	Tipper -5 Cum	tonne km	4.14
0054	Vibratory roller 8 to 10 tonne	hour	2070.00
0055	Smooth Wheeled Roller 8 to 10 tonne	hour	634.80
0056	Tandem Road Roller	hour	1587.00
0057	Water Tanker 5 to 6 KL capacity	hour	207.00
0058	Air compressor	hour	448.50
0059	Wet Mix Plant 60 TPH	hour	1656.00
0060	Mechanical Broom Hydraulic	hour	496.80
0061	Emulsion Pressure Distributor @ 1750 sqm per hour	hour	1104.00
0062	Hot mix Plant -120 TPH capacity	hour	32706.00
0063	Hot mix Plant 100 TPH Capacity	hour	24150.00
0064	Paver finisher Hydrostatic with sensor control 100 TPH	hour	3726.00
0065	Paver finisher Mechanical 100 TPH	hour	1380.00
0066	Batching and Mixing Plant @ 75 cum per hour	hour	3450.00
0068	Concrete Paver finisher with 40 HP Motor and sensor	hour	4002.00
0069	Generator 250 KVA	hour	1242.00
0070	Generator 100 KVA/125 KVA	hour	966.00
0071	Truck 5.5 cum/ 10 tonnes	tonne km	4.14
0075	Road sweeper (Mechanical Broom) @ 1250 sqm per hour	hour	496.80
0076	Drum Type HMP of 60-90 TPH capacity @ 75 tonne per hour actual output	hour	19320.00
0080	Hire and running charges of drill machine up to 400 mm dia (including cost of mobile oil, diesel consumption in ordinary soil and operator)	day	10350.00
0081	Pile Integrity testing equipment	day	4140.00
0082	Excavation of Diaphragm wall by Mechanical Grab	sqm	2070.00
	Note :- Above hire - charges (from item code 0049 to 0082) include cost of		
0.2 LABOUR			
Note :-	These rates are exclusive of contractor's profit and over heads and are inclusive		
Code	Description	Unit	0.00
0100	Bandhani	day	700.00
0101	Bhisti	day	700.00
0102	Blacksmith 1 st class	day	850.00
0103	Blacksmith 2nd class	day	800.00
0111	Carpenter 1 st class	day	850.00
0112	Carpenter 2nd class	day	800.00
0113	Chowkidar	day	500.00

0114	Beldar	day	500.00
0115	Coolie	day	600.00
0116	Fitter (grade 1)	day	800.00
0117	Assistant Fitter or 2nd class Fitter	day	800.00
0119	Glazier	day	800.00
0122	Mason (for plaster of paris work) 1 st class	day	800.00
0123	Mason (brick layer) 1 st class	day	800.00
0124	Mason (brick layer) 2nd class	day	775.00
0125	Mason (for plain stone work) 2nd class	day	800.00
0126	Mason (for ornamental stone work) 1 st class	day	800.00
0127	Driver (for Road Roller, Concrete Mixer, Truck etc.)	day	800.00
0128	Mate	day	700.00
0130	Mistry	day	800.00
0131	Painter	day	700.00
0132	Rock Excavator	day	600.00
0133	Rock Breaker	day	550.00
0134	Rock Hole Driller	day	600.00
0135	Stone Chiseller	day	600.00
0138	Sprayer (for bitumen, tar etc.)	day	600.00
0139	Skilled Beldar (for floor rubbing etc.)	day	600.00
0141	White Washer	day	625.00
0155*	Mason (average)	day	800.00
0156*	Carpenter (average)	day	800.00
0157	Operator (Pile/ Special machine)	day	600.00
0159	Skilled torch operator for laying tack	day	800.00
0160	Technician	day	1500.00
0161	Helper (Technician)	day	600.00

Note :- * These rates are average of 1st class and 2nd class categories. This is

0.3 MATERIALS

Note :-	These rates are exclusive of contractor's profit and over heads but include		
Code	Description	Unit	
0222	Seam bolts and nuts 6 mm dia and 25 mm long	10 Nos	45.00
0223	Fibre (high impact poly propylene reinforced) cement corrugated sheet 6 mm thick	sqm	282.50
0224	Fibre (high impact poly propylene reinforced) cement close fitting adjustable ridge	metre	237.50
0225	Fibre (high impact poly propylene reinforced) cement corrugate serrated adjustable ridge	metre	237.50
0226	Fibre (high impact poly propylene reinforced) cement plain wing adjustable ridge	metre	226.00
0227	Fibre (high impact poly propylene reinforced) cement unserrated adjustable ridge for hips	metre	339.00
0228	Fibre (high impact poly propylene reinforced) cement corrugated apron piece	metre	254.50
0229	Fibre (high impact poly propylene reinforced) cement eaves filler piece	each	198.00
0230	Fibre (high impact poly propylene reinforced) cement north light curves	metre	350.50
0231	Fibre (high impact poly propylene reinforced) cement ventilator curves	each	463.50
0232	Fibre (high impact poly propylene reinforced) cement barge boards 6 mm thick	metre	463.50
0233	Fibre (high impact poly propylene reinforced) cement ridge finial	pair	181.00
0234	Fibre (high impact poly propylene reinforced) cement special north light curves	each	621.50
0235	Fibre (high impact poly propylene reinforced) cement S type louvers	each	282.50

0236	Multi purpose fibre (high impact poly propylene reinforced) cement board 6 mm thick	sqm	226.00
0237	Multi purpose fibre (high impact poly propylene reinforced) cement board 8 mm thick	sqm	282.50
0285	Brick Aggregate (Single size) : 63 mm nominal size	cum	750.00
0286	Brick Aggregate (Single size) : 50 mm nominal size	cum	750.00
0287	Brick Aggregate (Single size) : 40 mm nominal size	cum	800.00
0291	Stone Aggregate (Single size) : 63 mm nominal size	cum	1600.00
0292	Stone Aggregate (Single size) : 50 mm nominal size	cum	1100.00
0293	Stone Aggregate (Single size) : 40 mm nominal size	cum	1142.50
0294	Stone Aggregate (Single size) : 25 mm nominal size	cum	1195.00
0295	Stone Aggregate (Single size) : 20 mm nominal size	cum	1386.50
0296	Stone Aggregate (Single size) : 12.5 mm nominal size	cum	1350.00
0297	Stone Aggregate (Single size) : 10 mm nominal size	cum	1350.00
0298	Stone Aggregate (Single size) : 06 mm nominal size	cum	1371.50
0302	Safeda ballies 125 mm diameter	metre	47.50
0303	Cowdung	cum	54.00
0304	Bajri	cum	1130.00
0305	Bamboo 25 mm dia 2.5 metre long	score	395.50
0308	Bhusa	quintal	452.00
0309	Paving bitumen of grade VG-10 of approved quality	tonne	45200.00
0310	Bitumen emulsion	tonne	38700.00
0312	Bitumen grade PMB - 40	tonne	49441.00
0313	Blown type petroleum bitumen of penetration 85/25 of approved quality	tonne	41810.00
0314	Bitumen hot sealing compound : grade A	kilogram	29.50
0316	Bitumen solution primer of approved quality	litre	51.00
0317	Premoulded joint filler 12 mm thick	sqm	395.50
0318	Bitumen felt fibre base (vegetable or animal):As per IS 7193 Grade I	sqm	68.00
0319	Bitumen felt as per IS 7193 Grade II	sqm	86.00
0322	Bitumen felt :Type 3 grade 1	sqm	68.00
0323	Separation Membrane of impermeable plastic sheeting 125 micron thick	sqm	13.50
0324	Coal Tar	litre	45.00
0325	Blasting powder	kilogram	39.50
0326	Blasting fuse (fuse wire)	each	17.00
0328	White face insulating board:12 mm thick	sqm	407.00
0332	Natural colour insulating board:12 mm thick	sqm	305.00
0336	Flame retardant face insulating board: 12 mm thick	sqm	356.00
0339	Flame retardant face insulating, Impregnated fibre board 12 mm thick	sqm	395.50
0341	Flat pressed 3 layer particle board (medium density) Grade 1,12 mm thick	sqm	440.00
0346	Extra for veneered particle board with Teak veneering on one side and commercial veneering on other side	sqm	326.50
0347	Extra for veneered particle board with Commercial veneering on both sides	sqm	307.00
0348	Extra for veneered particle board with Teak veneering both sides	sqm	565.00
0349	Curing compound	litre	76.50
0362	Brick bats	cum	565.00
0364	Wire brush	each	22.50
0365	Soft brush	each	20.50
0367	Portland Cement	tonne	7050.00
0368	White Cement	tonne	18000.00
0369	Plastic sheath,1.25 mm thick for dowel bars	sqm	34.00
0370	Coal (steam)	quintal	452.00
0371	Sealant primer	kg	141.50
0373	Cramp Gun metal 25x6x300 mm	each	90.50
0374	Pre moulded Joint filler, 25 mm thick for expansion joint.	sqm	835.00

0378	Brass butt hinges (light/ordinary type) : 125x70x4 mm	10 Nos	1200.00
0379	Brass butt hinges (light/ordinary type) : 100x70x4 mm	10 Nos	1000.00
0380	Brass butt hinges (light/ordinary type) : 75x40x2.5 mm	10 Nos	486.00
0381	Brass butt hinges (light/ordinary type) : 50x40x2.5 mm	10 Nos	203.50
0382	Brass butt hinges (heavy type) : 125x85x5.5 mm(0.70 kg)	10 Nos	3503.00
0383	Brass butt hinges (heavy type) : 100x85x5.5 mm(0.56 kg)	10Nos	3107.50
0384	Brass butt hinges (heavy type) : 75x65x4.0 mm(0.20 kg)	10 Nos	1073.50
0385	Brass parliamentary hinges 150x125x27x5 mm	10 Nos	3220.50
0386	Brass parliamentary hinges 125x125x27x5 mm	10 Nos	2825.00
0387	Brass parliamentary hinges 100x125x27x5 mm	10 Nos	2599.00
0388	Brass parliamentary hinges 75x100x20x3.2 mm	10 Nos	1977.50
0389	Brass single acting spring hinges 150 mm	each	350.50
0390	Brass single acting spring hinges 125 mm	each	305.00
0391	Brass single acting spring hinges 100 mm	each	192.00
0392	Brass double acting spring hinges 150 mm	each	565.00
0393	Brass double acting spring hinges 125 mm	each	418.00
0394	Brass double acting spring hinges 100 mm	each	361.50
0400	Brass tower bolt (barrel type) 250x10 mm	each	320.00
0401	Brass tower bolt (barrel type) 200x10 mm	each	310.00
0402	Brass tower bolt (barrel type) 150x10 mm	each	260.00
0403	Brass tower bolt (barrel type) 100x10 mm	each	107.50
0404	Brass flush bolt 250 mm	each	169.50
0405	Brass flush bolt 150 mm	each	147.00
0406	Brass flush bolt 100 mm	each	101.50
0408	Brass handles 125 mm with plate 175x32 mm	each	250.00
0409	Brass handles 100 mm with plate 150x32 mm	each	220.00
0410	Brass handles 75 mm with plate 125x32 mm	each	200.00
0411	Brass door latch 300x16x5 mm (0.380 kg)	each	186.50
0412	Brass door latch 250x16x5 mm (0.350 kg)	each	181.00
0413	Brass mortice latch and lock 100x65 mm with 6 levers and a pair of brass lever handles	each	418.00
0414	Brass mortice latch 100x65mm with a pair of brass lever handles	each	361.50
0417	Brass 150 mm floor door stopper (0.357kg)	each	192.00
0418	Brass hard drawn hooks and eyes 300 mm	10 Nos	847.50
0419	Brass hard drawn hooks and eyes 250 mm	10 Nos	791.00
0420	Brass hard drawn hooks and eyes 200 mm	10 Nos	729.00
0421	Brass hard drawn hooks and eyes 150 mm	10 Nos	700.50
0422	Brass hard drawn hooks and eyes 100 mm	10 Nos	593.50
0423	Brass casement window fastener	each	56.50
0424	Brass casement stays (straight peg type) 300 mm weighing not less than 0.33 kg	each	152.50
0425	Brass casement stays (straight peg type) 250 mm weighing not less than 0.28 kg	each	124.50
0426	Brass casement stays (straight peg type) 200 mm weighing not less than 0.24 kg	each	113.00
0427	Brass quadrant stays 300 mm	each	141.50
0428	Brass fanlight catch	10Nos	198.00
0429	Brass fanlight pivot	10 Nos	220.50
0430	Brass chain with hook for fan light catch	each	45.00
0431	Brass hasps and staples (safety type) 150 mm	10 Nos	876.00
0432	Brass hasps and staples (safety type) 115 mm	10 Nos	734.50
0433	Brass hasps and staples (safety type) 90 mm	10Nos	633.00
0438	Brass night latch	each	559.50
0442	Brass helical spring 150 mm	each	350.50
0444	Brass curtain rod 20 mm dia 1.25 mm thick	metre	130.00
0445	Brass curtain rod 25 mm dia 1.25 mm thick	metre	152.50
0446	Brass brackets (curtain rods) 20 mm	each	47.50
0447	Brass cupboard knob or wardrobe knob 50 mm	each	39.50
0449	Brass screws 50 mm	100 Nos	237.50

0450	Brass screws 40 mm	100 Nos	192.00
0451	Brass screws 30 mm	100 Nos	152.50
0452	Brass screws 25 mm	100 Nos	107.50
0453	Brass screws 20 mm	100 Nos	101.50
0524	Chromium plated Brass butt hinges (heavy) type 75x65x4 mm (200gms)	10 Nos	1130.00
0525	Chromium plated Brass butt hinges (light/ordinary) type 125x70x4mm	10 Nos	1300.00
0526	Chromium plated Brass butt hinges (light/ordinary) type 100x70x4 mm	10Nos	1200.00
0527	Chromium plated Brass butt hinges (light/ordinary) type 75x40x2.5 mm	10Nos	580.00
0528	Chromium plated Brass butt hinges (light/ordinary) type 50x40x2.5 mm	10Nos	550.00
0555	Chromium plated Brass handles 125 mm with plate 175 x32 mm	each	198.00
0556	Chromium plated Brass handles 100 mm with plate 150 x 32 mm	each	169.50
0557	Chromium plated Brass handles 75mm with plate 125x32 mm	each	147.00
0558	Chromium plated Brass mortice latch and lock 100x65 mm with 6 levers and a pair of brass lever handles	each	610.00
0568	Chromium plated brass casement window fastener	each	107.50
0569	Chromium plated Brass casement stays (straight peg type) 300mm weighing not less than 0.33 kg	each	169.50
0570	Chromium plated Brass casement stays (straight peg type) 250mm weighing not less than 0.28 kg	each	147.00
0571	Chromium plated Brass casement stays (straight peg type) 200mm weighing not less than 0.24 kg	each	130.00
0583	Chromium plated Brass Night latch	each	599.00
0584	Chromium plated Brass Wardrobe Knob 50 mm	each	54.00
0585	Chromium plated Brass screws 50 mm	100 Nos	271.00
0586	Chromium plated Brass screws 40 mm	100Nos	226.00
0587	Chromium plated Brass screws 30 mm	100 Nos	175.00
0588	Chromium plated Brass screws 25 mm	100 Nos	135.50
0589	Chromium plated Brass screws 20 mm	100 nos	113.00
0590	Chromium plated Brass curtain rod 12 mm dia 1.25mm thick	metre	214.50
0591	Chromium plated Brass curtain rod 20 mm dia 1.25mm thick	metre	294.00
0592	Chromium plated Brass curtain rod 25 mm dia 1.25mm thick	metre	395.50
0594	Bright finished or black enameled mild steel butt hinges 125x65x2.12 mm	10 Nos	158.00
0595	Bright finished or black enameled mild steel butt hinges 100x58x1.90 mm	10Nos	96.00
0596	Bright finished or black enameled mild steel butt hinges 75x47x1.70 mm	10 nos	68.00
0597	Bright finished or black enameled mild steel butt hinges 50x37x1.50 mm	10 Nos	56.50
0608	Nickel plated bright finished mild steel piano hinges 1 mm thick 25 mm wide	metre	45.00
0635	Bright finished or black enameled mild steel screws 50 mm	100 Nos	73.50
0637	Bright finished or black enameled mild steel screws 40 mm	100 nos	56.50
0638	Bright finished or black enameled mild steel screws 30 mm	100 nos	45.00
0639	Bright finished or black enameled mild steel screws 25 mm	100 Nos	39.50
0640	Bright finished or black enameled mild steel screws 20 mm	100 Nos	34.00
0641	Bright finished or black enameled mild steel bolts and nuts 50x6 mm	each	8.00
0642	Oxidised mild steel butt hinges 125x65x2.12 mm	10 Nos	170.00
0643	Oxidised mild steel butt hinges 100x58x1.90 mm	10 Nos	150.00
0644	Oxidised mild steel butt hinges 75x47x1.70 mm	10 Nos	135.00
0645	Oxidised mild steel butt hinges 50x37x1.50 mm	10 Nos	100.00
0646	Oxidised mild steel parliamentary hinges 150x125x27x2.8 mm	10 Nos	500.00
0647	Oxidised mild steel parliamentary hinges 125x125x27x2.8 mm	10 Nos	400.00

0648	Oxidised mild steel parliamentary hinges 100x125x27x2.8 mm	10 Nos	400.00
0649	Oxidised mild steel parliamentary hinges 75x100x20x2.24 mm	10 Nos	300.00
0650	Oxidised mild steel single acting spring hinges 150 mm	each	130.00
0651	Oxidised mild steel single acting spring hinges 125 mm	each	124.50
0652	Oxidised mild steel single acting spring hinges 100 mm	each	102.00
0653	Oxidised mild steel double acting spring hinges 150 mm	each	114.00
0654	Oxidised mild steel double acting spring hinges 125 mm	each	124.50
0655	Oxidised mild steel double acting spring hinges 100 mm	each	101.50
0656	Nickel plated mild steel piano hinges 1 mm thick 35 mm wide	metre	51.00
0660	Oxidised mild steel sliding door bolt 300x16 mm	each	160.00
0661	Oxidised mild steel sliding door bolt 250x16 mm	each	160.00
0662	Oxidised mild steel door latch 300x20x6 mm	each	100.00
0663	Oxidised mild steel door latch 250x20x6 mm	each	45.00
0664	Oxidised mild steel tower bolt (barrel type) 250x10 mm	each	85.00
0665	Oxidised mild steel tower bolt (barrel type) 200x10 mm	each	75.00
0666	Oxidised mild steel tower bolt (barrel type) 150x10 mm	each	90.00
0667	Oxidised mild steel tower bolt (barrel type) 100x10 mm	each	90.00
0668	Oxidised mild steel handles 125 mm	each	40.00
0669	Oxidised mild steel handles 100 mm	each	35.00
0670	Oxidised mild steel handles 75 mm	each	40.00
0679	Oxidised mild steel hasps and staples (safety type) 150 mm	10 Nos	141.50
0680	Oxidised mild steel hasps and staples (safety type) 115 mm	10 Nos	113.00
0681	Oxidised mild steel hasps and staples (safety type) 90 mm	10 Nos	85.00
0682	Oxidised mild steel screws 50 mm	100 Nos	110.00
0683	Oxidised mild steel screws 40 mm	100 Nos	105.00
0684	Oxidised mild steel screws 30 mm	100 Nos	75.00
0685	Oxidised mild steel screws 25 mm	100 Nos	80.00
0686	Oxidised mild steel screws 20 mm	100 Nos	75.00
0687	Anodised Aluminium butt hinges 125x75x4 mm	10 Nos	750.00
0688	Anodised Aluminium butt hinges 125x63x4 mm	10 Nos	660.00
0689	Anodised Aluminium butt hinges 100x75x4 mm	10 Nos	700.00
0690	Anodised Aluminium butt hinges 100x63x3.2 mm	10 Nos	710.00
0691	Anodised Aluminium butt hinges 100x63x4 mm	10 Nos	700.00
0692	Anodised Aluminium butt hinges 75x63x4 mm	10 Nos	700.00
0693	Anodised Aluminium butt hinges 75x63x3.2 mm	10 Nos	531.00
0694	Anodised Aluminium butt hinges 75x45x3.2 mm	10 Nos	440.50
0696	Anodised Aluminium sliding door bolt 300x16 mm	each	181.00
0697	Anodised Aluminium sliding door bolt 250x16 mm	each	147.00
0698	Anodised Aluminium tower bolt (barrel type) 300x10 mm	10 Nos	847.50
0699	Anodised Aluminium tower bolt (barrel type) 250x10 mm	10 Nos	678.00
0700	Anodised Aluminium tower bolt (barrel type) 200x10 mm	10 Nos	542.50
0701	Anodised Aluminium tower bolt (barrel type) 150x10 mm	10 Nos	429.50
0702	Anodised Aluminium tower bolt (barrel type) 100x10 mm	10 Nos	339.00
0703	Anodised Aluminium handles 125 mm with plate 175 x 32 mm	10 Nos	565.00
0704	Anodised Aluminium handles 100 mm with plate 150 x 32 mm	10 Nos	429.50
0705	Anodised Aluminium handles 75mm with plate 125 x 32 mm	10 Nos	361.50
0706	Anodised Aluminium kicking plate 50 cm long 100x3.15 mm	each	147.00
0713	Block board construction flush door with teak wood ply on both faces 35 mm thick	sqm	1921.00
0714	Block board construction flush door with teak wood ply on both faces 30 mm thick	sqm	2500.00
0715	Block board construction flush door with teak wood ply on both faces 25 mm thick	sqm	2350.00
0717	Block board construction flush door with commercial ply on both faces 35 mm thick	sqm	2250.00
0718	Block board construction flush door with commercial ply on both faces 30 mm thick	sqm	1950.00
0719	Block board construction flush door with commercial ply on both faces 25 mm thick	sqm	1850.00

0752	Block board construction flush door lipping	sqm of door area	950.00
0753	Square vision panel in Block board construction flush door	sqm of door area	395.00
0754	Circular vision panel in Block board construction flush door	sqm of door area	400.00
0755	Decorative type louvers in Block board construction flush door	sqm of door area	350.50
0757	Rebate cutting in block board construction flush door	sqm of door area	96.00
0759	Decorative plywood 4 mm	sqm	474.50
0761	Fuel wood	quintal	565.00
0763	Glue	kilogram	77.00
0765	Hessian cloth	sqm	28.50
0768	Cement Concrete Jali 50 mm thick	sqm	400.00
0769	Cement Concrete Jali 40 mm thick	sqm	400.00
0770	Cement Concrete Jali 25 mm thick	sqm	350.00
0771	Kerosene oil	litre	58.50
0773	Unslaked lime	quintal	339.00
0775	Dehradun white lime	quintal	542.50
0776	Satna lime	quintal	339.00
0777	Dry hydrated lime (factory made)	quintal	545.00
0784	Marble dust/ powder	cum	1130.00
0785	Marble chips up to 4 mm and down size White & black	quintal	361.00
0788	Marble chips large size above 4 mm White & black	quintal	226.00
0801	Silicon and acrylic emulsion	litre	226.00
0802	Acrylic distemper 1st quality , having VOC content less than 50 grams/ litre	Kg	84.00
0803	Acrylic emulsion , having VOC content less than 50 grams/ litre	litre	282.50
0804	Premium acrylic emulsion of interior grade, having VOC content less than 50 grams/ litre	litre	395.50
0805	Synthetic enamel paint , having VOC (Volatile Organic Compound) content less than 150 grams/ litre	litre	248.50
0806	Ready mixed pink or grey primer on wood work (hard and soft wood) having VOC content less than 50 grams/ litre	litre	175.50
0807	Ready mixed red oxide zinc chromatic on steel/ iron work, having VOC content less than 250 grams/ litre	litre	182.00
0808	Water thinnable cement primer for interior wall surface, having VOC content less than 50 grams/ litre	litre	88.00
0809	Exterior primer	kilogram	90.00
0810	Moorum	cum	900.00
0811	Mud (dry)	cum	135.00
0815	Dry distemper	kilogram	85.00
0816	Oil bound washable distemper/ Acrylic distemper	kilogram	109.00
0818	Linseed oil (double boiled)	litre	185.00
0820	Cement primer	litre	115.00
0821	Distemper primer	litre	135.00
0823	Pink primer (for wood)	litre	100.00
0824	White cement based putty	kg	50.00
0826	Aluminium paint	litre	195.00
0827	Acid proof paint (chocolate or black)	litre	169.50
0828	Anticorrosive bituminous paint (black)	litre	101.50
0829	Black Japan paint	litre	110.00
0830	Enamel paint	litre	225.00
0831	Floor enamel paint in all shades except green	litre	295.00
0833	Synthetic enamel paint in black or chocolate shade	litre	225.00
0834	Synthetic enamel paint in all shades except black or chocolate shade	litre	290.00
0835	Plastic emulsion paint	litre	530.00
0845	Roofing paint for iron sheets in red colour	litre	415.00
0850	White lead	kilogram	125.00
0851	Water proofing cement paint	kilogram	100.00
0855	Wax polish (ready made)	kilogram	800.00
0856	Ordinary varnish	litre	90.00

0857	Superior copal varnish	litre	330.00
0858	Superior spar varnish	litre	200.00
0859	Oil type wood preservative	litre	110.00
0863	Putty for wood work	kilogram	80.00
0865	Pig lead	kilogram	415.00
0868	Premixed super white gypsum plaster.	kg	14.50
0869	Plaster of Paris	kilogram	12.50
0870	Plug	each	11.50
0873	Copper pins 6 mm dia 7.5 cm long	each	11.50
0874	Black colour dark shade pigment	kilogram	62.00
0875	Red, chocolate, orange, buff or yellow (red oxide of iron) light shade pigment	kilogram	85.00
0876	Green or blue medium shade pigment	kilogram	73.50
0886	Standard holder bat clamps for sand cast iron or cast iron pipes 150 mm dia	each	28.50
0966	Sand Cast iron plain shoe 150 mm dia	each	367.50
0967	Copper plate	kilogram	305.00
0969	Pulley 25 mm dia	each	39.50
0973	Rolling shutter made of 80x1.25 mm machine rolled laths	sqm	3000.00
0974	Top cover for rolling shutters 1.25 mm thick	metre	1575.00
0975	27.5 cm long wire spring grade No. 2 for rolling shutters	each	545.00
0976	Ball bearing for rolling shutters	each	520.00
0977	Extra for mechanical devices chain and cranked operation for operating rolling shutters: exceeding 10.00 sqm and up to 16.80 sqm area of door	sqm	621.50
0978	Extra for mechanical devices chain and cranked operation for operating rolling shutters: exceeding 16.80 sqm area of door	sqm	655.50
0979	Royalty for good earth	cum	34.00
0980	Royalty for sludge	cum	101.50
0982	Coarse sand (zone III)	cum	2382.75
0983	Fine sand (zone IV)	cum	1469.50
0992	Galvanised steel plain sheets	quintal	7700.00
0994	Standard quality hard board sheet 3 mm thick	sqm	345.00
0996	Standard quality hard board sheet 4.5 mm thick	sqm	425.00
0999	Shellac	kilogram	237.50
1000	Spirit	litre	79.00
1001	Spun yarn	kilogram	45.00
1002	Mild steel round bar 12 mm dia and below	quintal	5900.00
1003	Mild steel round bar above 12 mm dia	quintal	5900.00
1004	Average rate of Mild steel round bars for reinforcement	quintal	4850.00
1005	Twisted steel/ deformed bars	quintal	5500.00
1006	Mild steel square bars	quintal	5540.00
1007	Structural steel such as tees, angles channels and R.S. joists	quintal	5929.50
1008	Flats up to 10 mm in thickness	quintal	5100.00
1009	Flats exceeding 10 mm in thickness	quintal	5400.00
1010	Mild steel plates	quintal	6200.00
1011	Steel glazed door,window/ ventilator, all members viz. F7D, F4B, K11 and K12B etc.	kg	54.00
1013	Mild steel sheets for tanks	quintal	6900.00
1015	Mild steel expanded metal 20x60 mm strands	sqm	645.00
1019	Mild steel hooks	each	70.00
1020	Mild steel rivets	quintal	7000.00
1021	Hard drawn steel wire fabric	sqm	870.00
1022	Galvanised steel bolts & nuts 6 mm dia and 25 mm long round head with slots	10 Nos	55.00
1023	Galvanised steel J or L hooks 8 mm dia	10 Nos	210.00
1024	Galvanised steel bolts & nuts 10 mm dia and 125 mm long round head with slots	each	28.00
1025	Mild steel bolts 6 mm dia and 25 mm long with hexagonal head	10 Nos	34.00

1028	Straining bolts	each	79.00
1029	Galvanised steel barbed wire	quintal	5876.00
1030	Galvanised steel turn buckles	each	19.00
1031	Galvanised steel bolts & nuts 10 mm dia and 27 cm long both sides threaded with 4 galvanised steel nuts	each	28.50
1032	Galvanised steel bolts 10 mm dia and 7 cm long with nuts	each	22.50
1034	Bolts and nuts up to 300 mm in length	quintal	6328.00
1035	Bolts and nuts above 300 mm in length	quintal	6328.00
1036	Iron pintels including welded pin	each	45.00
1143	Steel beading	metre	28.50
1145	Aluminium Plain Strip edging 38x12x3 mm	metre	113.00
1149	Glass strip 4 mm thick 40 mm deep	metre	10.00
1151	Boundary stone top chisel dressed 15x15x90 cm	each	110.00
1154	Through and bond stone	100 Nos	1800.00
1157	Stone for masonry work	cum	1325.00
1158	Stone for pitching 15 cm x 22.5 cm	cum	1000.00
1159	Stone dust	cum	2500.00
1160	Red sand stone block	10 cu dm	73.50
1161	White sand stone block	10 cu dm	79.00
1163	White sand stone slab 75 mm thick (un-dressed)	sqm	339.00
1164	Red sand stone slab 40 mm thick (un-dressed)	sqm	181.00
1165	White sand stone slab 40 mm thick (un-dressed)	sqm	203.50
1166	Red sand stone slab 30 mm thick (un-dressed)	sqm	147.00
1168	Kota stone slab 20 mm to 25 mm thick (semi-polished)	sqm	327.50
1169	Kota stone slab 25mm thick (rough chiseled)	sqm	237.50
1174	Red sand stone slab 45 mm to 50 mm thick (un-dressed)	sqm	194.50
1175	White sand stone slab 45 mm to 50 mm thick (un-dressed)	sqm	254.50
1177	Stone grit 6 mm and down size or pea sized gravel	cum	1045.50
1179	Crushed stone 2.36 mm to 12.5 mm size	cum	1073.50
1182	Surkhi	cum	791.00
1186	Superior class teak wood such as Dandeli, Balarshah or Malabar in planks	10 cu dm	1950.00
1187	First class teak wood in scantling	10 cu dm	2000.00
1188	First class teak wood in planks	10 cu dm	1900.00
1189	Second class teak wood in scantling	10 cu dm	1600.00
1190	Second class teak wood in planks	10 cu dm	1300.00
1194	Second class deodar wood in planks	10 cu dm	1200.00
1196	First class kail wood in planks	10 cu dm	350.50
1197	Second class kail wood in scantling	10 cu dm	294.00
1198	Second class kail wood in planks	10 cu dm	294.00
1199	Sal wood in scantling	10 cu dm	587.50
1200	Kiln seasoned selected sheesham wood planks	10 cu dm	734.50
1201	Precast terrazzo tiles 22 mm thick (light shade)	sqm	294.00
1202	Precast terrazzo tiles 22 mm thick (medium shade)	sqm	271.00
1203	Precast terrazzo tiles 22 mm thick (dark shade)	sqm	248.50
1204	Precast heat resistant terrace tiles (size 300x300 mm) and 20 mm thick	sqm	544.50
1207	G.I. Limpet washer	100 nos	39.50
1208	Bitumen washer	100 Nos	34.00
1209	G.I. plain washer thick	100 Nos	39.50
1210	G.I. plain washer thin	100 Nos	36.00
1211	G.I. plain washer for seam bolts	100Nos	34.00
1213	Water proofing materials	kilogram	65.00
1214	Welding by gas plant	cm	2.25
1215	Welding by electric plant	cm	2.04
1216	Whiting	quintal	565.00
1219	Wire nails	kilogram	67.80
1220	Wire mesh (rabbit)	sqm	51.00
1221	20 mm dia holding down bolts	quintal	6554.00

1222	Mild steel sheets with bolts and nuts to rest on pintels	each	250.00
1224	Hard drawn steel wire	quintal	6215.00
1225	Mild steel flat strap fitting	quintal	5900.00
1227	Chequered terrazzo tiles 22 mm thick(light shade)	sqm	800.00
1228	Chequered terrazzo tiles 22 mm thick(medium shade)	sqm	750.00
1229	Chequered terrazzo tiles 22 mm thick (dark shade)	sqm	700.00
1231	Extra for selected planks of second class teakwood	10 cudm	158.00
1234	Aluminium Plain Strip edging 57x12x3 mm	metre	152.50
1235	Diesel oil	litre	60.50
1237	Cutting marble or sand stone slab up to 50 mm thick by mechanical device	metre	10.15
1238	Extra for selected planks of first class teakwood	10 cudm	158.00
1239	18 mm thick Flamed finish granite stone slab	sqm	1915.50
1240	18 mm thick Italian Marble stone slab, Perlato (slab area up to 0.5 sqm).	sqm	3763.00
1241	Commercial LPG in cylinder	kg	79.00
1242	Glass mosaic tiles (20 mm x 20 mm x 4 mm).	sqm	1186.50
1243	Tile fixing chemical adhesive	kg	38.50
1244	Cement Polymer Grout Compound	kg	38.50
1245	Acid for cleaning tiles	litre	30.00
1301	Bleaching powder	quintal	2102.50
1304	Surface box for stop cock	each	141.50
1305	Surface box for sluice valve	each	237.50
1307	Surface box for water meter	each	282.50
1309	C.I. bracket for wash basin and sinks	pair	79.00
1314	C.P.brass chain with 32 mm dia rubber plug	each	45.00
1315	C.P.brass chain with 40 mm dia rubber plug	each	45.00
1330	Clamps and M.S. stays including bolts and nuts for 100 mm pipe	each	39.50
1331	M.S.Holder bat clamp of approved design for 100 mm S.C.I. pipe	each	22.50
1332	M.S.Holder bat clamp of approved design for 75 mm S.C.I. pipe	each	20.50
1334	Clamps and M.S. stays including bolts and nuts for 50 mm pipe	each	31.50
1335	Clamps and M.S. stays including bolts and nuts for 75 mm pipe	each	34.00
1336	Clearing eye with chain and lid 100 mm dia	each	49.50
1337	Clearing eye with chain and lid 150 mm dia	each	56.50
1339	Brass bib-cock 15 mm dia	each	237.50
1340	Brass bib-cock 20 mm dia	each	225.00
1342	Brass stop-cock 15 mm dia	each	217.50
1343	Brass stop-cock 20 mm dia	each	316.40
1350	Mosquito proof coupling of approved design	each	90.00
1352	C.I. cover and frame 300x300 mm inside	each	339.00
1353	C.I.cover without frame 300x300 mm inside i/c cover of 4.50 kg	each	254.25
1354	Rectangular cover 455x610 mm with frame (low duty)	each	1695.00
1355	Rectangular cover 455x610 mm without frame (low duty)	each	1130.00
1356	500 mm dia cover with frame (medium duty)	each	5367.50
1357	500 mm dia cover without frame (medium duty)	each	4099.00
1360	C.I.mouth, brass ferrule 15 mm dia	each	158.20
1361	C.I.mouth, brass ferrule 20 mm dia	each	180.80
1362	C.I.mouth, brass ferrule 25 mm dia	each	248.60
1363	Vitreous china foot rests 250x130x30 mm	pair	113.00
1364	C.I. grating 100x100 mm	each	125.00
1366	C.I. grating 150x150 mm	each	180.00
1367	C.I. grating 180x180 mm	each	190.00
1369	S.C.I. gully or nahani grating 100 mm dia	each	120.00
1373	Rubber insertions for 80 mm dia pipe joints	each	16.95
1374	Rubber insertions for 100 mm dia pipe joints	each	20.34
1375	Rubber insertions for 125 mm dia pipe joints	each	22.60
1376	Rubber insertions for 150 mm dia pipe joints	each	22.60
1377	Rubber insertions for 200 mm dia pipe joints	each	28.25
1378	Rubber insertions for 250 mm dia pipe joints	each	45.20

1379	Rubber insertions for 300 mm dia pipe joints	each	50.85
1380	Rubber insertions for 350 mm dia pipe joints	each	56.50
1381	Rubber insertions for 400 mm dia pipe joints	each	82.49
1382	Rubber insertions for 450 mm dia pipe joints	each	103.96
1383	Rubber insertions for 500 mm dia pipe joints	each	124.30
1384	Rubber insertions for 600 mm dia pipe joints	each	141.25
1392	Mirror of superior make glass 60x45 cm	each	1500.00
1396	Vitreous china pedestal for wash basin	each	2250.00
1397	Pig lead	kilogram	101.70
1464	S & S.C.I. standard specials upto 300 mm dia (heavy class)	quintal	2026.80
1466	S & S.C.I. standard specials over 300 mm dia (heavy class)	quintal	4181.00
1468	Flanged C.I. standard specials upto 300 mm dia (heavy class)	quintal	6215.00
1470	Flanged C.I. standard specials over 300 mm dia (heavy class)	quintal	6554.00
1472	Casing pipe 100 mm dia	metre	378.55
1532	Flush pipe with union spreaders and clamps all in C.P. brass for single stall	each	800.00
1533	Flush pipe with union spreaders and clamps all in C.P. brass for double stall	each	900.00
1534	Flush pipe with union spreaders and clamps all in C.P. brass for range of three stall	each	587.60
1535	Flush pipe with union spreaders and clamps all in C.P. brass for range of four stall	each	678.00
1540	Flush pipe and spreaders G.I. for single set of one squatting plate urinal	each	197.75
1541	Flush pipe and spreaders G.I. for range of two squatting plates urinal	each	282.50
1542	Flush pipe and spreaders G.I. for range of three squatting plates urinal	each	339.00
1543	Flush pipe and spreaders G.I. for range of four squatting plates urinal	each	440.70
1545	G.I. pipes 15 mm dia	metre	135.00
1546	G.I. pipes 20 mm dia	metre	290.00
1547	G.I. pipes 25 mm dia	metre	290.00
1548	G.I. pipes 32 mm dia	metre	290.00
1549	G.I. pipes 40 mm dia	metre	400.00
1550	G.I. pipes 50 mm dia	metre	450.00
1551	G.I. pipes 65 mm dia	metre	500.00
1552	G.I. pipes 80 mm dia	metre	519.80
1555	G.I. back (jam) nuts 25 mm dia	each	11.30
1559	G.I. back (jam) nuts 65 mm dia	each	24.86
1608	G.I. tees (equal) 25 mm	each	115.00
1612	G.I. tees (equal) 65 mm	each	420.00
1614	G.I. inlet connection	each	140.00
1616	S.C.I. soil, waste and vent single socketed pipe 1.80 metres long: 75 mm dia	each	1073.50
1617	S.C. I. soil, waste and vent single socketed pipe 1.80 metres long: 100 mm dia	each	1299.50
1618	S.C.I. soil, waste and vent single socketed pipe 1.80 metres long: 150 mm dia	each	192.10
1620	S.C.I. plain bend 75 mm dia	each	395.50
1621	S.C.I. plain bend 100 mm dia	each	678.00
1622	S.C.I. plain bend 150 mm dia	each	226.00
1624	S.C.I. bend with access door 75 mm dia	each	284.76
1625	S.C.I. bend with access door 100 mm dia	each	299.45
1627	S.C.I. plain single equal junctions 75x75x75 mm dia	each	508.50
1628	S.C.I. plain single equal junctions 100x100x100 mm dia	each	314.14
1630	S.C.I. single equal junctions 75x75x75 mm dia with access door	each	424.88
1631	S.C.I. single equal junctions 100x100x100 mm dia with access door	each	390.98

1633	S.C.I. plain double equal junctions 75x75x75x75 mm dia	each	587.60
1634	S.C.I. plain double equal junctions 100x100x100x100 mm dia	each	480.25
1636	S.C.I. double equal junctions 75x75x75x75 mm dia with access door	each	621.50
1637	S.C.I. double equal junctions 100x100x100x100 mm dia with access door	each	170.63
1639	Slotted cowl (terminal guard) 75 mm dia	each	214.70
1640	Slotted cowl (terminal guard) 100 mm dia	each	125.00
1641	G.I. Union 15 mm nominal bore	each	145.00
1642	G.I. Union 20 mm nominal bore	each	160.00
1643	G.I. Union 25 mm nominal bore	each	190.00
1644	G.I. Union 32 mm nominal bore	each	180.00
1645	G.I. Union 40 mm nominal bore	each	225.00
1646	G.I. Union 50 mm nominal bore	each	350.00
1647	G.I. Union 65 mm nominal bore	each	500.00
1648	G.I. Union 80 mm nominal bore	each	650.00
1649	Polyethylene water storage tank with cover and suitable locking arrangement	per litre	5.05
1653	Sand cast iron S&S plain single unequal junctions: 100x100x75 mm dia	each	418.10
1656	Sand cast iron S&S single unequal junctions: 100x100x75 mm dia with access door	each	452.00
1659	Sand cast iron S&S plain double unequal junctions:100x100x75x75 mm dia	each	621.50
1662	Sand cast iron S&S double unequal junctions: 100x100x75x75 mm dia with access door	each	621.50
1666	Sand cast iron heel rest bend 75 mm dia	each	248.60
1667	Sand cast iron heel rest bend 100 mm dia	each	282.50
1669	S.C.I. single equal invert branch of required degree 75x75x75 mm dia	each	361.60
1670	S.C.I. single equal invert branch of required degree 100x100x100 mm dia	each	463.30
1672	S.C.I. double equal invert branch of required degree 75x75x75x75 mm dia	each	463.30
1673	S.C.I. double equal invert branch of required degree 100x100x100x100 mm dia	each	621.50
1674	S.C.I. single unequal invert branch of required degree 100x100x75 mm dia	each	559.35
1677	S.C.I. double unequal invert branch of required degree 100x100x75x75 mm dia	each	644.10
1682	S.C.I. door pieces 75 mm dia	each	310.75
1683	S.C.I. door pieces 100 mm dia	each	452.00
1685	S.C.I. collar 75 mm dia	each	127.69
1686	S.C.I. collar 100 mm dia	each	161.59
1687	Unplasticised P.V.C. connection pipe with brass union 30 cm long 15 mm bore	each	33.90
1688	Unplasticised P.V.C. connection pipe with brass union 30 cm long 20 mm bore	each	39.55
1689	Unplasticised P.V.C. connection pipe with brass union 45 cm long 15 mm bore	each	39.55
1690	Unplasticised P.V.C. connection pipe with brass union 45 cm long 20 mm bore	each	54.24
1693	S.C.I. hand pump	each	757.10
1700	R.C.C. pipes NP2 class 100 mm dia	metre	226.00
1701	R.C.C. pipes NP2 class 150 mm dia	metre	237.30
1702	R.C.C. pipes NP2 class 250 mm dia	metre	293.80
1703	R.C.C. pipes NP2 class 300 mm dia	metre	339.00
1704	R.C.C. pipes NP2 class 450 mm dia	metre	452.00
1705	R.C.C. pipes NP2 class 500 mm dia	metre	655.40

1706	R.C.C. pipes NP2 class 600 mm dia	metre	1039.60
1707	R.C.C. pipes NP2 class 700 mm dia	metre	1186.50
1709	R.C.C. pipes NP2 class 800 mm dia	metre	1391.40
1710	R.C.C. pipes NP2 class 900 mm dia	metre	1446.40
1711	R.C.C. pipes NP2 class 1000 mm dia	metre	1796.70
1712	R.C.C. pipes NP2 class 1100 mm dia	metre	2118.75
1713	R.C.C. pipes NP2 class 1200 mm dia	metre	2175.25
1714	R.C.C. collars NP2 class 100 mm dia	each	33.90
1715	R.C.C. collars NP2 class 150 mm dia	each	39.55
1716	R.C.C. collars NP2 class 250 mm dia	each	56.50
1717	R.C.C. collars NP2 class 300 mm dia	each	62.15
1718	R.C.C. collars NP2 class 450 mm dia	each	113.00
1719	R.C.C. collars NP2 class 500 mm dia	each	129.95
1720	R.C.C. collars NP2 class 600 mm dia	each	158.20
1721	R.C.C. collars NP2 class 700 mm dia	each	169.50
1723	R.C.C. collars NP2 class 800 mm dia	each	226.00
1724	R.C.C. collars NP2 class 900 mm dia	each	265.55
1725	R.C.C. collars NP2 class 1000 mm dia	each	316.40
1726	R.C.C. collars NP2 class 1100 mm dia	each	339.00
1727	R.C.C. collars NP2 class 1200 mm dia	each	395.50
1728	RCC pipe 450 mm dia NP-3 spigot	metre	1690.48
1729	RCC pipe 600 mm dia NP-3 spigot	metre	2254.35
1730	RCC pipe 900 mm dia NP-3 spigot	metre	3559.50
1731	RCC pipe 1000 mm dia NP-3 spigot	metre	4390.05
1732	RCC pipe 1200 mm dia NP-3 spigot	metre	5695.20
1733	RCC pipe 1800 mm dia NP-3 spigot	metre	10678.50
1734	RCC pipe 450 mm dia NP-4 spigot	metre	1958.29
1735	RCC pipe 600 mm dia NP-4 spigot	metre	2610.30
1736	RCC pipe 900 mm dia NP-4 spigot	metre	5192.35
1737	RCC pipe 1000 mm dia NP-4 spigot	metre	6288.45
1738	RCC pipe 1200 mm dia NP-4 spigot	metre	7356.30
1739	RCC pipe 1800 mm dia NP-4 spigot	metre	15424.50
1854	Stoneware pipes grade A (60 cm long) 100 mm dia	each	56.50
1855	Stoneware pipes grade A (60 cm long) 150 mm dia	each	90.40
1856	Stoneware pipes grade A (60 cm long) 200 mm dia	each	152.55
1857	Stoneware pipes grade A (60 cm long) 230 mm dia	each	192.10
1858	Stoneware pipes grade A (60 cm long) 250 mm dia	each	248.60
1859	Stoneware pipes grade A (60 cm long) 300 mm dia	each	271.20
1863	Fire clay kitchen sink: 600x450x250 mm	each	1525.50
1871	White vitreous china laboratory sink 450x300x150 mm	each	926.60
1872	White vitreous china laboratory sink 600x450x200 mm	each	1723.25
1875	White plastic seat (solid) with lid C.P. brass hinges and rubber buffers	each	372.90
1876	Black plastic seat (solid) with lid C.P. brass hinges and rubber buffers	each	450.00
1878	Shower rose C.P. brass for 15 to 20 mm inlet 100 mm dia	each	150.00
1879	Shower rose C.P. brass for 15 to 20 mm inlet 150 mm dia	each	200.00
1881	Spun yarn	kilogram	56.50
1882	Strainer brass 40 mm dia 1.5 metre long	each	678.00
1885	15 mm C.P. brass tap	each	360.00
1889	C.P. brass toilet paper holder of standard size	each	400.00
1891	C.I. trap for standard urinal with vent arm with operating and other couplings in C.P. brass: 50 mm dia	each	197.10
1893	C.I. trap for standard urinal with vent arm with operating and other couplings in C.P. brass: 80 mm dia	each	254.25
1895	C.P. brass trap 40 mm dia	each	169.50
1896	100 mm S.C.I. trap with vent heel	each	356.00
1897	100 mm S.C.I. trap with 100 mm inlet and 100 mm outlet	each	310.75
1898	100 mm S.C.I. trap with 100 mm inlet and 75 mm outlet	each	246.34

1900	S.W. gully trap P type 100x100 mm	each	113.40
1902	S.W. gully trap P type 150x100 mm	each	163.80
1904	S.W. gully trap P type 180x150 mm	each	283.50
1913	Vitreous china lipped front urinal	each	579.60
1915	Vitreous china squatting plate urinal	each	957.60
1922	H.P. or L.P. ball valve with polythene floats: 15 mm dia	each	264.60
1923	H.P. or L.P. ball valve with polythene floats: 20 mm dia	each	384.30
1924	H.P. or L.P. ball valve with polythene floats: 25 mm dia	each	415.80
1927	Brass full way valve with C.I. wheel (screwed end) 25 mm dia	each	441.00
1928	Brass full way valve with C.I. wheel (screwed end) 32 mm dia	each	514.60
1929	Brass full way valve with C.I. wheel (screwed end) 40 mm dia	each	604.80
1930	Brass full way valve with C.I. wheel (screwed end) 50 mm dia	each	781.20
1931	Brass full way valve with C.I. wheel (screwed end) 65 mm dia	each	1360.80
1932	Brass full way valve with C.I. wheel (screwed end) 80 mm dia	each	2041.20
1933	Gunmetal non-return valve-horizontal (screwed end) 25 mm dia	each	415.80
1934	Gunmetal non-return valve-horizontal (screwed end) 32 mm dia	each	567.00
1935	Gunmetal non-return valve-horizontal (screwed end) 40 mm dia	each	705.60
1936	Gunmetal non-return valve-horizontal (screwed end) 50 mm dia	each	1033.20
1937	Gunmetal non-return valve-horizontal (screwed end) 65 mm dia	each	1877.40
1938	Gunmetal non-return valve-horizontal (screwed end) 80 mm dia	each	2671.20
1940	C.I. sluice valve (with caps) class I: 100 mm dia	each	3036.60
1941	C.I. sluice valve (with caps) class I : 125 mm dia	each	3276.00
1942	C.I. sluice valve (with caps) class I: 150 mm dia	each	4536.00
1943	C.I. sluice valve (with caps) class I : 200 mm dia	each	9450.00
1944	C.I. sluice valve (with caps) class I : 250 mm dia	each	13834.80
1945	C.I. sluice valve (with caps) class I: 300 mm dia	each	19530.00
1947	Vitreous china flat back wash basin 630x450 mm	each	819.25
1949	Vitreous china angle back wash basin 600x480 mm	each	819.25
1950	Vitreous china angle back wash basin 400x400 mm	each	480.25
1951	C.P. brass waste 32 mm	each	90.40
1952	C.P. brass waste 40 mm	each	107.35
1953	Vitreous china Indian type W.C. pan size 580 mm	each	908.50
1954	Vitreous china orrisa type W.C. pan size 580 mm	each	1300.00
1955	Vitreous china pedestal type water closet	each	1250.00
1956	Bolts and nuts 16 mm dia 60 mm long	each	60.00
1957	Bolts and nuts 16 mm dia 65 mm long	each	100.00
1958	Bolts and nuts 20 mm dia 65 mm long	each	80.00
1959	Bolts and nuts 20 mm dia 70 mm long	each	16.95
1960	Bolts and nuts 20 mm dia 75 mm long	each	18.08
1961	Bolts and nuts 20 mm dia 80 mm long	each	20.34
1962	Bolts and nuts 24 mm dia 85 mm long	each	31.64
1963	Bolts and nuts 24 mm dia 90 mm long	each	36.16
1964	Bolts and nuts 27 mm dia 100 mm long	each	42.94
1965	White vitreous china dual purpose closet (Anglo Indian W.C.) suitable for use as squatting pan or European type water closet as per manufacturer's specifications	each	2500.00
1970	Vitreous china foot rests 250x125x25 mm	pair	300.00
1980	Fly ash	cum	8.78
1984	Common burnt clay F.P.S. bricks tile class designation 10	1000 Nos	5424.00
1986	Common burnt clay modular bricks class designation 12.5	1000 Nos	5932.50
2391	Strips-Aluminium fluted 3.15 mm thick and 150 mm wide	metre	257.64
2392	Strips Aluminium fluted 3.15 mm thick and 200 mm wide	metre	364.99
2393	1 mm thick Stainless Steel Cover plate grade 304	kg	310.75
2394	Coupler 16 mm dia	each	75.71
2395	Coupler 20 mm dia	each	99.44
2396	Coupler 25 mm dia	each	146.90
2397	Coupler 28 mm dia	each	216.96
2398	Coupler 32 mm dia	each	261.03
2399	Complete Roof Joint of 100 mm	metre	5085.00

2400	Complete Roof Joint of 150 mm	metre	5424.00
2401	Complete Roof Joint of 200 mm	metre	5650.00
2402	Epoxy adhesive	kg	169.50
2403	Floor Joint of 100 mm	metre	5085.00
2404	Floor Joint of 150 mm	metre	5650.00
2405	Floor Joint of 200 mm	metre	6102.00
2406	Float glass sheet of nominal thickness 4 mm (weight not less than 10 kg/sqm)	sqm	372.90
2407	Float glass sheet of nominal thickness 5.5 mm (weight not less than 13.50 kg/sqm)	sqm	565.00
2408	Float glass sheet of nominal thickness 8 mm (weight not less than 20.00 kg/sqm)	sqm	791.00
2409	Wall Joint of 100 mm	metre	3842.00
2410	Wall Joint of 150 mm	metre	4181.00
2411	Wall Joint of 200 mm	metre	4520.00
2412	Ply wood 5 ply with commercial ply on both faces 6 mm thick	sqm	406.80
2413	12 mm commercial ply	sqm	655.40
2414	18 mm thick block board with commercial ply veneering on both side	sqm	791.00
2447	Hollock ballies 125 mm diameter	metre	39.55
2449	Oxidised mild steel pull bolt lock (locking bolt) of size 85 mm x42 mm with screws, bolts, nuts and washers complete	each	56.50
2451	Brass cupboard lock 6 levers of approved quality, 40 mm size	each	79.10
2452	Brass cupboard lock 6 levers of approved quality, 50 mm size	each	84.75
2453	Brass cupboard lock 6 levers of approved quality, 65 mm size	each	90.40
2454	Brass cupboard lock 6 levers of approved quality, 75 mm size	each	113.00
2455	Brass hanging type door stopper 150 mm	each	73.45
2456	Hydraulic door closer bottle type M.S. body with necessary accessories and screws complete	each	1250.00
2459	Anodised Aluminium hanging type door stopper	each	150.00
2464	Anodised Aluminium pull bolt lock (locking bolt) of size 85 mm x42 mm with screws, bolts, nuts and washers complete	each	190.00
2465	Anodised Aluminium Casement stay 250 mm	each	200.00
2466	Hollock wood in scantling	10 cudm	367.25
2467	Chromium plated Brass pull bolt lock (locking bolt) of size 85 mmx 42 mm with screws, bolts, nuts and washers complete	each	186.45
2468	Nickled Chromium Brass cupboard lock 40 mm size	each	73.45
2469	Nickled Chromium Brass cupboard lock 50 mm size	each	84.75
2470	Nickled Chromium Brass cupboard lock 65 mm size	each	96.05
2471	Nickled Chromium Brass cupboard lock 75 mm size	each	124.30
2480	Ply wood 5 ply with teak ply on both faces 9 mm thick	sqm	2500.00
2481	Ply wood 5 ply with teak ply on one face and commercial ply on another face 9 mm thick	sqm	1900.00
2483	Ply wood 7 ply with teak ply on one face and commercial ply on another face 9 mm thick	sqm	1950.00
2484	Pre-laminated with decorative lamination on both side exterior Grade - I MDF Board 12 mm thick confirming to IS:14587	sqm	1800.00
2485	Pre-laminated with decorative lamination on both side exterior Grade - I MDF Board 18 mm thick confirming to IS:14587	sqm	1800.00
2486	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 25 mm thick confirming to IS:14587	sqm	2250.00
2487	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 12 mm thick confirming to IS:14587	sqm	1720.00
2488	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 18 mm thick confirming to IS:14587	sqm	1800.00
2489	PVC edge bending tape 2.00 mm thick	metre	100.00

2500	Extra for selected planks of second class deodar wood	10 cudm	200.00
2504	Kiln seasoning of timber	cum	824.90
2505	Hollock wood in planks	10 cudm	418.10
2506	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 60 mm	10 nos	282.50
2507	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 80 mm	10nos	331.09
2508	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 120mm	10 nos	411.32
2509	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 140 mm	10 Nos	508.50
2510	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 160 mm	10 Nos	644.10
2602	Common burnt clay F.P.S. (non modular) bricks class designation 7.5	1000 Nos	5424.00
2603	Common burnt clay F.P.S. (non modular) bricks class designation 5.0	1000 Nos	3955.00
2605	Structural sealant - 6 mm x 12 mm	metre	35.71
2606	Spacer tape 6.4 mm thick x 6 mm wide	metre	20.34
2607	Weather Sealant - Non Staining (600 ml)	each	518.84
2608	Weather Sealant - Normal (300 ml)	each	161.82
2609	MS Brackets/Aluminium Alloy Brackets	kg	113.00
2610	Silicon Gasket in Kg (Above 50 g / m)	kg	679.41
2611	EPDM Gasket in Kg (Above 60 g / m)	kg	180.80
2612	Anchor Fastner - M10	each	125.38
2613	SS Bolt with washer of sizes for structural glazing / ACP Cladding	each	39.55
2614	SS Screws of sizes for structural glazing / ACP Cladding	each	5.65
2615	Protective Tape	metre	28.25
2616	GI flashing - 1.2 mm Thick	kg	74.58
2617	6 mm thick High performance glass	sqm	2158.30
2618	6 mm thick clear heat strengthened glass	sqm	870.10
2619	6 mm thick clear heat strengthened glass	each	163.85
2620	ARMS GS HD -TOP HUNG -20"-TYPE P-COUPLE	pair	1325.01
2621	Connection Block	each	44.47
2622	Curtain wall striker	each	116.05
2623	Adjustable Fastening Pawl	each	43.23
2624	Corner drive	each	333.29
2625	Top wedge Block	each	154.30
2626	Glass wool Denisity 48 Kg / m3 with Black Glass Tissue (BGT)	sqm	259.90
2627	SS Screws - # 8 x 19	each	11.30
2628	Weather Sealant - DC 789	cartridge	152.55
2629	Cement Board	sqm	282.50
2630	Baker rod	metre	5.65
2631	4 mm thick ACP	sqm	1356.00
2632	Fire Stop	metre	635.00
2634	GI/Aluminium Sheet (0.8 mm thick)	kg	150.91
2704	Aluminium Strip 40 mm wide and 2 mm thick	kilogram	313.60
2708	Truf Paver (500 x 500 x 40 mm)	sqm	1231.70
2709	Ceremic Tiles Pieces for Crazy Flooring	quintal	152.55
2710	White marble makrana second quality plain veined stone pieces for crazy flooring	quintal	158.20
2711	FS800H Grade Flooring Panel (Size 600 mm x600 mm x32 mm)	each	847.50
2712	Zinc Electroplated Pedestals - 300 mm	each	158.20
2713	Zinc Electroplated Pedestals - 450 mm	each	169.50

2714	Zinc Electroplated Tube Stinger	each	79.10
2715	Machine Screw for Fixing	each	2.26
2750	8 mm thick granite stone tiles (mirror polished of all shades)	sqm	791.00
2751	8 mm thick marble tiles (polished) Raj Nagar	sqm	406.80
2901	Stone Aggregate (Single size) : 100 mm nominal size	cum	904.00
2902	Stone Aggregate (Single size) : 80 mm nominal size	cum	904.00
2903	Stone chippings/ screenings 4.75 mm nominal size	cum	1299.50
2904	Stone chippings/ screenings 150 micron nominal size	cum	1299.50
2908	Over burnt (Jhama) Brick Aggregate: 120 mm to 40 mm size	cum	429.40
2909	Over burnt (Jhama) Brick Aggregate: 90 mm to 40 mm size	cum	452.00
2910	Stone chippings/ screenings 12.5/ 13.2 mm nominal size	cum	1243.00
2911	Stone chippings/ screenings 10/ 11.2 mm nominal size	cum	1243.00
2914	Solvent	kilogram	28.25
2916	Paving Asphalt VG 10 of approved quality	tonne	45200.00
3002	Polyvinyle chloride sheet 400 micron thick	sqm	39.55
3004	Stone ware spouts 100 mm dia 60 cm long	each	39.55
3050	Galvanised steel corrugated sheets	quintal	6102.00
3080	Gunmetal non-return valve - vertical (screwed end) 25 mm dia	each	406.80
3084	Gunmetal non-return valve - vertical (screwed end) 32 mm dia	each	587.60
3088	Gunmetal non-return valve - vertical (screwed end) 40 mm dia	each	847.50
3092	Gunmetal non-return valve - vertical (screwed end) 50 mm dia	each	1141.30
3096	Gunmetal non-return valve - vertical (screwed end) 65 mm dia	each	1932.30
3213	Vitreous china Surgeon type wash basin of size 660x460 mm	each	1243.00
3228	600x120 mm glass shelf with anodised aluminium angle frame, C.P. brass brackets and guard rail of standard size	each	282.50
3229	Vitreous china flat back wash basin 550x400 mm	each	621.50
3300	Gunmetal non-return valve - vertical (screwed end) 80 mm dia	each	3265.70
3311	C.I.sluiice valve (with caps) class II : 100 mm dia	each	3288.30
3314	C.I.sluiice valve (with caps) class II : 125 mm dia	each	3955.00
3317	C.I.sluiice valve (with caps) class II : 150 mm dia	each	4859.00
3320	C.I.sluiice valve (with caps) class II : 200 mm dia	each	10407.30
3321	C.I.sluiice valve (with caps) class II : 250 mm dia	each	16724.00
3326	C.I.sluiice valve (with caps) class II : 300 mm dia	each	20905.00
3327	15 mm Battery Based Sensor Pillar Cock	each	6578.86
3617	C.P. Brass union 40mm dia	each	220.35
3620	C.C.I. (spun) socketed soil, waste and vent pipe 1.80 metres long:100 mm dia	each	1412.50
3621	C.C.I. (spun) socketed soil, waste and vent pipe 1.80 metres long: 75 mm dia	each	1169.55
3624	S.C.I. S&S bends with access door 100 mm dia	each	327.70
3625	S.C.I. S&S bends with access door 75 mm dia	each	271.20
3628	S.C.I. S&S bend 100 mm dia	each	299.45
3629	S.C.I. S&S bend 75 mm dia	each	220.35
3634	S.C.I. S&S heel rest sanitary bend 100 mm dia	each	334.48
3635	S.C.I. S&S heel rest sanitary bend 75 mm dia	each	282.50
3640	S.C.I. S&S single equal junctions 100x100x100 mm	each	533.36
3641	S.C.I. S&S single equal junctions 75x75x75 mm	each	372.90
3644	S.C.I. S&S single equal junctions with access door 100x100x100 mm	each	559.35
3645	S.C.I. S&S single equal junctions with access door 75x75x75 mm	each	421.49
3650	S.C.I. S&S double equal junctions 100x100x100x100 mm	each	700.60
3651	S.C.I. S&S double equal junctions 75x75x75x75 mm	each	522.06
3654	S.C.I. S&S double equal junctions with access door 100x100x100x100 mm	each	694.95
3655	S.C.I. S&S double equal junctions with access door 75x75x75x75 mm	each	542.40
3660	S.C.I. S&S single unequal junctions 100x100x75 mm	each	644.10
3664	S.C.I. S&S single unequal junctions with access door 100x100x75 mm	each	723.20

3670	S.C.I. S&S double unequal junctions 100x100x75x75 mm	each	904.00
3674	S.C.I. S&S double unequal junctions with access door 100x100x75x75 mm	each	962.50
3681	S.C.I. S&S single equal invert branch of required degree 100x100x100 mm dia	each	480.25
3682	S.C.I. S&S single equal invert branch of required degree 75x75x75 mm dia	each	364.99
3685	S.C.I. S&S double equal invert branch of required degree 100x100x 100x100 mm dia	each	598.90
3686	S.C.I. S&S double equal invert branch of required degree 75x75x75x75 mm dia	each	480.25
3690	S.C.I. S&S single unequal invert branch of required degree 100x100x75 mm dia	each	615.85
3695	S.C.I. S&S double unequal invert branch of required degree 100x100x75x75 mm dia	each	819.25
3699	S.C.I. S&S, 75 mm offset for 75 mm dia pipe	each	254.25
3707	S.C.I. S&S, 150 mm offset for 75 mm dia pipe	each	322.05
3708	S.C.I. S&S, 150 mm offset for 100 mm dia pipe	each	440.70
3712	S.C.I. S&S, 114 mm offset for 75 mm dia pipe	each	339.00
3713	S.C.I. S&S, 114 mm offset for 100 mm dia pipe	each	432.75
3716	S.C.I. S&S, 152 mm offset for 75 mm dia pipe	each	404.54
3717	S.C.I. S&S, 152 mm offset for 100 mm dia pipe	each	525.45
3728	S.C.I. S&S door pieces 100 mm dia	each	452.00
3729	S.C.I. S&S door pieces 75 mm dia	each	333.35
3733	S.C.I. S&S, Slotted Cowl (Terminal Guard) 100 mm	each	395.50
3734	S.C.I. S&S, Slotted Cowl (Terminal Guard) 75 mm	each	339.00
3738	S.C.I. S&S, collars 100 mm	each	282.50
3739	S.C.I. S&S, collars 75 mm	each	192.10
3746	S.C.I. S&S, 75 mm offset for 75 mm dia pipe	each	246.34
3747	S.C.I. S&S, 75 mm offset for 100 mm dia pipe	each	410.19
3749	Vitreous china toilet paper holder of standard size	each	169.50
3860	560 mm dia cover with frame (Heavy duty)	each	10170.00
3861	560 mm dia cover without frame (Heavy duty)	each	5650.00
4001	Stainless steel (Grade-304)hollow section round/square tubes	kg	600.00
4002	Stainless steel bolts/square bar and plates	kg	300.00
4006	Pressed steel door frames (mild steel sheet 1.60 mm) Profile "B"	metre	248.60
4007	Pressed steel door frames (mild steel sheet 1.60 mm) Profile "C"	metre	271.20
4008	Pressed steel door frames (mild steel sheet 1.60 mm) Profile "E"	metre	305.10
4009	Mild steel tubes hot finished welded type	kilogram	68.00
4010	Mild steel tubes hot finished seamless type	kilogram	75.00
4011	Mild steel tubes electric resistant or induction butt welded	kilogram	79.10
4012	Circular C.I. Box for ceiling fan	each	67.80
4013	Pulley 40 mm dia	each	33.90
4201	Aluminium primer	litre	113.00
4202	Red oxide Zinc chromate primer	litre	79.10
4203	Copper acetate	kilogram	339.00
4204	Hydrochloric acid	kilogram	39.55
4205	Copper chloride	kilogram	339.00
4206	Copper nitrate	kilogram	248.60
4207	Ammonium chloride	kilogram	22.60
5001	Mobil oil	litre	226.00
6001	White marble slab Makrana second quality plain veined 18 mm thick	sqm	2113.10
6007	Pink marble slab plain 18 mm thick	sqm	728.85
6010	Udaypur green marble slab plain 18 mm thick	sqm	779.70
6019	Black Zebra marble slab plain 18 mm thick	sqm	565.00
6501	Sand zone V (Jamuna)	cum	621.50
7001	Brass 100mm mortice latch and lock with 6 levers without pair of handles	each	293.80

7003	Pair of Anodised Aluminium lever handles for 100 mm mortice latch and lock	each	355.95
7004	Vitreous china flat back wash basin 450x300 mm	each	480.25
7005	Vitreous china 10 litres low level cistern without fittings	each	1045.25
7006	Vitreous china 10 litres low level cistern with fittings	each	1808.00
7008	F.P.S. (non modular) clay fly ash bricks class designation 7.5	1000 Nos	5198.00
7009	12.5 mm thick tapered edge gypsum plain borad	sqm	226.00
7010	Galvanised Steel ceiling section (size 80x26x0.50 mm)	metre	44.07
7011	Galvanised Steel perimetre Channel (Size 20x27x30x0.50 mm)	metre	30.51
7012	Galvanised Steel intermediate Channel (Size 15x45x15x0.90 mm)	metre	47.46
7013	Galvanised Steel angle hanger (Ceiling angle) (Size 25x10x0.50 mm)	metre	21.47
7014	Galvanised Steel connecting clips (2.64 mm dia and 230 mm long GI wire)	each	7.01
7015	Galvanised Steel soffit cleat (Size 27x37x25x0.60 mm)	each	4.52
7016	Joint filler	kilogram	24.86
7017	Joint finisher	kilogram	27.12
7018	Joint tape roll	roll	163.85
7019	Dash fastener / Chemical fastner	each	16.95
7020	All drive screws (for gypsum board)	100 Nos	67.80
7021	Primer (for gypsum board)	litre	96.05
7022	Chlorpyriphos 20% E.C. / Lindane 20% E.C.	litre	180.80
7023	Chromium plated brackets (curtain rods)	each	7.91
7024	Acid Proof cement	tonne	9209.50
7027	M.S. Butt hinges 125x90x4 mm	10 Nos	124.30
7028	12.5 mm thick Fully Perforated gypsum board	sqm	1047.51
7029	Galvanised wire mesh of average width of aperture 1.4 mm and nominal dia of wire 0.63 mm	sqm	282.50
7030	12.5 mm thick tapered edge gypsum fire resistant board	sqm	267.81
7031	12.5 mm thick tapered edge gypsum moisture resistant board	sqm	306.23
7032	Frosted glass sheet of nominal thickness 4 mm (weighing not less than 10 kg/sqm)	sqm	378.55
7033	Nickel plated M.S. pipe 25 mm dia	metre	90.40
7034	Nickel plated M.S. pipe 20 mm dia	metre	79.10
7035	Nickel plated M.S. Brackets for curtain rod 20 mm	each	7.91
7036	Nickel plated M.S - Brackets for curtain rod 25 mm	each	9.04
7040	Oxidised mild steel screws 35 mm	100 Nos	56.50
7042	Mild steel conduit pipe (heavy type) ISI marked-20 mm dia	metre	67.80
7043	Mild steel conduit pipe (heavy type) ISI marked-25 mm dia	metre	79.10
7044	Rolling shutters of 80x0.90 mm laths	sqm	1220.40
7045	Rolling shutters of 80x1.2 mm laths	sqm	1299.50
7046	Top cover of Rolling shutters 0.90 mm thick	metre	361.60
7047	Top cover of Rolling shutters 1.20 mm thick	metre	395.50
7048	Rawl plug 50 mm (designation 10 nos)	each	11.30
7049	Teak wood lipping of size 25x3 mm in pelmets	metre	24.86
7050	PU Primer	sqm	46.33
7051	40 mm (average) PU spray having 40-45 kg/m3 density	sqm	475.73
7052	GI wire netting 3/4" x 24 G	sqm	30.51
7053	400 G polythene sheet	sqm	16.95
7055	Flat pressed 3 layer and graded particle board (medium density) Grade 1 conforming to IS : 3087 - 18 mm thick	sqm	474.60
7056	Aluminium tee channel (heavy duty) with rollers and stop end	metre	56.50
7059	Aluminium hanging floor door stopper with twin rubber & stopper	each	73.45
7060	Hydraulic door closer tubular type Aluminium section body	each	949.20
7063	Oxidised M.S.casement stay (straight peg type) 300 mm not less than 0.33 kg	each	24.86
7064	Oxidised M.S.casement stay (straight peg type) 250 mm not less than 0.28 kg	each	22.60

7065	Oxidised M.S. casement stay (straight peg type) 200 mm not less than 0.24 kg	each	20.34
7068	Extra for providing grilled rolling shutters with 8 mm dia M.S. rod	sqm	305.10
7070	Chequered precast cement concrete tiles 22 mm thick using marble chips of size 6mm - Light shade using white cement	sqm	531.10
7071	White marble Raj Nagar plain 18 mm thick upto 0.50 sqm area	sqm	678.00
7072	Wall mounted water closet	each	5254.50
7073	Adjustable Vitreous China Cistern with fittings	each	2825.00
7074	White Vitreous China Waterless Urinal	each	16950.00
7075	Cistern with fittings for Waterless Urinal	each	3842.00
7076	White Vitreous Urinal	each	15820.00
7077	Acid and alkali resistant tiles 300x300 mm size, 10 mm thick	10 Nos	644.10
7087	S.C.I. Tee 150 mm	each	678.00
7090	Expanded polystyrene type N- Normal	sqm	146.90
7091	Expanded polystyrene type - SE	sqm	175.15
7095	Stainless steel kitchen sink - with drain board bowl depth 250 mm	each	5859.05
7096	Stainless steel kitchen sink - with drain board 510 x 1040 mm bowl depth 225 mm	each	5593.50
7097	Stainless steel kitchen sink - with drain board 510 x 1040 mm bowl depth 200 mm	each	4802.50
7098	Stainless steel kitchen sink - with drain board 510x1040 mm bowl depth 178 mm	each	3390.00
7101	Stainless steel kitchen sink - without drain board 610x510 mm bowl depth 200 mm	each	3559.50
7102	Stainless steel kitchen sink - without drain board 610x460 mm bowl depth 200 mm	each	3214.85
7103	Stainless steel kitchen sink - without drain board 470x420 mm bowl depth 178 mm	each	2395.60
7104	Coloured Orissa pattern W.C. pan 580x440 mm	each	1491.60
7105	Coloured Pedestal type W.C. pan 580x440 mm (European type)	each	1299.50
7106	Coloured Vitreous china 10 lit. low level cistern	each	1943.60
7107	Coloured (other than black) solid P.V.C. seat in European W.C. pan	each	621.50
7112	Circular shape 450 mm dia Mirror with Plastic moulded frame	each	508.50
7113	Rectangular shape 453x357 mm Mirror with Plastic moulded frame	each	339.00
7114	Oval shape 450x350 mm (outer dimensions) Mirror with Plastic moulded frame	each	1000.00
7115	Rectangular shape 1500x450 mm Mirror with Plastic moulded frame	each	1800.00
7116	Hard board 6 mm thick	sqm	250.00
7117	Semi Rigid PVC waste pipe for sink and wash basin 32 mm dia with length not less than 700 mm i/c PVC waste fittings	each	33.90
7118	Semi Rigid PVC waste pipe for sink and wash basin 40 mm dia with length not less than 700 mm i/c PVC waste fittings	each	39.55
7119	Flexible (coil shaped) PVC waste pipe for sink and washbasin 32mm dia with length not less than 700 mm i/c PVC waste fittings	each	31.64
7120	Flexible (coil shaped) PVC waste pipe for sink and wash basin 40mm dia with length not less than 700 mm i/c PVC waste fittings	each	33.90
7123	Coloured High density polyethylene / poly propylene 10 lit. (full flush) capacity controlled low level flushing cistern with fittings	each	774.05
7126	White Vitreous china 10 litre (full flush) capacity controlled low level flushing cistern with all fittings	each	1101.75
7127	Coloured Vitreous china 10 litre (full flush) capacity controlled low level flushing cistern with all fittings	each	1695.00
7128	S.W. intercepting trap 100 mm dia	each	214.70
7129	S.W. intercepting trap 150 mm dia	each	282.50
7130	Rectangular shape 600x450 mm precast R.C.C. manhole cover with frame - L.D. - 25	each	847.50

7131	Square shape 450x450 mm precast R.C.C. manhole cover with frame - L.D. - 25	each	734.50
7132	Circular shape 450 mm dia precast R.C.C. manhole cover with frame - L.D. - 25	each	678.00
7133	Rectangular shape 500x500 mm precast R.C.C. manhole cover with frame - M.D. - 10	each	791.00
7134	Circular shape 500 mm dia precast R.C.C. manhole cover with frame - M.D.-10	each	745.80
7135	Circular shape 560 mm dia precast R.C.C. manhole cover with frame - H.D. - 20	each	1243.00
7136	Circular shape 560 mm dia precast R.C.C. manhole cover with frame - E.H.D. - 35	each	1384.25
7137	Factory made 35 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of 12 mm thick plain type-I, medium density flat pressed three layer, graded particle board (FPT-I) as per IS:3087 bonded with BWP type synthetic resin adhesive, as per IS:848	sqm	2090.50
7139	Factory made 35 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of 12 mm thick both sides prelaminated type-I, medium density flat pressed three layer, graded particle board (FPT-I) as per IS:3087 bonded with BWP type synthetic resin adhesive, as per IS:848	sqm	2293.90
7143	Factory made 35 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of 12 mm thick one side prelaminated type-I, and other side balancing lamination medium density flat pressed three layer, graded particle board (FPT-I) as per IS:3087 bonded with BWP type synthetic resin adhesive, as per IS:848	sqm	2203.50
7151	Factory made 30 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of sheet glass using 10 kg/ sqm glass panes	sqm	1864.50
7154	Factory made 35 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of galvanised wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm	sqm	1841.90
7155	Factory made 30 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of galvanised wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm	sqm	1638.50
7157	Laminated veneer lumber confirming to TADS 15:1995 manufactured in factory in frames of doors, windows	10 cudm	802.30
7178	Chemical ASTM C-type I	kg	124.30
7181	C.I. pile shoe	kilogram	56.50
7182	M.S. clamps for pile shoe	kilogram	90.00
7183	Bentonite	tonne	3503.00
7184	Oxidised M.S. safety chain (weighing not less than 450 gms) for door	each	67.80
7187	C.I. grating 150 mm dia, weighing not less than 440 gm	each	28.25
7188	uPVC pipes (working pressure 4 kg / cm ²) Single socketed pipe 75 mm dia	metre	75.71
7189	uPVC pipes (working pressure 4 kg / cm ²) Single socketed pipe 110 mm dia	metre	145.77
7190	uPVC pipes (working pressure 4 kg / cm ²) Rubber (Seal) Ring 75 mm dia	each	18.08
7191	uPVC pipes (working pressure 4 kg / cm ²) Rubber (Seal) Ring 110 mm dia	each	22.60
7192	uPVC coupler for UPVC drainage pipes 75 mm	each	38.42
7193	uPVC coupler for UPVC drainage pipes 110 mm	each	58.76
7194	uPVC pushfit coupler (single) 75 mm thick	each	56.50

7195	uPVC pushfit coupler (single) 110 mm thick	each	91.53
7196	uPVC single equal Tee (without door) 75x75x75 mm	each	107.35
7197	uPVC single equal Tee (without door) 110x110x110 mm	each	144.64
7198	uPVC single equal Tee (with door) 75x75x75 mm	each	129.95
7199	uPVC single equal Tee (with door) 110x110x110 mm	each	203.40
7208	UPVC bend 87.5° 75 mm bend	each	63.28
7209	UPVC bend 87.5° 110 mm bend	each	107.35
7212	UPVC plain shoe 75 mm bend	each	120.91
7213	UPVC plain shoe 110 mm bend	each	233.91
7214	UPVC pipe clip 75 mm bend	each	18.08
7215	UPVC pipe clip 110 mm bend	each	35.03
7231	Resin Bonded Glass wool 16 kg/ m3: 50 mm thick	sqm	163.85
7232	Resin Bonded Glass wool 24 kg/ m3: 50 mm thick	sqm	230.52
7233	Fibre glass tissue reinforcement Type II Grade I	sqm	81.36
7236	Precast chequered cement tiles 22 mm thick Dark shade using ordinary cement	sqm	259.90
7237	Precast chequered cement tiles 22 mm thick medium shade using 50% white cement 50% ordinary cement	sqm	750.00
7238	High Albedo paint	kg	277.98
7239	Epoxy paint	litre	282.50
7240	Fire retardant paint	litre	293.80
7241	Melamine polish	litre	339.00
7244	Table rubbed polished stone 18 mm thick (75x50cm) Agaria Marble stone - 18 mm thick	sqm	1977.50
7245	Table rubbed polished stone 18mm thick (75x50cm) Granite stone- 18 mm thick	sqm	2034.00
7246	Vertical load testing (initial) of piles in accordance with IS : 2911 (Part-IV) including installation of loading platform and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification and up to 50 tonne capacity pile	per test	37516.00
7247	Vertical load testing (initial) of piles in accordance with IS : 2911 (Part-IV) including installation of loading platform and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification & above 50 tonne and up to 100 tonne	per test	45539.00
7248	Vertical load testing (initial) of piles in accordance with IS : 2911 (Part-IV) including installation of loading platform and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification & group of two or more up to 50 tonne	per test	54805.00
7249	Cyclic vertical load testing of piles in accordance with IS : 2911 (Part-IV) including preparation of pile head etc. for Single pile up to 50 tonne capacity	per test	16950.00
7250	Cyclic vertical load testing of piles in accordance with IS : 2911 (Part-IV) including preparation of pile head etc. for Single pile above 50 tonne capacity pile and up to 100 tonne capacity pile	per test	25990.00
7251	Cyclic vertical load testing of piles in accordance with IS : 2911(Part-IV) including preparation of pile head etc. for Group of two piles up to 50 tonne capacity each	per test	33335.00
7252	Lateral load testing of single pile in accordance with IS : 2911 part-IV for determining safe allowable lateral load on pile up to 50 tonne capacity	per test	16950.00
7253	Lateral load testing of single pile in accordance with IS : 2911 part-IV for determining safe allowable lateral load on pile above 50 tonne capacity	per test	26668.00
7254	Hardening compound	litre	45.20
7255	Road marking paint (spirit based)	litre	135.60
7256	Superior quality road marking paint (water based)	litre	192.10

7257	C.P. Brass bibcock 15 mm	each	423.75
7258	C.P. Brass long nose bibcock 15 mm	each	742.41
7259	C.P. Brass long body bibcock 15 mm	each	566.13
7260	C.P. Brass stop cock (concealed) 15 mm	each	579.69
7261	C.P. Brass angle valve 15 mm	each	471.21
7266	Pressed clay tiles 20mm thick 250x250 mm size	1000 Nos	13729.50
7267	Plain ceiling tiles (BWP type phenol formaldehyde synthetic resin bonded) (600x600x12 mm)	each	135.60
7268	Semi perforated ceiling tiles (600x600x12 mm)	each	135.60
7269	25 mm thick particle board	sqm	542.40
7270	30 mm thick prelaminated flush door shutter	sqm	960.50
7271	Ind class teak wood lipping 25 mm wide x 12 mm thick	metre	45.20
7272	25 mm thick melamine faced prelaminated three layer particle board	sqm	1062.20
7273	Resin Bonded Rockwool 48 kg/m3	sqm	238.43
7280	Waste plastic additive	tonne	45200.00
7281	Chemical ASTM C-type II	kg	192.10
7295	Granite of any colour, 18 mm thick (slab area upto 0.50 sqm)	sqm	2147.00
7296	Granite of any colour, 30 mm thick (slab area upto 0.50 sqm)	sqm	2599.00
7297	Granite of any colour, 18 mm thick (slab area above 0.50 sqm)	sqm	2260.00
7306	Aluminium T or L sections	kilogram	226.00
7307	For flush door shutters Extra for providing teak veneering on one side instead of commercial veneering	sqm	384.20
7309	Paving Asphalt of grade VG-30 of approved quality	tonne	46330.00
7312	Expandable fastener with plastic sleeve and M.S. screws :25 mm long	each	11.30
7313	Expandable fastener with plastic sleeve and M.S. screws :32 mm long	each	12.43
7314	Expandable fastener with plastic sleeve and M.S. screws :40 mm long	each	15.82
7315	Expandable fastener with plastic sleeve and M.S. screws. 50 mm long	each	16.95
7318	Plasticizer / super plasticizer	kilogram	42.94
7319	Wall form panel 1250x500 mm	each	1186.50
7320	Tie bolt 12 mm dia 100 mm length	each	56.50
7321	Tie bolt 12 mm dia 150 mm length	each	67.80
7322	Tie bolt 20 mm dia 150 mm length	each	84.75
7323	Tie bolt 20 mm dia 225 mm length	each	101.70
7324	Spring coil 12 mm	each	18.08
7325	Plastic cone 12 mm dia	each	20.34
7326	Corner angle 45x45x5 mm 1.50 m long	each	339.00
7327	100 mm channel shoulder 2.5 m long	each	1310.80
7328	Double clip (bridge clip)	each	109.61
7329	Single clip	each	87.01
7330	M.S. tube 40 mm dia	metre	316.40
7331	Wall form panel 1250x450 mm	each	1175.20
7332	Corner angle 45x45x5 mm 2.50 m long	each	384.20
7333	Column clamp 450x1070 mm	each	1378.60
7334	Prop 2 m (2-3.5 m)	each	937.90
7335	Binding wire	kilogram	59.89
7338	Gun metal cramp	kilogram	372.54
7339	Stainless steel cramp	kilogram	384.20
7340	Stainless steel pin.	kg	214.70
7342	Adjustable span ESO+SI (2.35-3.40)	each	2147.00
7343	Adjustable telescopic prop 3 m (2.02-3.75 m)	each	1356.00
7344	Beam clamp 300-380 mm (450-1070 mm)	each set	476.86
7345	Prop 4 m	each	1322.10
7346	Double coupler	each	62.15
7347	Cadmium plated full threaded steel screws (30x4 mm dia)	100 Nos	31.64

7348	Aluminium washer 2 mm thick 15 mm dia	100 nos	11.30
7349	12 mm M.S. 'U' beading	metre	16.95
7354	Plastic encapsulated M.S. foot rest 30x20x15 cm	each	129.95
7358	Flushing Cistern P.V.C. 10 litre capacity (low level) (White) (with fittings, accessories and flush pipe)	each	723.20
7359	P.V.C. automatic flushing cistern 5 litre capacity	each	553.70
7361	P.V.C. automatic flushing cistern 10 litre capacity	each	598.90
7363	15 mm C.P. brass tap with elbow operation lever	each	791.00
7364	White glazed fire clay draining board 600x450x25 mm	each	621.50
7366	Glass reinforced Gypsum (GRG) board 12.5 mm thick	sqm	271.20
7367	Galvanised M.S. sheet 0.5 mm thick pressed channel section of size 50x32 mm	metre	67.80
7369	Galvanised M.S. sheet 0.50 mm thick pressed stud : 48x34x36 mm	metre	84.75
7375	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Single lipped urinal	each	525.45
7376	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Range of two lipped urinals	each	1186.50
7377	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Range of three lipped urinals	each	1412.50
7378	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Range of four lipped urinals	each	2147.00
7379	White vitreous china clay half stall urinal flat back 580x380x350mm or angle back 450x375x350 mm with waste fittings as per IS:2556	each	1808.00
7380	Precast R.C.C. grating with frame 500x450 mm horizontal grating	each	734.50
7381	Precast R.C.C. grating with frame 450x100 mm vertical grating	each	367.25
7382	Bitumen emulsion rapid setting (R.S.) conforming to IS : 8887	tonne	33674.00
7385	3 mm thick translucent white acrylic plastic sheet	sqm	644.10
7386	12 mm thick particle board ceiling tile	sqm	293.80
7387	Spigot for standard jointing	kilogram	50.85
7388	Dash hold fastener 12.5 mm dia, 50 mm long with 6 mm dia bolt	each	56.50
7389	Anodising 15 microns on aluminium sections	kilogram	45.20
7390	Neoprene/EPDM rubber gasket	metre	28.25
7391	Anodising 25 microns on aluminium sections	kilogram	56.50
7392	Powder coating 50 microns on aluminium sections	kilogram	72.32
7393	Polyester powder coating 50 microns on aluminium sections	kilogram	206.60
7394	Double action hydraulic floor spring with stainless steel cover plate	each	1751.50
7395	6 mm dia G.I. adjustable hangers including clips (up to 1.2 m length)	each	31.64
7396	Double action hydraulic floor spring with brass cover plate	each	1921.00
7397	Base Jack	each	203.40
7398	Challies	each	904.00
7399	Cup locks	each	90.40
7400	15 mm PTMT bib cock	each	113.00
7401	15 mm PTMT bib cock with flange (fancy)	each	158.20
7402	15 mm PTMT bib-cock long body with flange	each	180.80
7403	15 mm dia PTMT stop cock(male thread)	each	190.00
7405	20 mm dia PTMT stop cock	each	220.00
7406	PTMT pillar cock	each	250.00
7407	PTMT push cock 15 mm dia	each	110.00
7408	PTMT push cock 12 mm dia 20 mm BSP	each	125.00
7409	PTMT grating 100 mm dia	each	90.00
7410	PTMT Pillar cock (fancy) 15 mm foam flow	each	350.00
7411	125 mm grating with waste hole	each	110.00
7412	Rectangular type with openable circular lid 150 mm size 18 mm high with 100 mm dia (110 gm)	each	137.86
7415	Double acting air valve 50 mm	each	4520.00
7416	Double acting air valve 80 mm	each	5876.00
7417	Double acting air valve 100 mm	each	7684.00

7418	Water meter (including testing charges) 80 mm	each	2406.90
7419	Water meter (including testing charges) 100 mm	each	3729.00
7420	Water meter (including testing charges) 150 mm	each	5650.00
7421	Water meter (including testing charges) 200 mm	each	6102.00
7422	Dirt box strainer 80 mm	each	3175.30
7423	Dirt box strainer 100 mm	each	5175.40
7424	Dirt box strainer 150 mm	each	6565.30
7425	Dirt box strainer 200 mm	each	9322.50
7426	Cat's eye	each	203.40
7427	Water stops Serrated with central bulb (225 mm wide, 8-11 mm thick)	metre	468.95
7428	Water stops Dumb bell with central bulb	metre	440.70
7429	Kickers	metre	423.75
7430	Wedge expansion hold fastener 1/4" or 6 mm	each	15.82
7431	Wedge expansion hold fastener 3/8" or 10 mm	each	16.95
7432	Wedge expansion hold fastener 1/2" or 12 mm	each	31.64
7439	8mm thick (mirror polished tiles machine cut edge) Raj Nagar white	sqm	565.00
7442	Wheel 75 mm dia. 40 mm wide	each	73.45
7443	Aluminium single cleat of size 30x32x3 mm	each	15.82
7444	Aluminium grip strip of size 50x12x2 mm	each	12.43
7445	25 mm thick prelaminated flush door shutter both side decorative	sqm	937.90
7449	Aluminium U beading	kilogram	248.60
7451	Glass sheet (Pin headed) 4 mm thick	sqm	339.00
7452	Raj nagar plain white marble (table rubbed and polished) 18 mm thick (slab area upto 0.50 sqm)	sqm	734.50
7453	Raj nagar plain white marble (table rubbed and polished) 18 mm thick (slab area more than 0.50 sqm)	sqm	847.50
7466	Second class deodar teak wood lipping 30 mm wide x 12 mm thick	metre	33.90
7468	Veneered particle board with commercial veneering on both sides 12 mm thick	sqm	565.00
7477	Prelaminated particle board with one side decorative and other side balancing lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS : 12823 (exterior grade) 12 mm thick	sqm	836.20
7478	Prelaminated particle board with one side decorative and other side balancing lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS : 12823 (exterior grade) 18 mm thick	sqm	960.50
7479	Prelaminated particle board with one side decorative and other side balancing lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS : 12823 (exterior grade) 25 mm thick	sqm	1050.90
7480	Pre/aminated particle board with both sides decorative lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS : 12823 (exterior grade) 12 mm thick	sqm	881.40
7485	Oxidised M. S. hinges finished with nickel plating 50 mm (Over all width)	metre	47.46
7486	Oxidised M. S. hinges finished with nickel plating 65 mm (Over all width)	metre	61.02
7491	PTMT - Waste Coupling 31/32 mm	each	57.63
7492	PTMT - Waste Coupling 38/40 mm	each	72.32
7493	PTMT - Bottle Trap 31/32 mm	each	358.21
7494	PTMT - Bottle Trap 38/40 mm	each	389.85
7495	PTMT Ball Cock 15mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	151.42
7496	PTMT Ball Cock 20mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	220.35
7497	PTMT Ball Cock 25mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	474.60

7498	PTMT Ball Cock 40mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	881.40
7499	PTMT Ball Cock 50mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	1299.50
7500	PTMT Angle Stop cock with Flange 15 mm	each	146.90
7501	PTMT Swiveling shower 15 mm	each	98.31
7503	PTMT Liquid Soap Container of 400 ml capacity	each	163.85
7504	PTMT Towel Ring 215x200x37 mm	each	131.08
7505	PTMT- Towel Rail (450 mm)	each	250.00
7506	PTMT - Towel Rail (600 mm)	each	300.00
7507	PTMT Shelf 450x124x36 mm	each	400.00
7508	PTMT - Urinal Spreader 15 mm	each	290.00
7509	PTMT Soap Dish/Holder 138x102x75 mm	each	320.00
7512	PTMT handle 125x34x24 mm	each	85.00
7513	PTMT handle 150x34x24 mm	each	80.00
7514	PTMT butt hinges 75x60x10 mm	each	60.00
7515	PTMT butt hinges 100x75x10 mm	each	56.00
7516	PTMT Tower bolt 152x42x18 mm	each	73.45
7517	PTMT Tower bolt 202x42x18 mm	each	90.40
7518	PTMT door catcher 72x42 mm	each	30.51
7552	Coir veneered board 4 mm thick	sqm	327.70
7553	Coir veneered board 6 mm thick	sqm	440.70
7555	Coir veneered board 12 mm thick	sqm	734.50
7556	Coir veneered board 18 mm thick	sqm	1148.90
7651	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 100 mm dia	metre	904.00
7652	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 150 mm dia	metre	1356.00
7653	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 200 mm dia	metre	1864.50
7654	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 250 mm dia	metre	2599.00
7655	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 300 mm dia	metre	3231.80
7656	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 350 mm dia	metre	3966.30
7657	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 400 mm dia	metre	5085.00
7658	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 450 mm dia	metre	5876.00
7659	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 500 mm dia	metre	7435.40
7660	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 600 mm dia	metre	8960.90
7661	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 700 mm dia	metre	12430.00
7662	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 750 mm dia	metre	13447.00
7663	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 800 mm dia	metre	13560.00
7664	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 900 mm dia	metre	16385.00
7665	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 1000 mm dia	metre	18419.00
7666	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 100 mm dia	each	33.90
7668	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 150 mm dia	each	42.94
7669	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 200 mm dia	each	74.58
7670	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 250 mm dia	each	88.14
7671	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 300 mm dia	each	129.95
7672	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 350 mm dia	each	149.16
7673	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 400 mm dia	each	271.20
7674	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 450 mm dia	each	316.40
7675	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 500 mm dia	each	344.65
7676	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 600 mm dia	each	429.40

7677	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 700 mm dia	each	649.75
7678	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 750 mm dia	each	779.70
7679	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 800 mm dia	each	858.80
7680	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 900 mm dia	each	1130.00
7681	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 1000 mm dia	each	1356.00
7682	Ductile Iron K - 12 specials suitable for push on jointing up to 600mm dia	quintal	14690.00
7683	Ductile Iron K - 12 specials suitable for push on jointing over 600mm dia	quintal	20340.00
7684	Ductile Iron specials suitable for mechanical jointing as per I.S. 9523 - up to 600 mm dia	quintal	15481.00
7685	Ductile Iron Specials suitable for mechanical jointing as per I.S.9523 over 600 mm dia	quintal	22204.50
7686	Ductile Iron Pipe Class K-9 flanges and welding 100 mm dia	metre	2463.40
7687	Ductile Iron Pipe Class K-9 flanges and welding 150 mm dia	metre	3955.00
7688	Ductile Iron Pipe Class K-9 flanges and welding 200 mm dia	metre	4644.30
7689	Ductile Iron Pipe Class K-9 flanges and welding 250 mm dia	metre	3870.25
7690	Ductile Iron Pipe Class K-9 flanges and welding 300 mm dia	metre	7864.80
7691	Ductile Iron Pipe Class K-9 flanges and welding 350 mm dia	metre	9944.00
7692	Ductile Iron Pipe Class K-9 flanges and welding 400 mm dia	metre	11989.30
7693	Ductile Iron Pipe Class K-9 flanges and welding 450 mm dia	metre	14577.00
7694	Ductile Iron Pipe Class K-9 flanges and welding 500 mm dia	metre	17063.00
7695	Ductile Iron Pipe Class K-9 flanges and welding 600 mm dia	metre	23311.90
7696	Ductile Iron Pipe Class K-9 flanges and welding 700 mm dia	metre	28928.00
7697	S&S Centrifugally (Spun) C.I. Pipe class LA 100 mm dia	metre	1017.00
7698	S&S Centrifugally (Spun) C.I. Pipe class LA 125 mm dia	metre	1265.60
7699	S&S Centrifugally (Spun) C.I. Pipe class LA 150 mm dia	metre	1525.50
7700	S&S Centrifugally (Spun) C.I. Pipe class LA 200 mm dia	metre	2599.00
7701	S&S Centrifugally (Spun) C.I. Pipe class LA 250 mm dia	metre	3390.00
7702	S&S Centrifugally (Spun) C.I. Pipe class LA 300 mm dia	metre	4576.50
7703	S&S Centrifugally (Spun) C.I. Pipe class LA 350 mm dia	metre	5480.50
7704	S&S Centrifugally (Spun) C.I. Pipe class LA 400 mm dia	metre	7232.00
7705	S&S Centrifugally (Spun) C.I. Pipe class LA 450 mm dia	metre	8757.50
7706	S&S Centrifugally (Spun) C.I. Pipe class LA 500 mm dia	metre	10170.00
7707	S&S Centrifugally (Spun) C.I. Pipe class LA 600 mm dia	metre	14232.35
7708	S&S Centrifugally (Spun) C.I. Pipe Specials as per IS 1538 suitable for lead jointing up to 300 mm dia	quintal	6158.50
7709	S&S Centrifugally (Spun) C.I. Pipe Specials as per IS 1538 suitable for lead jointing over 300 mm dia	quintal	9266.00
7710	S&S Centrifugally (Spun) C.I. Pipe specials suitable for mechanical joint as per I.S. 13382 up to 300 mm dia	quintal	10170.00
7711	S&S Centrifugally (Spun) C.I. Pipe Specials suitable for mechanical joint as per I.S. 13382 over 300 mm dia	quintal	10735.00
7712	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 100 mm dia	metre	1554.00
7713	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 150 mm dia	metre	2429.50
7714	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 200 mm dia	metre	3842.00
7715	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 250 mm dia	metre	4633.00
7716	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 300 mm dia	metre	5921.20

7717	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 350 mm dia	metre	7458.00
7718	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 400 mm dia	metre	9661.50
7719	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 450 mm dia	metre	12317.00
7720	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 500 mm dia	metre	15322.80
7721	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 600 mm dia	metre	21244.00
7722	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 100 mm dia	metre	875.75
7723	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 150 mm dia	metre	1265.60
7724	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 200 mm dia	metre	1751.50
7725	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 250 mm dia	metre	2373.00
7726	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 300 mm dia	metre	3277.00
7727	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 350 mm dia	metre	23426.00
7728	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 400 mm dia	metre	4536.95
7729	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 450 mm dia	metre	5482.76
7730	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 500 mm dia	metre	6480.55
7731	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 600 mm dia	metre	8452.40
7732	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 700 mm dia	metre	10862.69
7733	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 800 mm dia	metre	13673.00
7734	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 900 mm dia	metre	18159.10
7735	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 1000 mm dia	metre	19246.16
7736	Extruded burnt flyash clay sewer bricks conforming to I.S 4885	1000 Nos	6102.00
7737	Fly ash lime bricks (FALG Bricks) conforming to I.S. 12894	1000 Nos	5311.00
7738	Calcium Silicate Bricks machine moulded conforming to I.S. 4139	1000 Nos	5650.00
7739	Modified Bitumen Refinery produced CRMB - 55	tonne	46217.00
7741	Modified Bitumen Refinery produced CRMB - 60	tonne	46104.00
7742	Bitumen emulsion medium setting (M.S.) confirming to IS : 8887	tonne	33900.00
7743	M.S. pipe 150 mm dia casing pipe	metre	1197.80
7744	M.S. pipe 200 mm dia casing pipe	metre	1469.00
7745	PVC blind pipe 150 mm dia as per IS: 12818	metre	565.00
7746	PVC blind pipe 200 mm dia as per IS: 12818	metre	847.50
7747	M.S. cap 150 mm dia	each	180.80
7748	M.S. cap 200 mm dia	each	226.00
7749	M.S. bail plug 150 mm dia	each	226.00
7750	M.S. bail plug 200 mm dia	each	248.60
7751	PVC slotted pipe 150 mm dia as per IS: 12818	metre	508.50
7752	PVC slotted pipe 200 mm dia as per IS: 12818	metre	791.00
7753	Boulder 50 mm to 200 mm	cum	395.50
7754	Gravel 5 mm to 10 mm	cum	791.00
7755	Gravel 1.5 mm to 2 mm	cum	734.50
7756	Gravel 3 mm to 6 mm	cum	768.40
7757	M.S. pipe 100 mm dia casing pipe	metre	870.10
7758	uPVC blind pipe 100 mm dia as per IS: 12818	metre	406.80
7759	uPVC slotted pipe 100 mm dia as per IS: 12818	metre	429.40
7760	M.S. cap 100 mm dia	each	146.90
7761	M.S. bail plug 100 mm dia	each	180.80
7762	Precast R.C.C. perforated slab	each	904.00
7763	Water supply tanker of 5000 litre capacity	each	904.00
7764	M.S. socket 100 mm dia	each	203.40
7765	M.S. socket 150 mm dia	each	248.60
7766	M.S. socket 200 mm dia	each	316.40
7767	Stone cleaning chemical approved by ASI	litre	186.45
7768	Water repellent chemical approved by ASI	litre	1791.81
7769	Stone surface strengthening chemical approved by ASI	litre	1152.60
7770	Turpentine oil	litre	76.84
7771	Liquid Amonia 5%	litre	181.93

7772	Pea Gravel	cum	847.50
7773	Coloured inter locking C.C. paver Block	sqm	590.00
7774	Stone size 10x10x7.50cm	each	10.17
7775	Sodium pentachlorophenate	kilogram	711.90
7800	Ceramic Glazed Tiles 1st quality minimum thickness 5mm in all colours shades and designs except burgundy, bottle green, black	sqm	600.00
7801	Ceramic Glazed Tiles 1st quality 300 x 300 mm in all shades and designs of White, Ivory, grey, Fume Red brown etc.	sqm	590.00
7802	Ceramic Glazed Tiles 1st quality 300 x 300 in all shades designs except White, Ivory, Grey, Fume Red Brown etc.	sqm	600.00
7803	Rectified Ceramic Glazed Tiles 1st quality 300 x 300 mm or more in all shades designs White, Ivory, Grey, Fume Red Brown etc.	sqm	775.00
7804	Rectified Ceramic Glazed Tiles 1st quality 300 x 300 mm or more in all shades designs except White, Ivory, Grey, Fume Red Brown etc.	sqm	790.00
7805	Salem Stainless steel AISI - 304 (18/8) Orrisa pattern W.C. pan 724 mm X 578 mm	each	4294.00
7806	Salem Stainless steel AISI - 304 (18/8) Round basin 405mm X 355 mm	each	2090.50
7807	Salem Stainless steel AISI - 304 (18/8) Wash basin 530mm X 345 mm	each	1864.50
7808	Centrifugally cast (spun) iron S&S 100 mm inlet and 100 mm outlet	each	491.55
7809	Centrifugally cast (spun) iron S&S 100 mm inlet and 75 mm outlet	each	528.84
7850	Agaria White marble slab plain 18 mm thick	sqm	1265.60
7857	P.T.M.T. Grating square slit 150 mm	each	87.10
7858	P.T.M.T. Urinal cock 15 mm dia	each	135.60
7859	P.T.M.T. Bib cock with nozzle 15 mm	each	163.85
7861	P.T.M.T. Stop cock (concealed) 15 mm	each	178.54
7862	15 mm nominal bore and 30 cm length PVC connection pipe with P.T.M.T. Nuts	each	36.16
7863	15 mm nominal bore and 45 cm length PVC connection pipe with P.T.M.T. Nuts	each	45.20
7864	P.T.M.T. extension nipple 15 mm	each	36.16
7865	P.T.M.T. extension nipple 20 mm	each	42.94
7866	P.T.M.T. extension nipple 25 mm	each	64.41
7893	Tactile tile	sqm	980.84
7895	Matt finished vitrified tile 100x100 x16 mm	sqm	1200.00
7896	Vitrified tile	sqm	775.00
7900	Modular common burnt clay bricks of class designation 7.5	1000 Nos	5085.00
7901	Machine moulded perforated common burnt clay FPS (non modular) bricks of class designation 12.5	1000 Nos	10000.00
7902	Machine moulded common burnt clay modular perforated bricks of class designation 12.5	1000 Nos	10000.00
7903	Machine moulded common burnt clay FPS (non modular) bricks of class designation 12.5	1000 Nos	10000.00
7904	Machine moulded common burnt clay tile bricks of class designation 12.5	1000 Nos	5650.00
8001	24 mm thick Factory made shutters with style, rails and panels of PVC extruded sections in white, grey or wooden finish	sqm	2429.50
8002	30 mm thick Factory made shutters with style, rails and panels of PVC extruded sections in white, grey or wooden finish	sqm	2542.50
8003	Factory made PVC rigid foam panelled shutter i/c carriage	sqm	2429.50
8004	Factory made PVC rigid foam panelled shutter as per IS : 4020 i/c carriage	sqm	2881.54
8006	Factory made PVC rigid foam sheet 1 mm thick	sqm	209.05
8007	Factory made PVC rigid foam sheet 5 mm thick	sqm	714.16
8008	Factory made prelaminated PVC rigid foam sheet 5 mm thick	sqm	849.76
8010	48mmX40mmX1.5mm thick Factory made door frame of PVC extruded sections in white, grey or wooden finish	metre	169.50

8011	Factory made door frame PVC extruded sheet i/c carriage	metre	395.50
8012	Adhesive solvent cement	kg	250.00
8014	Factory made door frame of size 50x47 mm with wall thickness 5mm made of single piece extruded profile	metre	553.70
8100	Powder coated M.S. butt hinges 100 mm X58 mmX1.9 mm	10 Nos	96.05
8200	A.P.P. modified polymeric felt (two layers) 1.5 mm thick	sqm	67.80
8201	A.P.P. modified polymeric felt (two layers) 2 mm thick	sqm	111.87
8203	A.P.P. modified 2 mm thick membrane reinforced with glass fibre matt	sqm	188.71
8204	A.P.P. modified 3 mm thick membrane reinforced with glass fibre matt	sqm	233.91
8205	A.P.P. modified 3 mm thick membrane reinforced with polyester matt	sqm	276.85
8206	Bitumen primer for bitumen membrane	litre	92.66
8207	Geotextile 120 grams per sqm membrane	sqm	42.94
8210	Stainless steel screws 50 mm	100 Nos	282.50
8211	Stainless steel screws 40 mm	100 Nos	226.00
8212	Stainless steel screws 30 mm	100 Nos	169.50
8214	Stainless steel screws 20 mm	100 Nos	113.00
8215	Stainless steel butt hinges 125x64x1.9 mm IS : 12817 marked	10 Nos	282.50
8216	Stainless steel butt hinges 100x58x1.9 mm IS: 12817 marked	10 Nos	259.90
8217	Stainless steel butt hinges 75x47x1.8 mm IS : 12817 marked	10 Nos	169.50
8218	Stainless steel butt hinges 50x37x1.5 mm IS : 12817 marked	10 Nos	146.90
8219	Stainless steel butt hinges (heavy weight) 125x64x2.5 mm IS :12817 marked	10 Nos	372.90
8220	Stainless steel butt hinges (heavyweight) 100x60x2.5 mm IS :12817 marked	10 Nos	271.20
8221	Stainless steel butt hinges (heavy weight) 75x50x2.5 mm IS :12817 marked	10 Nos	220.35
8222	M.S. heavy weight butt hinges 125x90x4.0 mm IS: 1341 marked.	10 Nos	372.90
8223	M.S. heavy weight butt hinges 100x75x3.5 mm IS: 1341 marked	10 Nos	192.10
8224	M.S. heavy weight butt hinges 75x60x3.1 mm IS: 1341 marked	10 nos	101.70
8225	M.S. heavy weight butt hinges 50x40x2.5 mm IS : 1341 marked	10 Nos	84.75
8300	1216 mm PE-AL-PE Composite pressure pipe	metre	107.35
8301	1620 mm PE-AL-PE Composite pressure pipe	metre	141.25
8302	2025 mm PE-AL-PE Composite pressure pipe	metre	180.80
8303	2532 mm PE-AL-PE Composite pressure pipe	metre	231.65
8304	3240 mm PE-AL-PE Composite pressure pipe	metre	384.20
8305	4050 mm PE-AL-PE Composite pressure pipe	metre	423.75
8501	Polymer modified cementation coating	kilogram	152.55
8502	Fibre glass cloth	sqm	49.72
8504	Multi surface paint	litre	310.75
8505	Acrylic exterior paint	litre	300.00
8506	Premium Acrylic exterior paint	litre	280.00
8507	Textured exterior paint	litre	226.00
8508	Primer for cement paint	litre	110.00
8509	Special Primer (C.W.)	litre	93.79
8510	Metal Primer (U.G.)	litre	175.00
8589	Calcium Silicate tegular edged ceiling tiles 595x595 mm and 15mm thick	sqm	969.54
8590	Galvanised Steel main Tee ceiling section Size 24x38x0.33 mm(3 metre long)	each	216.96
8591	Galvanised Steel perimeter wall Angle Size 24 x 24 x 0.40 mm(3.00 metre long)	each	141.25
8592	Galvanised Steel intermediate cross T section Size 24 x 25 x0.33 mm (1.2 metre long)	each	87.01
8593	Galvanised Steel intermediate cross T section Size 24 x 25 x0.33 mm (0.6 metre long)	each	44.07
8594	Galvanised Steel soffit cleat size 25x35x1.60 mm	each	3.39

8595	Wooden screws with plastic rawl plugs 35x8 mm	each	0.68
8597	GI Metal Tile Clip in Plain Beveled edge global white colour tiles of size 600x600 mm and 0.5 mm thick	sqm	1011.35
8598	GI Metal Tile Clip in Perforated Beveled edge global white colour tiles of size 600x600 mm and 0.5 mm thick	sqm	1130.00
8599	GI Metal Tile Lay-in Plain Tegular edge global white color tiles of Size 595x595 mm and 0.5 mm thick	sqm	914.17
8600	GI Metal Tile Lay-in Perforated Tegular edge global white color tiles of Size 595x595 mm and 0.5 mm thick	sqm	523.78
8601	PVC Laminated Gypsum Tiles (Square edge) of Size 595x595mm and 12.5 mm thick	sqm	528.84
8602	Gypsum Tiles Fully Perforated Square edge of Size 595x595 mm and 12.5 mm thick	sqm	546.92
8604	Spring T-section 24x34x0.45 mm (3.00 meter long)	metre	203.40
8605	C Wall angle section 20x30x20x0.50 mm (3.00 meter long)	metre	175.15
8606	Main C Carrier Size 10x38x10x0.70 mm (3.00 meter long)	metre	185.32
8607	Spring T-connector	each	5.65
8608	C Carrier Connector	each	12.43
8609	C Suspension Clip	each	12.43
8610	Wire Coupling Clip	each	10.17
8611	Main T ceiling sections 24x38x0.3 mm (3 metre long)	each	211.31
8612	Perimeter wall angle 24 x 24 x 0.3 mm (3 metre long)	each	133.34
8613	Intermediate cross T-Section 24x25x0.3 mm (1.2 m long)	each	81.36
8614	Intermediate cross T-Section 24x25x0.3 mm (0.6 m long)	each	38.42
8615	Hanger rod 4 mm thick	each	9.04
8616	Adjustment clip 85x30x0.8 mm	each	6.78
8617	Soffit cleat (Size 27x37x25x1.60 mm)	each	3.39
8618	Dash fastener 6 mm dia 50 mm long	each	12.43
8620	Vitrified floor tile 50x50 cm	sqm	800.00
8621	Vitrified floor tile 60x60 cm	sqm	950.00
8622	Vitrified floor tile 80x80 cm	sqm	1200.00
8623	Vitrified floor tile 100x100 cm	sqm	1400.00
8625	Poly propylene- Random - Co - Polymer (PPR) pipes SDR 7.4 -16 mm Outer dia	metre	41.81
8626	Poly propylene - Random - Co - Polymer (PPR) pipes SDR 7.4 -20 mm Outer dia	metre	64.41
8627	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 -25 mm outer dia	metre	99.44
8628	Poly propylene - Random - Co - poymer (PPR) pipes SDR 7.4 -32 mm Outer dia	metre	160.46
8629	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 -40 mm Outer dia	metre	240.69
8630	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 -50 mm Outer dia	metre	376.29
8631	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 -63 mm Outer dia	metre	579.69
8632	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 -75 mm Outer dia	metre	791.00
8633	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 -90 mm Outer dia	metre	1204.58
8634	Poly propylene - Random - Co - polymer (PPR) pipes SDR - 11 -110 mm Outer dia	metre	1356.00
8635	Poly propylene - Random - Co - polymer (PPR) pipes SDR - 11-160 mm Outer dia	metre	2825.00
8636	Chlorinated Polyvinyl - chloride (CPVC) pipe 15 mm outer dia	metre	62.15
8637	Chlorinated Polyvinyl - chloride (CPVC) pipe 20 mm outer dia	metre	76.84
8638	Chlorinated Polyvinyl - chloride (CPVC) pipe 25 mm outer dia	metre	107.35
8639	Chlorinated Polyvinyl - chloride (CPVC) pipe 32 mm outer dia	metre	146.90
8640	Chlorinated Polyvinyl - chloride (CPVC) pipe 40 mm outer dia	metre	209.05

8641	Chlorinated Polyvinyl - chloride (CPVC) pipe 50 mm outer dia	metre	339.00
8642	Chlorinated Polyvinyl - chloride (CPVC) pipe 62.5 mm inner dia	metre	1028.30
8643	Chlorinated Polyvinyl - chloride (CPVC) pipe 75 mm inner dia	metre	1469.00
8644	Chlorinated Polyvinyl - chloride (CPVC) pipe 100 mm inner dia	metre	2034.00
8645	Chlorinated Polyvinyl - chloride (CPVC) pipe 150 mm inner dia	metre	2429.50
8646	Silicon sealant	cartridge	346.91
8647	Stainless steel screws 30 mm x4 mm	100 Nos	32.77
8648	Hermetically sealed double glazed unit made with 6 mm thick clear float glass both side having 12 mm air gap	sqm	2587.70
8649	Stainless steel (SS 304 grade) adjustable friction window stay 205 x 19 mm	each	194.36
8650	Stainless steel (SS 304 grade) adjustable friction window stay 255 x 19 mm	each	242.95
8651	Stainless steel (SS 304 grade) adjustable friction window stay 355 x 19 mm	each	310.75
8652	Stainless steel (SS 304 grade) adjustable friction window stay 510 x 19 mm	each	553.70
8653	Stainless steel (SS 304 grade) adjustable friction window stay 710 x 19 mm	each	960.50
8654	Masking tape	metre	2.83
8655	Autoclaved aerated cement (AAC) blocks	cum	2288.25
8656	Gypsum panel 666 X 500 X 100 mm size	sqm	542.40
8657	Bonding plaster for Gypsum panel	kg	62.15
8659	Water proof ply 12 mm thick	sqm	734.50
8660	Aluminium casement window fastener (Anodised AC 15)	each	45.20
8661	Aluminium casement window fastener (powder coated)	each	46.33
8662	Aluminium casement window fastener (polyester powder coated)	each	45.20
8663	Aluminium round shape handle (anodised AC 15)	each	55.37
8664	Aluminium round shape handle (powder coated)	each	61.02
8665	Aluminium round shape handle (polyester powder coated)	each	66.67
8666	Stainless steel screws 25 mm x4 mm	100 Nos	36.16
8667	UV stabilised 2 mm thick plain FRP sheet	sqm	525.45
8668	UV stabilised 2 mm thick corrugated FRP sheet	sqm	607.94
8669	Mangalore ridge tiles 20 mm thick	each	32.75
8670	Mangalore tiles 20 mm thick	each	11.87
8671	Precoated galvanised iron profile sheet 0.50 mm TCT	sqm	600.00
8672	Precoated galvanised steel plain ridges	metre	600.00
8673	Precoated galvanised steel flashings/aprons	metre	600.00
8674	Precoated galvanised steel gutter	metre	514.15
8675	Precoated galvanised steel north light curves	metre	514.15
8676	Precoated galvanised steel barge board	metre	502.85
8677	Precoated galvanised steel crimp curve	sqm	536.75
8678	1 mm thick 35 mm wide bright finished stainless steel piano hinges	metre	45.20
8682	Epoxy Grout	kg	576.30
8683	Red sand stone gang saw cut 30 mm thick	sqm	519.80
8684	White sand stone gang saw cut 30 mm thick	sqm	542.40
8685	Delineator	each	350.30
8686	Precast C.C. Kerb stone M - 25	cum	4633.00
8687	Thermoplastic paint	kg	85.60
8688	Glass beads	kg	80.03
8689	Interlocking C.C. paver block (60 mm thick, M-30)	sqm	450.00
8690	High intensity retro - reflective sheet	sqm	1723.25
8691	Punched tape concertina coil 600 mm dia 10 m openable length (Total length 90 m)	bundle	847.50
8692	RBT reinforced barbed wire	metre	14.67
8693	Turn buckle and strengthening bolt	each set	45.20
8694	Precast pavement slab 450 x 450 x 50 mm (M - 30)	each	67.80
8695	Chain link fabric fencing mesh of size 50x50 mm made of G.I.wire of dia 4 mm	sqm	291.54

8696	Chain link fabric fencing mesh of size 50x50 mm made of G.I. wire of dia 4 mm, PVC coated to outer dia 5 mm	sqm	322.05
8697	Chain link fabric fencing mesh of size 25x25 mm made of G.I. wire of dia 3 mm	sqm	384.20
8698	Stainless steel cramps(weight 260 grams) with nuts, bolts and washer for dry stone cladding	each	101.70
8699	8 mm thick tapered edge calcium silicate board	sqm	415.84
8700	10 mm thick calcium silicate board	sqm	440.70
8701	SS pipe 304 grades with press fit technology as per JIS 3448 standard 48.60 mm outer dia	metre	768.40
8702	Coupling/Socket fittings for 15.88 mm outer dia SS pipe	each	64.41
8703	Telescopic drawer channels 300 mm long	set	158.20
8704	Stainless steel roller for sliding arrangement in racks/ cupboards/cabinets shutter	each	9.04
8705	50 mmX42 mmX2 mm thick Factory made door frame of PVC extruded sections in white, grey or wooden finish	metre	158.20
8706	25 mm thick factory made PVC flush door shutter i/c carriage	sqm	2429.50
8707	Factory made glass reinforced plastic door frame 90x45 mm i/c carriage	metre	429.40
8708	30 mm thick factory made glass fiber reinforced plastic panel door shutter i/c carriage	sqm	2090.50
8709	30 mm thick factory made solid PVC profile panelled door single piece extruded profile decorative finish (wood grain printed on both side)	sqm	2994.50
8710	Factory made solid PVC door frame 60 x 30 mm i/c carriage	metre	327.70
8711	28 mm factory made solid PVC panel door shutter i/c carriage	sqm	2542.50
8712	30 mm thick factory made solid PVC profile panelled door single piece extruded profile non decorative finish	sqm	2382.04
8713	Fiber glass reinforced plastic chajja	sqm	4068.00
8714	Magnetic catcher triple strip vertical type	each	22.60
8715	Magnetic catcher double strip horizontal type	each	16.95
8716	100 mm mortice lock with 6 levers for aluminium door	each	372.90
8717	12.5 mm thick Glass fibre reinforced Gypsum board	sqm	192.10
8719	2nd class teak wood lipping / moulded beading or Taj beading of size 18X5 mm	metre	33.90
8720	Ceiling sections 0.55 mm thick having a knurled web of 51.55 mm and two flanges of 26 mm each with lips of 10.55 mm	metre	45.20
8721	Perimeter channel having one flange of 20 mm and another flange of 30 mm with thickness of 0.55 mm and web of length 27 mm	metre	28.25
8722	Nylon sleeves & wooden screws (40 mm)	each	2.26
8723	Counter sunk ribbed head screw 25 mm	100 Nos	84.75
8724	12 mm thick marine plywood conforming to IS: 710	sqm	960.50
8725	12 mm thick fire retardant plywood conforming to IS: 5509	sqm	994.40
8726	1.5 mm thick decorative laminated sheet	sqm	553.70
8727	1.0 mm thick decorative laminated sheet	sqm	429.40
8730	30 mm thick factory made glass fiber reinforced plastic flush door shutter i/c carriage	sqm	2429.50
8731	High polymer modified quickset tile adhesive	per kg	19.21
8732	Synthetic ployster triangular fibre of length 12 mm, effective diameter 10-40 microns and specific gravity of 1.34 to 1.40	kg	412.45
8733	Synthetic ployster triangular fibre of length 6 mm, effective diameter 10-40 microns and specific gravity of 1.34 to 1.40	kg	412.45
8734	P.V.C. Single piece extruded door frame of profile size 50 mm x 47 mm with wall thickness of 5 mm	metre	395.50
8735	35 mm thick factory made solid panel PVC door shutter of single piece extruded profile non decorative finished (Matt finished)	sqm	2373.00
8736	35 mm thick factory made solid panel PVC door shutter of single piece extruded profile decorative finished (wood grain finished)	sqm	2938.00

8737	Stainless steel wire guage (Grade-304) aperture 1.4 mm and 0.50mm dia wire	sqm	937.90
8738	Factory made door frame fire rated (60 minutes) made with 16 SWG G.I. Sheet of section 143 mm x 57 mm duly filled with vermiculite based concrete mix	metre	1130.00
8739	Fire rated door shuttere made with 16 SWG G.I. sheet(60 minutes) without panel	sqm	5932.50
8740	Fire seal Putty	kg	791.00
8741	Clear fire resistant glass panes 6mm thick (60 minutes)	sqm	23730.00
8742	G.I. U beading of 16 SWG G.I. sheet (zinc coating >120gm/ m2) with ceramic tape of suitable thickness and fire resistant primer coating	metre	293.80
8743	Matrix Mineral Board	metre	73.45
8744	Panic Bar / latch (Double point)	each	5650.00
8745	65 mm x 55 mm x 2 mm thick Factory made door frame of PVC extruded section in white,grey or wooden finish	metre	374.40
8746	37 mm thick Factory made shutter with style,rails and panels of PVC extruded section in white or grey finish i/c carriage	sqm	2655.50
8747	75 mm x 53 mm x 2.0 mm thick Factory made door frame of PVC extruded section in white,grey or wooden finish	metre	395.50
8748	37 mm thick Factory made fusion welded shutter with style,rails and panels of PVC extruded section in wooden finish	sqm	2768.50
8750	Zinc alloy (white powder coated) casement handle for uPVC windows	each	250.00
8751	Zinc alloy (white powder coated) Touch Lock for uPVC windows	each	124.30
8752	Zinc alloy rollers for uPVC windows	each	56.50
8753	Zinc alloy rollers for uPVC door	each	96.05
8754	Zinc alloy (white powder coated) casement lock for uPVC windows	each	113.00
8755	Stainless steel friction hinge of size 200 mm x 19 x 1.9 mm for uPVC windows	each	259.90
8756	Stainless steel friction hinge of size 250 mm x 19 x 1.9 mm for uPVC windows	each	327.70
8757	Stainless steel friction hinge of size 300 mm x 19 x 1.9 mm for uPVC windows	each	418.10
8758	Stainless steel friction hinge of size 350 mm x 19 x 1.9 mm for uPVC windows	each	474.60
8759	Stainless steel friction hinge of size 400 mm x 19 x 1.9 mm for uPVC windows	each	598.90
8760	uPVC extruded profile casement window Frame (50 mm x 50 mm)	metre	186.45
8761	uPVC extruded profile casement window sash (Style and Rail) (62 mm x 34 mm)	metre	169.50
8762	uPVC extruded profile casement window mullion (intermediate section) (66 mm x 50 mm)	metre	209.05
8763	uPVC extruded profile casement window 'T' profile (one vertical length in between two shutters) (24 mm x 34.5 mm)	metre	56.50
8764	uPVC extruded profile casement window glazing bead (12 mm x 18 mm)	metre	56.50
8765	uPVC extruded profile casement window Frame (67 mm x 62 mm)	metre	265.55
8766	uPVC extruded profile casement Window Sash/Mullion (67 mmx 75 mm)(Style,rail and intermediate section)	metre	299.45
8767	uPVC extruded profile casement window glazing bead (35 mm x 18 mm)	metre	96.05
8768	uPVC extruded profile Two Track Sliding frame (67 mm x 52 mm)	metre	276.85
8769	uPVC extruded profile Sliding window Sash (60 mm x 44 mm)	metre	259.90
8770	uPVC extruded profile Sliding Interlock for Window (one vertical length in each shutter) (45.5 mm x 28 mm)	metre	56.50
8771	uPVC extruded profile Sliding Door Sash (80 mm x 44 mm)	metre	327.70
8772	Aluminium Track on bottom rail for uPVC window	metre	28.25
8773	Wool Pine for uPVC window	metre	20.34

8774	Aluminium Grill	kg	500.00
8775	Steel Galvanised tubular reinforcement for uPVC door/ window	metre	56.50
8776	Stainless steel dash fastener of 8 mm dia and 75 mm long bolt	each	22.60
8778	Toughened glass 12 mm thickness	sqm	2147.00
8779	SS pipe 304 grades with press fit technology as per JIS 3448 standard 15.88 mm outer dia	metre	162.72
8780	SS pipe 304 grades with press fit technology as per JIS 3448 standard 22.22 mm outer dia	metre	287.02
8781	SS pipe 304 grades with press fit technology as per JIS 3448 standard 28.58 mm outer dia	metre	372.90
8782	SS pipe 304 grades with press fit technology as per JIS 3448 standard 34.00 mm outer dia	metre	528.84
8783	SS pipe 304 grades with press fit technology as per JIS 3448 standard 42.70 mm outer dia	metre	657.66
8784	8 mm thick Calcium silicate perforated tiles of size 595 x595 mm	sqm	777.44
8786	Coupling/Socket fittings for 22.22 mm outer dia SS pipe	each	99.44
8787	Coupling/Socket fittings for 28.58 mm outer dia SS pipe	each	122.04
8788	Coupling/Socket fittings for 34.00 mm outer dia SS pipe	each	261.03
8789	Coupling/Socket fittings for 42.70 mm outer dia SS pipe	each	372.90
8790	Coupling/Socket fittings for 48.60 mm outer dia SS pipe	each	503.98
8791	Reducer for 22.22 mm X 15.88 mm outer Dia SS pipe	each	116.39
8792	Reducer for 28.58 mm X 15.88 mm outer Dia SS pipe	each	159.33
8793	Reducer for 28.58 mm X 22.22 mm outer Dia SS pipe	each	163.85
8795	Reducer for 34.00 mm X 22.22 mm outer Dia SS pipe	each	267.81
8796	Reducer for 34.00 mm X 28.58 mm outer Dia SS pipe	each	267.81
8797	Reducer for 42.70 mm X 15.88 mm outer Dia SS pipe	each	405.67
8798	Reducer for 42.70 mm X 22.22 mm outer Dia SS pipe	each	409.06
8799	Reducer for 42.70 mm X 28.58 mm outer Dia SS pipe	each	409.06
8800	Reducer for 42.70 mm X 34.00 mm outer Dia SS pipe	each	437.31
8801	Reducer for 48.60 mm X 15.88 mm outer Dia SS pipe	each	528.84
8802	Reducer for 48.60 mm X 22.22 mm outer Dia SS pipe	each	531.10
8803	Reducer for 48.60 mm X 28.58 mm outer Dia SS pipe	each	535.62
8804	Reducer for 48.60 mm X 34.00 mm outer Dia SS pipe	each	541.27
8805	Reducer for 48.60 mm X 42.70 mm outer Dia SS pipe	each	589.86
8806	Slip Coupling / Socket 15.88 mm outer dia SS pipe	each	127.69
8807	Slip Coupling / Socket 22.22 mm outer dia SS pipe	each	207.92
8808	Slip Coupling / Socket 28.58 mm outer dia SS pipe	each	266.68
8809	Slip Coupling / Socket 34.00 mm outer dia SS pipe	each	394.37
8810	Slip Coupling / Socket 42.70 mm outer dia SS pipe	each	553.87
8811	Slip Coupling / Socket 48.60 mm outer dia SS pipe	each	688.17
8812	Elbow 90 0 for 15.88 mm outer dia SS pipe	each	110.00
8813	Elbow 90 0 for 22.22 mm outer dia SS pipe	each	200.00
8814	Elbow 90 0 for 28.58 mm outer dia SS pipe	each	260.00
8815	Elbow 90 0 for 34.00 mm outer dia SS pipe	each	600.00
8816	Elbow 90 0 for 42.70 mm outer dia SS pipe	each	790.00
8817	Elbow 90 0 for 48.60 mm outer dia SS pipe	each	913.04
8818	Reducing Elbow 90 0 for 22.22 mm X 15.88 mm outer dia SS pipe	each	167.24
8819	Reducing Elbow 90 0 for 28.58 mm X 15.88 mm outer dia SS pipe	each	244.08
8820	Reducing Elbow 90 0 for 28.58 mm X 22.22 mm outer dia SS pipe	each	249.73
8821	Reducing Elbow 90 0 for 34.00 mm X 22.22 mm outer dia SS pipe	each	362.73
8822	Reducing Elbow 90 0 for 34.00 mm X 28.58 mm outer dia SS pipe	each	447.48
8823	Reducing Elbow 90 0 for 42.70 mm X 34.00 mm outer dia SS pipe	each	788.74
8824	Equal Tee for 15.88 mm outer dia SS pipe	each	179.67
8825	Equal Tee for 22.22 mm outer dia SS pipe	each	261.03
8826	Equal Tee for 28.58 mm outer dia SS pipe	each	334.48
8827	Equal Tee for 34.00 mm outer dia SS pipe	each	697.21
8828	Equal Tee for 42.70 mm outer dia SS pipe	each	976.32
8829	Equal Tee for 48.60 mm outer dia SS pipe	each	1161.64
8830	Reducing Tee for 22.22 mm X 15.88 mm outer dia SS pipe	each	254.25

8831	Reducing Tee for 28.58 mm X 15.88 mm outer dia SS pipe	each	316.40
8832	Reducing Tee for 28.58 mm X 22.22 mm outer dia SS pipe	each	328.83
8833	Reducing Tee for 34.00 mm X 15.88 mm outer dia SS pipe	each	619.24
8834	Reducing Tee for 34.00 mm X 22.22 mm outer dia SS pipe	each	630.54
8835	Reducing Tee for 34.00 mm X 28.58 mm outer dia SS pipe	each	637.32
8836	Reducing Tee for 42.70 mm X 15.88 mm outer dia SS pipe	each	925.47
8837	Reducing Tee for 42.70 mm X 22.22 mm outer dia SS pipe	each	927.73
8838	Reducing Tee for 42.70 mm X 28.58 mm outer dia SS pipe	each	928.86
8839	Reducing Tee for 42.70 mm X 34.00 mm outer dia SS pipe	each	937.90
8840	Reducing Tee for 48.60 mm X 15.88 mm outer dia SS pipe	each	1010.22
8841	Reducing Tee for 48.60 mm X 22.22 mm outer dia SS pipe	each	1031.69
8842	Reducing Tee for 48.60 mm X 28.58 mm outer dia SS pipe	each	1039.60
8843	Reducing Tee for 48.60mm X 34.00 mm outer dia SS pipe	each	1082.54
8844	Reducing Tee for 48.60mm X 42.70mm outer dia SS pipe	each	1122.09
8845	Male thread Tee for 15.88 mm outer dia X 15 mm nominal dia threaded	each	323.18
8846	Male thread Tee for 22.22 mm outer dia X 15 mm nominal dia threaded	each	388.72
8847	Male thread Tee for 22.22 mm outer dia X 20 mm nominal dia threaded	each	415.84
8848	Male thread Tee for 28.58 mm outer dia X 15 mm nominal dia threaded	each	467.82
8849	Male thread Tee for 28.58 mm outer dia X 20 mm nominal dia threaded	each	488.16
8850	Male thread Tee for 28.58 mm outer dia X 20 mm nominal dia threaded	each	545.79
8851	Male thread Tee for 34.00 mm outer dia X 15 mm nominal dia threaded	each	680.26
8852	Male thread Tee for 34.00 mm outer dia X 20 mm nominal dia threaded	each	735.63
8853	Male thread Tee for 34.00 mm outer dia X 25 mm nominal dia threaded	each	728.01
8854	Male thread Tee for 34.00 mm outer dia X 32 mm nominal dia threaded	each	1108.53
8855	Male thread Tee for 42.70 mm outer dia X 15 mm nominal dia threaded	each	1038.47
8856	Male thread Tee for 42.70 mm outer dia X 20 mm nominal dia threaded	each	1063.33
8857	Male thread Tee for 42.70 mm outer dia X 25 mm nominal dia threaded	each	1157.12
8858	Male thread Tee for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1284.81
8859	Male thread Tee for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1560.53
8860	Male thread Tee for 48.60 mm outer dia X 15 mm nominal dia threaded	each	1130.00
8861	Male thread Tee for 48.60 mm outer dia X 20 mm nominal dia threaded	each	1163.90
8862	Male thread Tee for 48.60 mm outer dia X 25 mm nominal dia threaded	each	1213.62
8863	Male thread Tee for 48.60 mm outer dia X 32 mm nominal dia threaded	each	1457.70
8864	Male thread Tee for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1617.03
8865	Male thread Tee for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1976.37
8866	Female thread Tee for 15.88 mm outer dia X 15 mm nominal dia threaded	each	329.96

8867	Female thread Tee for 22.22 mm outer dia X 15 mm nominal dia threaded	each	388.72
8868	Female thread Tee for 22.22 mm outer dia X 20 mm nominal dia threaded	each	402.28
8869	Female thread Tee for 28.58 mm outer dia X 15 mm nominal dia threaded	each	502.85
8870	Female thread Tee for 28.58 mm outer dia X 20 mm nominal dia threaded	each	514.15
8871	Female thread Tee for 28.58 mm outer dia X 25 mm nominal dia threaded	each	562.74
8872	Female thread Tee for 34.00 mm outer dia X 15 mm nominal dia threaded	each	754.84
8873	Female thread Tee for 34.00 mm outer dia X 20 mm nominal dia threaded	each	767.27
8874	Female thread Tee for 34.00 mm outer dia X 25 mm nominal dia threaded	each	865.58
8875	Female thread Tee for 34.00 mm outer dia X 32 mm nominal dia threaded	each	1028.30
8876	Female thread Tee for 42.70 mm outer dia X 15 mm nominal dia threaded	each	1010.22
8877	Female thread Tee for 42.70 mm outer dia X 20 mm nominal dia threaded	each	1028.30
8878	Female thread Tee for 42.70 mm outer dia X 25 mm nominal dia threaded	each	1154.86
8879	Female thread Tee for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1205.71
8880	Female thread Tee for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1313.06
8881	Female thread Tee for 48.60 mm outer dia X 15 mm nominal dia threaded	each	1203.45
8882	Female thread Tee for 48.60 mm outer dia X 20 mm nominal dia threaded	each	1215.25
8883	Female thread Tee for 48.60 mm outer dia X 25 mm nominal dia threaded	each	1259.95
8884	Female thread Tee for 48.60 mm outer dia X 32 mm nominal dia threaded	each	1337.92
8885	Female thread Tee for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1393.29
8886	Female thread Tee for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1543.58
8887	Female threaded Connector/Adapter for 15.88 mm outer dia X 15mm nominal threaded	each	214.70
8888	Female threaded Connector/Adapter for 22.22 mm outer dia X 15mm nominal threaded	each	259.90
8889	Female threaded Connector/Adapter for 22.22 mm outer dia X 20mm nominal threaded	each	267.81
8890	Female threaded Connector/Adapter for 28.58 mm outer dia X 15mm nominal threaded	each	313.01
8891	Female threaded Connector/Adapter for 28.58 mm outer dia X 20mm nominal threaded	each	323.18
8892	Female threaded Connector/Adapter for 28.58 mm outer dia X 25mm nominal threaded	each	380.81
8893	Female threaded Connector/Adapter for 34.00 mm outer dia X 25mm nominal threaded	each	462.17
8894	Female threaded Connector/Adapter for 34.00 mm outer dia X 32mm nominal threaded	each	607.94
8895	Female threaded Connector/Adapter for 42.70 mm outer dia X 32mm nominal threaded	each	650.88

8896	Female threaded Connector/Adapter for 42.70 mm outer dia X 40mm nominal threaded	each	769.53
8897	Female threaded Connector/Adapter for 48.60 mm outer dia X 40mm nominal threaded	each	946.94
8898	Female threaded Connector/Adapter for 48.60 mm outer dia X 50mm nominal threaded	each	1090.45
8899	Male threaded Connector/Adapter for 15.88 mm outer dia X 15mm nominal threaded	each	218.40
8900	Male threaded Connector/Adapter for 22.22 mm outer dia X 15mm nominal threaded	each	256.51
8901	Male threaded Connector/Adapter for 22.22 mm outer dia X 20mm nominal threaded	each	280.24
8902	Male threaded Connector/Adapter for 28.58 mm outer dia X 20mm nominal threaded	each	353.69
8903	Male threaded Connector/Adapter for 28.58 mm outer dia X 25mm nominal threaded	each	361.60
8904	Male threaded Connector/Adapter for 34.00 mm outer dia X 25mm nominal threaded	each	520.93
8905	Male threaded Connector/Adapter for 34.00 mm outer dia X 32mm nominal threaded	each	638.45
8906	Male threaded Connector/Adapter for 42.70 mm outer dia X 32mm nominal threaded	each	733.37
8907	Male threaded Connector/Adapter for 42.70 mm outer dia X 40mm nominal threaded	each	820.38
8908	Male threaded Connector/Adapter for 48.60 mm outer dia X 40mm nominal threaded	each	949.20
8909	Male threaded Connector/Adapter for 48.60 mm outer dia X 50mm nominal threaded	each	1285.94
8910	Valve Connector for 15.88 mm outer dia X 15 mm nominal dia threaded	each	264.42
8911	Valve Connector for 22.22 mm outer dia X 15 mm nominal dia threaded	each	311.88
8912	Valve Connector for 22.22 mm outer dia X 20 mm nominal dia threaded	each	333.35
8913	Valve Connector for 28.58 mm outer dia X 25 mm nominal dia threaded	each	479.12
8914	Valve Connector for 34.00 mm outer dia X 32 mm nominal dia threaded	each	710.77
8915	Valve Connector for 42.70 mm outer dia X 40 mm nominal dia threaded	each	988.75
8916	Valve Connector for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1328.88
8917	Female Threaded Elbow 90 0 for 15.88 mm outer dia X 15 mm nominal dia threaded	each	231.65
8918	Female Threaded Elbow 90 0 for 22.22 mm outer dia X 15 mm nominal dia threaded	each	310.75
8919	Female Threaded Elbow 90 0 for 22.22 mm outer dia X 20 mm nominal dia threaded	each	320.92
8920	Female Threaded Elbow 90 0 for 28.58 mm outer dia X 25 mm nominal dia threaded	each	475.73
8921	Female Threaded Elbow 90 0 for 34.00 mm outer dia X 32 mm nominal dia threaded	each	828.29
8922	Female Threaded Elbow 90 0 for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1039.60
8923	Female Threaded Elbow 90 0 for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1124.35
8924	Female Threaded Elbow 90 0 for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1246.39

8925	Female Threaded Elbow 90 0 for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1453.18
8926	Male Threaded Elbow 90 0 for 15.88 mm outer dia X 15 mm nominal dia threaded	each	244.08
8927	Male Threaded Elbow 90 0 for 22.22 mm outer dia X 15 mm nominal dia threaded	each	308.49
8928	Male Threaded Elbow 90 0 for 22.22 mm outer dia X 20 mm nominal dia threaded	each	325.44
8929	Male Threaded Elbow 90 0 for 28.58 mm outer dia X 25 mm nominal dia threaded	each	426.01
8930	Male Threaded Elbow 90 0 for 34.00 mm outer dia X 25 mm nominal dia threaded	each	683.65
8931	Male Threaded Elbow 90 0 for 34.00 mm outer dia X 32 mm nominal dia threaded	each	831.68
8932	Male Threaded Elbow 90 0 for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1055.42
8933	Male Threaded Elbow 90 0 for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1197.80
8934	Male Threaded Elbow 90 0 for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1344.70
8935	Male Threaded Elbow 90 0 for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1637.37
8936	Cap for 15.88 mm outer dia pipe	each	50.85
8937	Cap for 22.22 mm outer dia pipe	each	72.32
8938	Cap for 28.58 mm outer dia pipe	each	94.92
8939	Cap for 34.00 mm outer dia pipe	each	195.49
8940	Cap for 42.70 mm outer dia pipe	each	285.89
8941	Cap for 48.60 mm outer dia pipe	each	372.90
8942	Pipe Bridge for 15.88 mm outer dia pipe	each	241.82
8943	Pipe Bridge for 15.88 mm outer dia pipe	each	306.32
8944	Pipe Bridge for 28.58 mm outer dia pipe	each	459.91
8945	4 Point facade glass bracket	Nos	3749.34
8946	2 Point facade glass bracket	Nos	1874.67
8947	1 Point facade glass bracket	Nos	1586.52
8948	Flate head bolt	Nos	735.63
8949	400 fin plate at top	pair	6702.03
8953	Micro Silica	kg	36.16
8954	Stop end tubes for diaphragm wall 600 mm dia.	sqm	5.09
8955	Driving end tubes for diaphragm wall 600 mm dia.	sqm	81.36
9999	Sundries	L.S.	1.92
Materials not included in the DSR			0.00
1	W.C Brick 19X9X9	1000Nos	9000.00
2	W.C Brick 22.9X11.2X7	1000Nos	8500.00
3	C.B.Brick 19X9X9	1000Nos	7500.00
4	C.B.Brick 22.9X11.2X7	1000Nos	6000.00
5	M.P Roofing tile 340mm 1st Class	1000Nos	20000.00
6	M.P Hip and Ridge tile	1000Nos	39000.00
7	Laterite stone 44X24X14	100Nos	3500.00
8	Laterite stone 35X20X14	100Nos	3000.00
9	Shell Lime Slacked	m3	2500.00
10	Shell Lime Quick	m3	4000.00
11	Angjily Wood	m3	70000.00
12	Irul Wood	m3	61000.00

13	Pincoda	m3	65000.00
14	Mango wood	m3	25000.00
15	Jack wood	m3	70000.00
16	Bambo post	8m	250.00
17	Bolts ,Nuts	kg	75.00
18	M.S Round and Squire	qtl	5000.00
19	Bitumen (bulk)80/100	mt	50841.50
20	Bitumen (bulk)60/70	mt	51822.50
21	9mm Mettal	m3	1350.00
22	Iron Wire gauge (22Gauge)	kg	80.00
23	Iron scrws 35mm(9)	10 Nos	8.10
24	AC Plain Sheet	m2	175.00
25	Glass pannel 3mm Thick	m2	300.00
26	Flat iron	qtl	6000.00
27	Charcoal	kg	675.00
28	Corrugated AC Sheet	m2	220.00
29	G.I Hook and Crank	E	20.00
30	AC. Ridge Caping	Pair	225.00
31	G.I Corrugated Sheet(0.45mm)	MT	49000.00
32	G.I Plain Sheet(1mm)	MT	45000.00
33	G.I Plain Sheet(0.8mm)	MT	43000.00
34	Glazed Tile	m2	340.00
35	Ceramic Tile	m2	380.00
36	Cement Water proof Paint	kg	40.00
37	Wood Primer	ltr	180.00
38	Iron primer	ltr	210.00
39	Aluminium Paint	ltr	320.00
40	Waste Oil / Crude Oil	ltr	50.00
41	Copal Varnish	ltr	125.00
42	black japan	ltr	75.00
43	Welding Rod(8g)	100 Nos	600.00
44	European Water closet wuth P or S trap White	E	950.00
45	Duro pla. Seat & lid with CP brass hinge White	E	500.00
46	Porcelain flushing Cistern 15Lr	E	1250.00
47	Table top Wash Hand Basin	E	2250.00
48	32mm GI Telescopic Flush pipe	E	300.00
49	CP Piller tap 15mm	E	450.00
50	G M Wheel valve 15mm	E	425.00
51	15mm or nearest Lead Brass Connection	E	125.00
52	CP Brass Chain With 32mm Rubber Plug	E	40.00
53	Lead Trap 32mm	E	240.00
54	CI Bracket for Basin	Pair	100.00
55	Indian Water Closet 450mm With P trap	E	950.00
56	Solid Cement Block 30 x20 x 15 cm	E	35.00
57	Solid Cement Block 40 x20 x 15 cm	E	38.00
58	Designer paving tile	m2	500.00
59	Inter locking tile 75 mm thick	m2	475.00
60	4 mm thick plain glass	m2	400.00
61	20mm PVC Pipe 10kgf/cm2	m	19.00
62	25mm PVC Pipe 10kgf/cm2	m	22.95

63	32mm PVC Pipe 10kgf/cm2	m	34.80
64	40mm PVC Pipe 10kgf/cm2	m	39.00
65	50mm PVC Pipe 10kgf/cm2	m	57.00
66	63mm PVC Pipe 10kgf/cm2	m	57.00
67	75mm PVC Pipe 10kgf/cm2	m	95.00
68	90mm PVC Pipe 10kgf/cm2	m	120.00
69	110mm PVC Pipe 10kgf/cm2	m	170.00
70	160mm PVC Pipe 10kgf/cm2	m	390.00
71	63mm dia PVC Pipe 8 Kgf/cm2	m	105.00
72	63mm dia PVC Pipe 6 Kgf/cm2	m	75.00
73	40mm dia PVC Pipe 8 Kgf/cm2	m	42.00
74	50mm dia PVC Pipe 6 Kgf/cm3	m	55.00
75	110mm PVC 6kgf/cm2	m	280.00
76	110mm PVC bend	E	140.00
77	110mm PVC vent cowl	E	90.00
78	110mm PVC door tee	E	225.00
79	110mm PVC door elbow	E	195.00
80	GM Wheel valve 15mm	E	450.00
81	SDB Tap 15mm	E	150.00
82	C.P Long body tap 15mm	E	600.00
83	C.P Short body tap 15mm	E	550.00
84	MS -Z,J and T section for Steel Window	qtl	7500.00
85	Windstay For steel window	E	30.00
86	handle For SW	E	40.00
87	Hinges For SW	E	40.00
88	Aluminum channel for fixing glass for SW	m	20.00
89	Steel Screw 12mm (4)	10 Nos	4.00
90	Fibre Glass Corrugated Sheet	m2	2600.00
91	MS Plate	qtl	5600.00
92	200mm Iron tower bolt	10	180.00
93	Aldrop 300mm MS for steel Door	E	160.00
94	Powder Coated G.I. sheet (0.5 mm thick)	m2	410.00
95	Powder Coated G.I. sheet (0.4 mm thick)	m2	325.00
96	Galvalume sheet(o.40mm th)	m2	400.00
97	Galvalume sheet(o.50mm th)	m2	450.00
98	M.S Pipe for truss work (medium)	kg	50.00
99	Prepainted galvenised steel sheet 1mm thick. 90 CM wide	m	300.00
100	PVC Low level Flush tank	No	810.00
101	M.S Pipe for supporting post (Heavy)	qtl	6500.00
102	200mm Half cut PVC	m	200.00
103	150mm Half cut PVC	m	150.00
104	110mm Half Cut PVC pipe	m	125.00
105	Rectified tile	m2	510.00
106	Country Fire fuse	m	15.00
107	Country Blasting Powder	kg	50.00
108	Powder coated Aluminium section	kg	500.00
109	Glazing strips	m	40.00
110	Rubber beeding	m	30.00
111	Best quality Hollow PVC sheet 7 mm thick	m2	450.00
112	Aluminium hinges 100mm	10 Nos	320.00

113	Mortise lock with handle	E	850.00
114	Door handle Aluminium hexagonal 200 mm	E	600.00
115	5.5mm Plain glass	m2	525.00
116	25mm steel screws for fixing channels to frame	10 Nos	15.00
117	65mm steel screws for fixing frame	10 Nos	30.00
118	Pad lock	E	260.00
119	Flat back front lipped urinal basin 430x230x350mm	E	500.00
120	Trap P or S	E	245.00
121	50mm dia CI Nahni trap	E	175.00
122	Door frame 50 x 47 x 5mm with 19 x 19mm x 9g MS square tube	m	280.00
123	30mm thick Solid PVC Door shutter reinforced with 19 x 19mm x 9g	m2	2000.00
124	Automatic flushing tank (PVC) 5 ltr or nearest size low level	E	900.00
125	Automatic flushing tank (PVC) 5 ltr or nearest size high level	E	950.00
126	20mm dia GI pipe (B class)	m	130.00
127	European Water closet with P or S trap Hard Colour	E	3500.00
128	Temple Tile 6" x 9"	E	10.00
129	Hylam board 2mm thick	m2	500.00
130	Temple tile fixing type 5.5" x 3.5"	E	7.50
131	50mm Dia GI Pipe (B class)	m	500.00
132	Ferrow cement slab	m2	650.00
133	Putty	kg	32.00
134	Weld mesh of size 50x50 mm 10Gx 10G	m2	225.00
135	Aunti fungal/ weather proof paint	ltr	480.00
136	Sleek (For painting on wood work)	ltr	300.00
137	Hollow PVC Door frame	m	225.00
138	Hollow PVC Door Shutter	m2	700.00
139	Luxury type wash hand basin with ornamental pedestal	e	6200.00
140	Angle cock 20mm (medium)	e	575.00
141	Cast Iron Grills	qtl	8000.00
142	Cascade Type European closet(with tank)	E	9750.00
143	Brass Towel rail	E	290.00
144	PVC Water tank	Ltr	7.00
145	Red Earth	m3	325.00
146	Quarry dust	m3	800.00
147	Quarry Muck	m3	962.50
148	Trafford Profile Sheet	m2	400.00
149	150X150mm PVC grating	E	40.00
150	Brass Gate Valve with wheel 20mm	E	350.00
151	Brass Gate Valve with wheel 15mm	E	295.00
152	20mm thick thermocoal	m2	80.00
153	3.15mm thick Aluminium fluted strips 1mX15cm	m	320.00
154	Glazed Tile 450mm x 300 mm	m2	580.00
155	Laterite 35x20x20	100 Nos	2460.00
156	M Sand	m3	1375.00
157	Concrete hollow block 40x20x20	100 Nos	2950.00
158	Concrete Solid block 40x20x15	100 Nos	2750.00
159	Concrete solid block 40x20x20	100 Nos	3500.00
160	Concrete solid block 40x20x15	100 Nos	3200.00

Additional Items not included in the above list

	LABOUR		
1	Blaster (Stone cutter)	day	1000.00
2	Chiseller (Head Mazdoor)	day	800.00
3	Mazdoor	day	700.00
4	Mazdoor/Dresser (Semi Skilled)	day	750.00
5	Mazdoor/Dresser/Sinker (Skilled)	day	1000.00
	MACHINERY		0.00
1	Roller	day	4500.00
2	HM Plant	day	5000.00
3	Mini HM Plant	day	3200.00
4	Tractor with Ripper	Hour	1000.00
5	Front End loader 1 cum bucket capacity	Hour	1300.00
6	Tipper - 5.50 cum	Tonne/Km	175.00
7	Tipper - 10 tonne	Tonne/Km	225.00
8	Tractor with Rotevator	Hour	550.00
9	Truck 5.5 cum per 10 tonnes	Hour	600.00
10	Vibratory Roller 8 -10 tonne	Hour	8000.00
11	Water Tanker	Hour	500.00
12	Motor Grader 110 HP	Hour	4300.00
13	Smooth Wheeled Roller 8 tonne	Hour	2000.00
14	Finishing Rolling 6-8 Tonne	Hour	200.00
15	Paver Finisher	Hour	3500.00
16	Concrete Mixer	Hour	400.00
17	Geneator 33 KVA	Hour	700.00
18	Electric Geneator 125 KVA	Hour	1000.00
19	Wet Mix Plant 75 TPH	Hour	1600.00
20	Machanical broom	Hour	500.00
21	Air Compressor	Hour	500.00
22	Bitumen Pressure Distributor	Hour	1000.00
23	Emulsion Pressure Distributor	Hour	1000.00
24	Hydraulic self propelled chip	Hour	3500.00
25	Batching Mix Plant HMP 100-120 TPH	Hour	42000.00
26	Hydraulic Excavator of 1 cum bucket	Hour	3500.00
27	Dozer D - 80 - A 12	Hour	5500.00
28	Motor Grader for grinding	Hour	3800.00
29	Road Marking Machine	Hour	400.00
30	Plate compactor /power rammer	Hour	65.00
	MATERIALS		0.00
1	Random Rubble	cum	900.00
	Aggregates		0.00
1	Aggregates 2.36 mm and Below	cum	1300.00
2	Aggregates 2.80 mm	cum	1300.00
3	Aggregates 4.75 mm to 2.36 mm	cum	1300.00
4	Aggregates 5 mm and Below	cum	1300.00
5	Aggregates 5.60 mm	cum	1300.00
6	Aggregates 11.20mm	cum	1500.00
7	Aggregates 13.20 mm	cum	1500.00
8	Aggregates 22.40mm	cum	1150.00
9	Aggregates 26.50mm	cum	1150.00

10	Aggregates 36.00 mm	cum	1150.00
11	Aggregates 45 mm	cum	1100.00
12	Aggregates 56 mm	cum	1100.00
13	Aggregates 60.00 mm	cum	1100.00
14	M sand	cum	2500.00
15	brick	1000 Nos	10000.00
16	Elastomeric bearing 800*400*80	Each	17000.00
17	Bearing 560*360*90	Each	14000.00
18	5HP Pump	Day	500.00
19	HT Strand @9.42 kg/m for prestressing works.	MT	65000.00
20	Tube anchorage set for prestressing works	Each	1300.00
21	Sheeting duct ID66 mm for prestressing works	RM	130.00
22	Comacted assembly of strip seal Joint	RM	17000.00

ZONE II			
(TIRUR,TIRURANGADI AND PONNANI TALUK)			
COMMON LOCAL MARKET RATE FOR PWD BUILDINGS, ROADS, NH, IRRIGATION.			
BASIC RATES			
item code	Description	unit	Malappura m Dt
0001	Hire charges of Coaltar Boiler 900 to 1400 litres	day	1443.20
0002	Hire charges of Concrete Mixer 0.25 to 0.40 cum with Hopper	day	3000.00
0003	Hire charges of Diesel Road Roller - 8 to 10 tonne	day	3554.00
0004	Production cost of concrete by batch mix plant	cum	609.00
0005	Hire charges of Diesel Truck - 9 tonne	day	2578.00
0006	Hire charges of Spraying machine including electric charges	day	434.70
0007	Hire charges of Coaltar Sprayer	day	521.64
0008	Hire charges of Barber green, drying, mixing and Asphalt Plant, with accessories, capacity 30/45 tonne	day	13388.76
0009	Pumping charges of concrete including Hire charges of pump, piping work & accessories etc.	cum	350.00
0010	Hire charges of Derrick monkey rope	day	1391.04
0011	Hire charges of Pump set of capacity 4000 litres/hour	day	1500.00
0012	Vibrator (Needle type 40 mm)	day	1500.00
0013	Machine for rubbing of floors	day	608.58
0014	Front end loader capacity 1.00 cum	day	4947.00
0016	Mastic Cooker	day	1304.10
0017	Hire and running charges of tipper	day	3034.68
0018	Hire and running charges of loader	day	7097.00
0019	Hand Grinder for mirror polish	day	504.00
0020	Hydraulic Excavator (3D) with driver and fuel	day	11755.20
0021	Pin vibrator	day	882.56
0022	Surface Vibrator	day	1222.76
0023	Hot Bitumen Mixer 0.5 cum i/c hand cart	day	6955.20
0024	Hire and running charges of hydraulic piling rig with power unit etc including complete accessories and shifting at site	day	85000.00
0025	Hire and running charges of light crane	day	5000.00
0026	Hire and running charges of bentonite pump	day	9000.00
0027	Hire and running charges of vibrating pile driving hammer complete with power unit and accessories	day	90000.00
0028	Hire and running charges of crane 20 tonne capacity	day	16170.84
0029	Carriage of concrete by transit mixer	km/cum	52.16
0030	Generator 250 KVA	day	3912.68
0033	Paint applicator	day	1305.36

0037	Mobile crane	day	11302.20
0038	Tractor with tipper attachment	day	2173.69
0039	Tractor with trolley	day	2608.20
0040	Air compressor 250 cfm with two leads for pneumatic cutters /hammers	day	2651.86
0041	Joint cutting machine with 2-3 blades	day	1738.80
0042	C.C .batch mix plant	day	17388.00
0043	Road sweeper	day	956.34
0045	Slip form paver with sensor	day	22604.40
0046	Water tanker 5000 litre	day	1738.80
0047	Concrete joint cutting machine	day	1564.92
0048	Texturing machine	day	1608.39
Note :- Above hire - charges include cost of services of operating staff and			
0049	Dozer D-80-A 12	hour	3903.72
0050	Motor Grader 3.35 metre blade	hour	4260.06
0051	Hydraulic Excavator of 1 cum bucket	hour	2260.44
0052	Front end loader 1 cum bucket capacity (incl POL)	hour	1391.04
0053	Tipper -5 Cum	tonne km	4.97
0054	Vibratory roller 8 to 10 tonne	hour	2554.10
0055	Smooth Wheeled Roller 8 to 10 tonne	hour	774.93
0056	Tandem Road Roller	hour	1749.81
0057	Water Tanker 5 to 6 KL capacity	hour	1124.81
0058	Air compressor	hour	1224.81
0059	Wet Mix Plant 60 TPH	hour	1749.81
0060	Mechanical Broom Hydraulic	hour	1274.81
0061	Emulsion Pressure Distributor @ 1750 sqm per hour	hour	1499.81
0062	Hot mix Plant -120 TPH capacity	hour	3499.81
0063	Hot mix Plant 100 TPH Capacity	hour	3499.81
0064	Paver finisher Hydrostatic with sensor control 100 TPH	hour	2249.81
0065	Paver finisher Mechanical 100 TPH	hour	1999.62
0066	Batching and Mixing Plant @ 75 cum per hour	hour	1999.62
0068	Concrete Paver finisher with 40 HP Motor and sensor	hour	1999.62
0069	Generator 250 KVA	hour	1999.62
0070	Generator 100 KVA/125 KVA	hour	1999.62
0071	Truck 5.5 cum/ 10 tonnes	tonne km	1999.62
0075	Road sweeper (Mechanical Broom) @ 1250 sqm per hour	hour	1199.81
0076	Drum Type HMP of 60-90 TPH capacity @ 75 tonne per hour actual output	hour	1999.62
0080	Hire and running charges of drill machine up to 400 mm dia (including cost of mobile oil, diesel consumption in ordinary soil and operator)	day	1999.62
0081	Pile Integrity testing equipment	day	1999.62
0082	Excavation of Diaphragm wall by Mechanical Grab	sqm	1999.62
Note :- Above hire - charges (from item code 0049 to 0082) include cost of			
0.2 LABOUR			
Note :-	These rates are exclusive of contractor's profit and over heads and are inclusive		
Code	Description	Unit	
0100	Bandhani	day	700.00
0101	Bhisti	day	700.00
0102	Blacksmith 1 st class	day	825.00
0103	Blacksmith 2nd class	day	750.00
0111	Carpenter 1 st class	day	850.00
0112	Carpenter 2nd class	day	800.00
0113	Chowkidar	day	625.00
0114	Beldar	day	675.00
0115	Coolie	day	625.00
0116	Fitter (grade 1)	day	850.00
0117	Assistant Fitter or 2nd class Fitter	day	800.00
0119	Glazier	day	800.00

0122	Mason (for plaster of paris work) 1 st class	day	850.00
0123	Mason (brick layer) 1 st class	day	825.00
0124	Mason (brick layer) 2nd class	day	750.00
0125	Mason (for plain stone work) 2nd class	day	800.00
0126	Mason (for ornamental stone work) 1 st class	day	825.00
0127	Driver (for Road Roller, Concrete Mixer, Truck etc.)	day	775.00
0128	Mate	day	650.00
0130	Mistry	day	850.00
0131	Painter	day	800.00
0132	Rock Excavator	day	650.00
0133	Rock Breaker	day	650.00
0134	Rock Hole Driller	day	650.00
0135	Stone Chiseller	day	700.00
0138	Sprayer (for bitumen, tar etc.)	day	700.00
0139	Skilled Beldar (for floor rubbing etc.)	day	700.00
0141	White Washer	day	700.00
0155*	Mason (average)	day	825.00
0156*	Carpenter (average)	day	825.00
0157	Operator (Pile/ Special machine)	day	750.00
0159	Skilled torch operator for laying tack	day	850.00
0160	Technician	day	1500.00
0161	Helper (Technician)	day	650.00
Note :- * These rates are average of 1st class and 2nd class categories. This is			
0.3 MATERIALS			
Note :- These rates are exclusive of contractor's profit and over heads but include			
Code	Description	Unit	
0222	Seam bolts and nuts 6 mm dia and 25 mm long	10 Nos	50.40
0223	Fibre (high impact poly propylene reinforced) cement corrugated sheet 6 mm thick	sqm	315.00
0224	Fibre (high impact poly propylene reinforced) cement close fitting adjustable ridge	metre	264.60
0225	Fibre (high impact poly propylene reinforced) cement corrugate serrated adjustable ridge	metre	264.60
0226	Fibre (high impact poly propylene reinforced) cement plain wing adjustable ridge	metre	252.00
0227	Fibre (high impact poly propylene reinforced) cement unserrated adjustable ridge for hips	metre	378.00
0228	Fibre (high impact poly propylene reinforced) cement corrugated apron piece	metre	283.50
0229	Fibre (high impact poly propylene reinforced) cement eaves filler piece	each	220.50
0230	Fibre (high impact poly propylene reinforced) cement north light curves	metre	390.60
0231	Fibre (high impact poly propylene reinforced) cement ventilator curves	each	516.60
0232	Fibre (high impact poly propylene reinforced) cement barge boards 6 mm thick	metre	516.60
0233	Fibre (high impact poly propylene reinforced) cement ridge finial	pair	201.60
0234	Fibre (high impact poly propylene reinforced) cement special north light curves	each	693.00
0235	Fibre (high impact poly propylene reinforced) cement S type louvers	each	315.00
0236	Multi purpose fibre (high impact poly propylene reinforced) cement board 6 mm thick	sqm	252.00
0237	Multi purpose fibre (high impact poly propylene reinforced) cement board 8 mm thick	sqm	315.00
0285	Brick Aggregate (Single size) : 63 mm nominal size	cum	1075.00
0286	Brick Aggregate (Single size) : 50 mm nominal size	cum	1075.00
0287	Brick Aggregate (Single size) : 40 mm nominal size	cum	1100.00
0291	Stone Aggregate (Single size) : 63 mm nominal size	cum	1500.00

0292	Stone Aggregate (Single size) : 50 mm nominal size	cum	1250.00
0293	Stone Aggregate (Single size) : 40 mm nominal size	cum	1235.00
0294	Stone Aggregate (Single size) : 25 mm nominal size	cum	1370.00
0295	Stone Aggregate (Single size) : 20 mm nominal size	cum	1370.00
0296	Stone Aggregate (Single size) : 12.5 mm nominal size	cum	1350.00
0297	Stone Aggregate (Single size) : 10 mm nominal size	cum	1350.00
0298	Stone Aggregate (Single size) : 06 mm nominal size	cum	1200.00
0302	Safeda ballies 125 mm diameter	metre	52.92
0303	Cowdung	cum	60.48
0304	Bajri	cum	1260.00
0305	Bamboo 25 mm dia 2.5 metre long	score	441.00
0308	Bhusa	quintal	504.00
0309	Paving bitumen of grade VG-10 of approved quality	tonne	49011.00
0310	Bitumen emulsion	tonne	39342.50
0312	Bitumen grade PMB - 40	tonne	52164.00
0313	Blown type petroleum bitumen of penetration 85/25 of approved quality	tonne	46620.00
0314	Bitumen hot sealing compound : grade A	kilogram	32.76
0316	Bitumen solution primer of approved quality	litre	56.70
0317	Premoulded joint filler 12 mm thick	sqm	441.00
0318	Bitumen felt fibre base (vegetable or animal):As per IS 7193 Grade I	sqm	75.60
0319	Bitumen felt as per IS 7193 Grade II	sqm	95.76
0322	Bitumen felt :Type 3 grade 1	sqm	75.60
0323	Separation Membrane of impermeable plastic sheeting 125 micron thick	sqm	15.12
0324	Coal Tar	litre	37.80
0325	Blasting powder	kilogram	44.10
0326	Blasting fuse (fuse wire)	each	18.90
0328	White face insulating board:12 mm thick	sqm	453.60
0332	Natural colour insulating board:12 mm thick	sqm	340.20
0336	Flame retardant face insulating board: 12 mm thick	sqm	396.90
0339	Flame retardant face insulating, Impregnated fibre board 12 mm thick	sqm	441.00
0341	Flat pressed 3 layer particle board (medium density) Grade 1,12 mm thick	sqm	409.50
0346	Extra for veneered particle board with Teak veneering on one side and commercial veneering on other side	sqm	327.60
0347	Extra for veneered particle board with Commercial veneering on both sides	sqm	214.20
0348	Extra for veneered particle board with Teak veneering both sides	sqm	630.00
0349	Curing compound	litre	63.00
0362	Brick bats	cum	630.00
0364	Wire brush	each	25.20
0365	Soft brush	each	22.68
0367	Portland Cement	tonne	7100.00
0368	White Cement	tonne	18000.00
0369	Plastic sheath,1.25 mm thick for dowel bars	sqm	37.80
0370	Coal (steam)	quintal	504.00
0371	Sealant primer	kg	157.50
0373	Cramp Gun metal 25x6x300 mm	each	100.80
0374	Pre moulded Joint filler, 25 mm thick for expansion joint.	sqm	835.00
0378	Brass butt hinges (light/ordinary type) : 125x70x4 mm	10 Nos	1200.00
0379	Brass butt hinges (light/ordinary type) : 100x70x4 mm	10 Nos	1000.00
0380	Brass butt hinges (light/ordinary type) : 75x40x2.5 mm	10 Nos	541.80
0381	Brass butt hinges (light/ordinary type) : 50x40x2.5 mm	10 Nos	226.80
0382	Brass butt hinges (heavy type) : 125x85x5.5 mm(0.70 kg)	10 Nos	3906.00
0383	Brass butt hinges (heavy type) : 100x85x5.5 mm(0.56 kg)	10Nos	3465.00
0384	Brass butt hinges (heavy type) :75x65x4.0 mm(0.20 kg)	10 Nos	1197.00
0385	Brass parliamentary hinges 150x125x27x5 mm	10 Nos	3591.00

0386	Brass parliamentary hinges 125x125x27x5 mm	10 Nos	3150.00
0387	Brass parliamentary hinges 100x125x27x5 mm	10 Nos	2898.00
0388	Brass parliamentary hinges 75x100x20x3.2 mm	10 Nos	2205.00
0389	Brass single acting spring hinges 150 mm	each	390.60
0390	Brass single acting spring hinges 125 mm	each	340.20
0391	Brass single acting spring hinges 100 mm	each	214.20
0392	Brass double acting spring hinges 150 mm	each	630.00
0393	Brass double acting spring hinges 125 mm	each	466.20
0394	Brass double acting spring hinges 100 mm	each	403.20
0400	Brass tower bolt (barrel type) 250x10 mm	each	320.00
0401	Brass tower bolt (barrel type) 200x10 mm	each	310.00
0402	Brass tower bolt (barrel type) 150x10 mm	each	260.00
0403	Brass tower bolt (barrel type) 100x10 mm	each	119.70
0404	Brass flush bolt 250 mm	each	189.00
0405	Brass flush bolt 150 mm	each	163.80
0406	Brass flush bolt 100 mm	each	113.40
0408	Brass handles 125 mm with plate 175x32 mm	each	250.00
0409	Brass handles 100 mm with plate 150x32 mm	each	220.00
0410	Brass handles 75 mm with plate 125x32 mm	each	200.00
0411	Brass door latch 300x16x5 mm (0.380 kg)	each	207.90
0412	Brass door latch 250x16x5 mm (0.350 kg)	each	201.60
0413	Brass mortice latch and lock 100x65 mm with 6 levers and a pair of brass lever handles	each	466.20
0414	Brass mortice latch 100x65mm with a pair of brass lever handles	each	403.20
0417	Brass 150 mm floor door stopper (0.357kg)	each	214.20
0418	Brass hard drawn hooks and eyes 300 mm	10 Nos	945.00
0419	Brass hard drawn hooks and eyes 250 mm	10 Nos	882.00
0420	Brass hard drawn hooks and eyes 200 mm	10 Nos	812.70
0421	Brass hard drawn hooks and eyes 150 mm	10 Nos	781.20
0422	Brass hard drawn hooks and eyes 100 mm	10 Nos	661.50
0423	Brass casement window fastener	each	63.00
0424	Brass casement stays (straight peg type) 300 mm weighing not less than 0.33 kg	each	170.10
0425	Brass casement stays (straight peg type) 250 mm weighing not less than 0.28 kg	each	138.60
0426	Brass casement stays (straight peg type) 200 mm weighing not less than 0.24 kg	each	126.00
0427	Brass quadrant stays 300 mm	each	157.50
0428	Brass fanlight catch	10Nos	220.50
0429	Brass fanlight pivot	10 Nos	245.70
0430	Brass chain with hook for fan light catch	each	50.40
0431	Brass hasps and staples (safety type) 150 mm	10 Nos	976.50
0432	Brass hasps and staples (safety type) 115 mm	10 Nos	819.00
0433	Brass hasps and staples (safety type) 90 mm	10Nos	705.60
0438	Brass night latch	each	623.70
0442	Brass helical spring 150 mm	each	390.60
0444	Brass curtain rod 20 mm dia 1.25 mm thick	metre	144.90
0445	Brass curtain rod 25 mm dia 1.25 mm thick	metre	170.10
0446	Brass brackets (curtain rods) 20 mm	each	52.92
0447	Brass cupboard knob or wardrobe knob 50 mm	each	44.10
0449	Brass screws 50 mm	100 Nos	264.60
0450	Brass screws 40 mm	100 Nos	214.20
0451	Brass screws 30 mm	100 Nos	170.10
0452	Brass screws 25 mm	100 Nos	119.70
0453	Brass screws 20 mm	100 Nos	113.40
0524	Chromium plated Brass butt hinges (heavy) type 75x65x4 mm (200gms)	10 Nos	1260.00
0525	Chromium plated Brass butt hinges (light/ordinary) type 125x70x4mm	10 Nos	1300.00

0526	Chromium plated Brass butt hinges (light/ordinary) type 100x70x4 mm	10Nos	1200.00
0527	Chromium plated Brass butt hinges (light/ordinary) type 75x40x2.5 mm	10Nos	790.00
0528	Chromium plated Brass butt hinges (light/ordinary) type 50x40x2.5 mm	10Nos	550.00
0555	Chromium plated Brass handles 125 mm with plate 175 x32 mm	each	220.50
0556	Chromium plated Brass handles 100 mm with plate 150 x 32 mm	each	189.00
0557	Chromium plated Brass handles 75mm with plate 125x32 mm	each	163.80
0558	Chromium plated Brass mortice latch and lock 100x65 mm with 6 levers and a pair of brass lever handles	each	680.40
0568	Chromium plated brass casement window fastener	each	119.70
0569	Chromium plated Brass casement stays (straight peg type) 300mm weighing not less than 0.33 kg	each	189.00
0570	Chromium plated Brass casement stays (straight peg type) 250mm weighing not less than 0.28 kg	each	163.80
0571	Chromium plated Brass casement stays (straight peg type) 200mm weighing not less than 0.24 kg	each	144.90
0583	Chromium plated Brass Night latch	each	667.80
0584	Chromium plated Brass Wardrobe Knob 50 mm	each	60.48
0585	Chromium plated Brass screws 50 mm	100 Nos	302.40
0586	Chromium plated Brass screws 40 mm	100Nos	252.00
0587	Chromium plated Brass screws 30 mm	100 Nos	195.30
0588	Chromium plated Brass screws 25 mm	100 Nos	151.20
0589	Chromium plated Brass screws 20 mm	100 nos	126.00
0590	Chromium plated Brass curtain rod 12 mm dia 1.25mm thick	metre	239.40
0591	Chromium plated Brass curtain rod 20 mm dia 1.25mm thick	metre	327.60
0592	Chromium plated Brass curtain rod 25 mm dia 1.25mm thick	metre	441.00
0594	Bright finished or black enameled mild steel butt hinges 125x65x2.12 mm	10 Nos	176.40
0595	Bright finished or black enameled mild steel butt hinges 100x58x1.90 mm	10Nos	107.10
0596	Bright finished or black enameled mild steel butt hinges 75x47x1.70 mm	10 nos	75.60
0597	Bright finished or black enameled mild steel butt hinges 50x37x1.50 mm	10 Nos	63.00
0608	Nickel plated bright finished mild steel piano hinges 1 mm thick 25 mm wide	metre	50.40
0635	Bright finished or black enameled mild steel screws 50 mm	100 Nos	81.90
0637	Bright finished or black enameled mild steel screws 40 mm	100 nos	63.00
0638	Bright finished or black enameled mild steel screws 30 mm	100 nos	50.40
0639	Bright finished or black enameled mild steel screws 25 mm	100 Nos	44.10
0640	Bright finished or black enameled mild steel screws 20 mm	100 Nos	37.80
0641	Bright finished or black enameled mild steel bolts and nuts 50x6 mm	each	8.82
0642	Oxidised mild steel butt hinges 125x65x2.12 mm	10 Nos	170.00
0643	Oxidised mild steel butt hinges 100x58x1.90 mm	10 Nos	150.00
0644	Oxidised mild steel butt hinges 75x47x1.70 mm	10 Nos	135.00
0645	Oxidised mild steel butt hinges 50x37x1.50 mm	10 Nos	100.00
0646	Oxidised mild steel parliamentary hinges 150x125x27x2.8 mm	10 Nos	500.00
0647	Oxidised mild steel parliamentary hinges 125x125x27x2.8 mm	10 Nos	400.00
0648	Oxidised mild steel parliamentary hinges 100x125x27x2.8 mm	10 Nos	400.00
0649	Oxidised mild steel parliamentary hinges 75x100x20x2.24 mm	10 Nos	300.00
0650	Oxidised mild steel single acting spring hinges 150 mm	each	144.90
0651	Oxidised mild steel single acting spring hinges 125 mm	each	138.60
0652	Oxidised mild steel single acting spring hinges 100 mm	each	113.40
0653	Oxidised mild steel double acting spring hinges 150 mm	each	144.90
0654	Oxidised mild steel double acting spring hinges 125 mm	each	138.60
0655	Oxidised mild steel double acting spring hinges 100 mm	each	113.40

0656	Nickel plated mild steel piano hinges 1 mm thick 35 mm wide	metre	56.70
0660	Oxidised mild steel sliding door bolt 300x16 mm	each	160.00
0661	Oxidised mild steel sliding door bolt 250x16 mm	each	160.00
0662	Oxidised mild steel door latch 300x20x6 mm	each	100.00
0663	Oxidised mild steel door latch 250x20x6 mm	each	50.40
0664	Oxidised mild steel tower bolt (barrel type) 250x10 mm	each	85.00
0665	Oxidised mild steel tower bolt (barrel type) 200x10 mm	each	75.00
0666	Oxidised mild steel tower bolt (barrel type) 150x10 mm	each	90.00
0667	Oxidised mild steel tower bolt (barrel type) 100x10 mm	each	90.00
0668	Oxidised mild steel handles 125 mm	each	40.00
0669	Oxidised mild steel handles 100 mm	each	35.00
0670	Oxidised mild steel handles 75 mm	each	40.00
0679	Oxidised mild steel hasps and staples (safety type) 150 mm	10 Nos	157.50
0680	Oxidised mild steel hasps and staples (safety type) 115 mm	10 Nos	126.00
0681	Oxidised mild steel hasps and staples (safety type) 90 mm	10 Nos	94.50
0682	Oxidised mild steel screws 50 mm	100 Nos	110.00
0683	Oxidised mild steel screws 40 mm	100 Nos	105.00
0684	Oxidised mild steel screws 30 mm	100 Nos	75.00
0685	Oxidised mild steel screws 25 mm	100 Nos	80.00
0686	Oxidised mild steel screws 20 mm	100 Nos	75.00
0687	Anodised Aluminium butt hinges 125x75x4 mm	10 Nos	750.00
0688	Anodised Aluminium butt hinges 125x63x4 mm	10 Nos	660.00
0689	Anodised Aluminium butt hinges 100x75x4 mm	10 Nos	700.00
0690	Anodised Aluminium butt hinges 100x63x3.2 mm	10 Nos	710.00
0691	Anodised Aluminium butt hinges 100x63x4 mm	10 Nos	700.00
0692	Anodised Aluminium butt hinges 75x63x4 mm	10 Nos	700.00
0693	Anodised Aluminium butt hinges 75x63x3.2 mm	10 Nos	592.20
0694	Anodised Aluminium butt hinges 75x45x3.2 mm	10 Nos	491.40
0696	Anodised Aluminium sliding door bolt 300x16 mm	each	201.60
0697	Anodised Aluminium sliding door bolt 250x16 mm	each	163.80
0698	Anodised Aluminium tower bolt (barrel type) 300x10 mm	10 Nos	945.00
0699	Anodised Aluminium tower bolt (barrel type) 250x10 mm	10 Nos	756.00
0700	Anodised Aluminium tower bolt (barrel type) 200x10 mm	10 Nos	604.80
0701	Anodised Aluminium tower bolt (barrel type) 150x10 mm	10 Nos	478.80
0702	Anodised Aluminium tower bolt (barrel type) 100x10 mm	10 Nos	378.00
0703	Anodised Aluminium handles 125 mm with plate 175 x 32 mm	10 Nos	630.00
0704	Anodised Aluminium handles 100 mm with plate 150 x 32 mm	10 Nos	478.80
0705	Anodised Aluminium handles 75mm with plate 125 x 32 mm	10 Nos	403.20
0706	Anodised Aluminium kicking plate 50 cm long 100x3.15 mm	each	163.80
0713	Block board construction flush door with teak wood ply on both faces 35 mm thick	sqm	2142.00
0714	Block board construction flush door with teak wood ply on both faces 30 mm thick	sqm	2500.00
0715	Block board construction flush door with teak wood ply on both faces 25 mm thick	sqm	2350.00
0717	Block board construction flush door with commercial ply on both faces 35 mm thick	sqm	2250.00
0718	Block board construction flush door with commercial ply on both faces 30 mm thick	sqm	1950.00
0719	Block board construction flush door with commercial ply on both faces 25 mm thick	sqm	1850.00
0752	Block board construction flush door lipping	sqm of door area	950.00
0753	Square vision panel in Block board construction flush door	sqm of door area	395.00
0754	Circular vision panel in Block board construction flush door	sqm of door area	400.00
0755	Decorative type louvers in Block board construction flush door	sqm of door area	390.60
0757	Rebate cutting in block board construction flush door	sqm of door area	107.10
0759	Decorative plywood 4 mm	sqm	529.20
0761	Fuel wood	quintal	630.00
0763	Glue	kilogram	85.68

0765	Hessian cloth	sqm	31.50
0768	Cement Concrete Jali 50 mm thick	sqm	400.00
0769	Cement Concrete Jali 40 mm thick	sqm	400.00
0770	Cement Concrete Jali 25 mm thick	sqm	350.00
0771	Kerosene oil	litre	56.70
0773	Unslaked lime	quintal	378.00
0775	Dehradun white lime	quintal	604.80
0776	Satna lime	quintal	378.00
0777	Dry hydrated lime (factory made)	quintal	289.80
0784	Marble dust/ powder	cum	1260.00
0785	Marble chips up to 4 mm and down size White & black	quintal	252.00
0788	Marble chips large size above 4 mm White & black	quintal	252.00
0801	Silicon and acrylic emulsion	litre	252.00
0802	Acrylic distemper 1st quality , having VOC content less than 50 grams/ litre	Kg	47.88
0803	Acrylic emulsion , having VOC content less than 50 grams/ litre	litre	315.00
0804	Premium acrylic emulsion of interior grade, having VOC content less than 50 grams/ litre	litre	441.00
0805	Synthetic enamel paint , having VOC (Volatile Organic Compound) content less than 150 grams/ litre	litre	277.20
0806	Ready mixed pink or grey primer on wood work (hard and soft wood) having VOC content less than 50 grams/ litre	litre	151.20
0807	Ready mixed red oxide zinc chromatic on steel/ iron work, having VOC content less than 250 grams/ litre	litre	163.80
0808	Water thinnable cement primer for interior wall surface, having VOC content less than 50 grams/ litre	litre	75.60
0809	Exterior primer	kilogram	80.00
0810	Moorum	cum	900.00
0811	Mud (dry)	cum	110.00
0815	Dry distemper	kilogram	85.00
0816	Oil bound washable distemper/ Acrylic distemper	kilogram	98.00
0818	Linseed oil (double boiled)	litre	185.00
0820	Cement primer	litre	115.00
0821	Distemper primer	litre	135.00
0823	Pink primer (for wood)	litre	125.00
0824	White cement based putty	kg	50.00
0826	Aluminium paint	litre	250.00
0827	Acid proof paint (chocolate or black)	litre	189.00
0828	Anticorrosive bituminous paint (black)	litre	113.40
0829	Black Japan paint	litre	110.00
0830	Enamel paint	litre	225.00
0831	Floor enamel paint in all shades except green	litre	295.00
0833	Synthetic enamel paint in black or chocolate shade	litre	225.00
0834	Synthetic enamel paint in all shades except black or chocolate shade	litre	290.00
0835	Plastic emulsion paint	litre	265.00
0845	Roofing paint for iron sheets in red colour	litre	200.00
0850	White lead	kilogram	125.00
0851	Water proofing cement paint	kilogram	100.00
0855	Wax polish (ready made)	kilogram	400.00
0856	Ordinary varnish	litre	90.00
0857	Superior copal varnish	litre	165.00
0858	Superior spar varnish	litre	200.00
0859	Oil type wood preservative	litre	110.00
0863	Putty for wood work	kilogram	60.00
0865	Pig lead	kilogram	200.00
0868	Premixed super white gypsum plaster.	kg	8.82
0869	Plaster of Paris	kilogram	5.04
0870	Plug	each	12.60

0873	Copper pins 6 mm dia 7.5 cm long	each	12.60
0874	Black colour dark shade pigment	kilogram	69.30
0875	Red, chocolate, orange, buff or yellow (red oxide of iron) light shade pigment	kilogram	94.50
0876	Green or blue medium shade pigment	kilogram	81.90
0886	Standard holder bat clamps for sand cast iron or cast iron pipes 150 mm dia	each	31.50
0966	Sand Cast iron plain shoe 150 mm dia	each	409.50
0967	Copper plate	kilogram	340.20
0969	Pulley 25 mm dia	each	44.10
0973	Rolling shutter made of 80x1.25 mm machine rolled laths	sqm	2950.00
0974	Top cover for rolling shutters 1.25 mm thick	metre	1600.00
0975	27.5 cm long wire spring grade No. 2 for rolling shutters	each	545.00
0976	Ball bearing for rolling shutters	each	500.00
0977	Extra for mechanical devices chain and cranked operation for operating rolling shutters: exceeding 10.00 sqm and up to 16.80 sqm area of door	sqm	693.00
0978	Extra for mechanical devices chain and cranked operation for operating rolling shutters: exceeding 16.80 sqm area of door	sqm	730.80
0979	Royalty for good earth	cum	37.80
0980	Royalty for sludge	cum	113.40
0982	Coarse sand (zone III)	cum	1855.60
0983	Fine sand (zone IV)	cum	819.00
0992	Galvanised steel plain sheets	quintal	7700.00
0994	Standard quality hard board sheet 3 mm thick	sqm	345.00
0996	Standard quality hard board sheet 4.5 mm thick	sqm	425.00
0999	Shellac	kilogram	264.70
1000	Spirit	litre	88.20
1001	Spun yarn	kilogram	50.40
1002	Mild steel round bar 12 mm dia and below	quintal	5575.00
1003	Mild steel round bar above 12 mm dia	quintal	5850.00
1004	Average rate of Mild steel round bars for reinforcement	quintal	4850.00
1005	Twisted steel/ deformed bars	quintal	5500.00
1006	Mild steel square bars	quintal	5540.00
1007	Structural steel such as tees, angles channels and R.S. joists	quintal	5859.00
1008	Flats up to 10 mm in thickness	quintal	5100.00
1009	Flats exceeding 10 mm in thickness	quintal	5400.00
1010	Mild steel plates	quintal	6400.00
1011	Steel glazed door,window/ ventilator, all members viz. F7D, F4B, K11 and K12B etc.	kg	60.48
1013	Mild steel sheets for tanks	quintal	6900.00
1015	Mild steel expanded metal 20x60 mm strands	sqm	700.00
1019	Mild steel hooks	each	70.00
1020	Mild steel rivets	quintal	7000.00
1021	Hard drawn steel wire fabric	sqm	870.00
1022	Galvanised steel bolts & nuts 6 mm dia and 25 mm long round head with slots	10 Nos	55.00
1023	Galvanised steel J or L hooks 8 mm dia	10 Nos	210.00
1024	Galvanised steel bolts & nuts 10 mm dia and 125 mm long round head with slots	each	28.00
1025	Mild steel bolts 6 mm dia and 25 mm long with hexagonal head	10 Nos	37.80
1028	Straining bolts	each	88.20
1029	Galvanised steel barbed wire	quintal	6552.00
1030	Galvanised steel turn buckles	each	21.42
1031	Galvanised steel bolts & nuts 10 mm dia and 27 cm long both sides threaded with 4 galvanised steel nuts	each	31.50
1032	Galvanised steel bolts 10 mm dia and 7 cm long with nuts	each	25.20
1034	Bolts and nuts up to 300 mm in length	quintal	7056.00
1035	Bolts and nuts above 300 mm in length	quintal	7056.00

1036	Iron pintels including welded pin	each	50.40
1143	Steel beading	metre	31.50
1145	Aluminium Plain Strip edging 38x12x3 mm	metre	126.00
1149	Glass strip 4 mm thick 40 mm deep	metre	11.34
1151	Boundary stone top chisel dressed 15x15x90 cm	each	110.00
1154	Through and bond stone	100 Nos	1800.00
1157	Stone for masonry work	cum	900.00
1158	Stone for pitching 15 cm x 22.5 cm	cum	1000.00
1159	Stone dust	cum	1500.00
1160	Red sand stone block	10 cudm	81.90
1161	White sand stone block	10 cudm	88.20
1163	White sand stone slab 75 mm thick (un-dressed)	sqm	378.00
1164	Red sand stone slab 40 mm thick (un-dressed)	sqm	201.60
1165	White sand stone slab 40 mm thick (un-dressed)	sqm	226.80
1166	Red sand stone slab 30 mm thick (un-dressed)	sqm	163.80
1168	Kota stone slab 20 mm to 25 mm thick (semi-polished)	sqm	365.40
1169	Kota stone slab 25mm thick (rough chiseled)	sqm	264.60
1174	Red sand stone slab 45 mm to 50 mm thick (un-dressed)	sqm	216.72
1175	White sand stone slab 45 mm to 50 mm thick (un-dressed)	sqm	283.50
1177	Stone grit 6 mm and down size or pea sized gravel	cum	1165.50
1179	Crushed stone 2.36 mm to 12.5 mm size	cum	1197.00
1182	Surkhi	cum	882.00
1186	Superior class teak wood such as Dandeli, Balarshah or Malabar in planks	10 cudm	1950.00
1187	First class teak wood in scantling	10 cudm	2000.00
1188	First class teak wood in planks	10 cudm	1900.00
1189	Second class teak wood in scantling	10 cudm	1600.00
1190	Second class teak wood in planks	10 cudm	1300.00
1194	Second class deodar wood in planks	10 cudm	1200.00
1196	First class kail wood in planks	10 cudm	390.60
1197	Second class kail wood in scantling	10 cudm	327.60
1198	Second class kail wood in planks	10 cudm	327.60
1199	Sal wood in scantling	10 cudm	655.20
1200	Kiln seasoned selected sheesham wood planks	10 cudm	819.00
1201	Precast terrazzo tiles 22 mm thick (light shade)	sqm	327.60
1202	Precast terrazzo tiles 22 mm thick (medium shade)	sqm	302.40
1203	Precast terrazzo tiles 22 mm thick (dark shade)	sqm	277.20
1204	Precast heat resistant terrace tiles (size 300x300 mm) and 20 mm thick	sqm	607.32
1207	G.I. Limpet washer	100 nos	44.10
1208	Bitumen washer	100 Nos	37.80
1209	G.I. plain washer thick	100 Nos	44.10
1210	G.I. plain washer thin	100 Nos	40.32
1211	G.I. plain washer for seam bolts	100Nos	37.80
1213	Water proofing materials	kilogram	40.32
1214	Welding by gas plant	cm	2.52
1215	Welding by electric plant	cm	2.27
1216	Whiting	quintal	630.00
1219	Wire nails	kilogram	75.60
1220	Wire mesh (rabbit)	sqm	56.70
1221	20 mm dia holding down bolts	quintal	7308.00
1222	Mild steel sheets with bolts and nuts to rest on pintels	each	250.00
1224	Hard drawn steel wire	quintal	6930.00
1225	Mild steel flat strap fitting	quintal	5900.00
1227	Chequered terrazzo tiles 22 mm thick (light shade)	sqm	800.00
1228	Chequered terrazzo tiles 22 mm thick (medium shade)	sqm	750.00
1229	Chequered terrazzo tiles 22 mm thick (dark shade)	sqm	700.00
1231	Extra for selected planks of second class teakwood	10 cudm	176.40
1234	Aluminium Plain Strip edging 57x12x3 mm	metre	170.10

1235	Diesel oil	litre	61.27
1237	Cutting marble or sand stone slab up to 50 mm thick by mechanical device	metre	11.34
1238	Extra for selected planks of first class teakwood	10 cudm	176.40
1239	18 mm thick Flamed finish granite stone slab	sqm	2135.70
1240	18 mm thick Italian Marble stone slab, Perlato (slab area up to 0.5 sqm).	sqm	4195.80
1241	Commercial LPG in cylinder	kg	88.20
1242	Glass mosaic tiles (20 mm x 20 mm x 4 mm).	sqm	1323.00
1243	Tile fixing chemical adhesive	kg	42.84
1244	Cement Polymer Grout Compound	kg	42.84
1245	Acid for cleaning tiles	litre	20.16
1301	Bleaching powder	quintal	2205.00
1304	Surface box for stop cock	each	157.50
1305	Surface box for sluice valve	each	264.60
1307	Surface box for water meter	each	315.00
1309	C.I. bracket for wash basin and sinks	pair	88.20
1314	C.P.brass chain with 32 mm dia rubber plug	each	50.40
1315	C.P.brass chain with 40 mm dia rubber plug	each	50.40
1330	Clamps and M.S. stays including bolts and nuts for 100 mm pipe	each	44.10
1331	M.S.Holder bat clamp of approved design for 100 mm S.C.I. pipe	each	25.20
1332	M.S.Holder bat clamp of approved design for 75 mm S.C.I. pipe	each	22.68
1334	Clamps and M.S. stays including bolts and nuts for 50 mm pipe	each	35.28
1335	Clamps and M.S. stays including bolts and nuts for 75 mm pipe	each	37.80
1336	Clearing eye with chain and lid 100 mm dia	each	55.44
1337	Clearing eye with chain and lid 150 mm dia	each	63.00
1339	Brass bib-cock 15 mm dia	each	264.60
1340	Brass bib-cock 20 mm dia	each	283.80
1342	Brass stop-cock 15 mm dia	each	264.60
1343	Brass stop-cock 20 mm dia	each	352.80
1350	Mosquito proof coupling of approved design	each	90.00
1352	C.I. cover and frame 300x300 mm inside	each	378.00
1353	C.I.cover without frame 300x300 mm inside i/c cover of 4.50 kg	each	283.50
1354	Rectangular cover 455x610 mm with frame (low duty)	each	1890.00
1355	Rectangular cover 455x610 mm without frame (low duty)	each	1260.00
1356	500 mm dia cover with frame (medium duty)	each	5985.00
1357	500 mm dia cover without frame (medium duty)	each	2898.00
1360	C.I.mouth, brass ferrule 15 mm dia	each	176.40
1361	C.I.mouth, brass ferrule 20 mm dia	each	201.60
1362	C.I.mouth, brass ferrule 25 mm dia	each	277.20
1363	Vitreous china foot rests 250x130x30 mm	pair	126.00
1364	C.I. grating 100x100 mm	each	125.00
1366	C.I. grating 150x150 mm	each	180.00
1367	C.I. grating 180x180 mm	each	190.00
1369	S.C.I. gully or nahani grating 100 mm dia	each	120.00
1373	Rubber insertions for 80 mm dia pipe joints	each	18.90
1374	Rubber insertions for 100 mm dia pipe joints	each	22.68
1375	Rubber insertions for 125 mm dia pipe joints	each	25.20
1376	Rubber insertions for 150 mm dia pipe joints	each	25.20
1377	Rubber insertions for 200 mm dia pipe joints	each	31.50
1378	Rubber insertions for 250 mm dia pipe joints	each	50.40
1379	Rubber insertions for 300 mm dia pipe joints	each	56.70
1380	Rubber insertions for 350 mm dia pipe joints	each	63.00
1381	Rubber insertions for 400 mm dia pipe joints	each	91.98
1382	Rubber insertions for 450 mm dia pipe joints	each	115.92
1383	Rubber insertions for 500 mm dia pipe joints	each	138.60
1384	Rubber insertions for 600 mm dia pipe joints	each	157.50
1392	Mirror of superior make glass 60x45 cm	each	500.00
1396	Vitreous china pedestal for wash basin	each	2250.00

1397	Pig lead	kilogram	113.40
1464	S & S.C.I. standard specials upto 300 mm dia (heavy class)	quintal	4536.00
1466	S & S.C.I. standard specials over 300 mm dia (heavy class)	quintal	4662.00
1468	Flanged C.I. standard specials upto 300 mm dia (heavy class)	quintal	6930.00
1470	Flanged C.I. standard specials over 300 mm dia (heavy class)	quintal	7308.00
1472	Casing pipe 100 mm dia	metre	422.10
1532	Flush pipe with union spreaders and clamps all in C.P. brass for single stall	each	800.00
1533	Flush pipe with union spreaders and clamps all in C.P. brass for double stall	each	900.00
1534	Flush pipe with union spreaders and clamps all in C.P. brass for range of three stall	each	655.20
1535	Flush pipe with union spreaders and clamps all in C.P. brass for range of four stall	each	756.00
1540	Flush pipe and spreaders G.I. for single set of one squatting plate urinal	each	220.50
1541	Flush pipe and spreaders G.I. for range of two squatting plates urinal	each	315.00
1542	Flush pipe and spreaders G.I. for range of three squatting plates urinal	each	378.00
1543	Flush pipe and spreaders G.I. for range of four squatting plates urinal	each	491.40
1545	G.I. pipes 15 mm dia	metre	135.00
1546	G.I. pipes 20 mm dia	metre	290.00
1547	G.I. pipes 25 mm dia	metre	290.00
1548	G.I. pipes 32 mm dia	metre	290.00
1549	G.I. pipes 40 mm dia	metre	400.00
1550	G.I. pipes 50 mm dia	metre	450.00
1551	G.I. pipes 65 mm dia	metre	500.00
1552	G.I. pipes 80 mm dia	metre	579.60
1555	G.I. back (jam) nuts 25 mm dia	each	12.60
1559	G.I. back (jam) nuts 65 mm dia	each	27.72
1608	G.I. tees (equal) 25 mm	each	115.00
1612	G.I. tees (equal) 65 mm	each	425.00
1614	G.I. inlet connection	each	140.00
1616	S.C.I. soil, waste and vent single socketed pipe 1.80 metres long: 75 mm dia	each	1197.00
1617	S.C. I. soil, waste and vent single socketed pipe 1.80 metres long: 100 mm dia	each	1449.00
1618	S.C.I. soil, waste and vent single socketed pipe 1.80 metres long: 150 mm dia	each	2205.00
1620	S.C.I. plain bend 75 mm dia	each	214.20
1621	S.C.I. plain bend 100 mm dia	each	441.00
1622	S.C.I. plain bend 150 mm dia	each	756.00
1624	S.C.I. bend with access door 75 mm dia	each	252.00
1625	S.C.I. bend with access door 100 mm dia	each	317.52
1627	S.C.I. plain single equal junctions 75x75x75 mm dia	each	333.90
1628	S.C.I. plain single equal junctions 100x100x100 mm dia	each	567.00
1630	S.C.I. single equal junctions 75x75x75 mm dia with access door	each	350.28
1631	S.C.I. single equal junctions 100x100x100 mm dia with access door	each	473.26
1633	S.C.I. plain double equal junctions 75x75x75x75 mm dia	each	435.96
1634	S.C.I. plain double equal junctions 100x100x100x100 mm dia	each	655.20
1636	S.C.I. double equal junctions 75x75x75x75 mm dia with access door	each	535.50
1637	S.C.I. double equal junctions 100x100x100x100 mm dia with access door	each	693.00
1639	Slotted cowl (terminal guard) 75 mm dia	each	190.26
1640	Slotted cowl (terminal guard) 100 mm dia	each	239.40

1641	G.I. Union 15 mm nominal bore	each	125.00
1642	G.I. Union 20 mm nominal bore	each	145.00
1643	G.I. Union 25 mm nominal bore	each	160.00
1644	G.I. Union 32 mm nominal bore	each	190.00
1645	G.I. Union 40 mm nominal bore	each	225.00
1646	G.I. Union 50 mm nominal bore	each	350.00
1647	G.I. Union 65 mm nominal bore	each	500.00
1648	G.I. Union 80 mm nominal bore	each	650.00
1649	Polyethylene water storage tank with cover and suitable locking arrangement	per litre	5.67
1653	Sand cast iron S&S plain single unequal junctions: 100x100x75 mm dia	each	466.20
1656	Sand cast iron S&S single unequal junctions: 100x100x75 mm dia with access door	each	504.00
1659	Sand cast iron S&S plain double unequal junctions:100x100x75x75 mm dia	each	693.00
1662	Sand cast iron S&S double unequal junctions: 100x100x75x75 mm dia with access door	each	693.00
1666	Sand cast iron heel rest bend 75 mm dia	each	277.20
1667	Sand cast iron heel rest bend 100 mm dia	each	315.00
1669	S.C.I. single equal invert branch of required degree 75x75x75 mm dia	each	403.20
1670	S.C.I. single equal invert branch of required degree 100x100x100 mm dia	each	516.60
1672	S.C.I. double equal invert branch of required degree 75x75x75x75 mm dia	each	516.60
1673	S.C.I. double equal invert branch of required degree 100x100x100x100 mm dia	each	693.00
1674	S.C.I. single unequal invert branch of required degree 100x100x75 mm dia	each	523.70
1677	S.C.I. double unequal invert branch of required degree 100x100x75x75 mm dia	each	718.20
1682	S.C.I. door pieces 75 mm dia	each	346.50
1683	S.C.I. door pieces 100 mm dia	each	504.00
1685	S.C.I. collar 75 mm dia	each	142.38
1686	S.C.I. collar 100 mm dia	each	180.18
1687	Unplasticised P.V.C. connection pipe with brass union 30 cm long 15 mm bore	each	37.80
1688	Unplasticised P.V.C. connection pipe with brass union 30 cm long 20 mm bore	each	44.10
1689	Unplasticised P.V.C. connection pipe with brass union 45 cm long 15 mm bore	each	44.10
1690	Unplasticised P.V.C. connection pipe with brass union 45 cm long 20 mm bore	each	60.48
1693	S.C.I. hand pump	each	844.20
1700	R.C.C. pipes NP2 class 100 mm dia	metre	252.00
1701	R.C.C. pipes NP2 class 150 mm dia	metre	264.60
1702	R.C.C. pipes NP2 class 250 mm dia	metre	327.60
1703	R.C.C. pipes NP2 class 300 mm dia	metre	378.00
1704	R.C.C. pipes NP2 class 450 mm dia	metre	504.00
1705	R.C.C. pipes NP2 class 500 mm dia	metre	812.80
1706	R.C.C. pipes NP2 class 600 mm dia	metre	1159.20
1707	R.C.C. pipes NP2 class 700 mm dia	metre	1149.00
1709	R.C.C. pipes NP2 class 800 mm dia	metre	1474.20
1710	R.C.C. pipes NP2 class 900 mm dia	metre	1612.80
1711	R.C.C. pipes NP2 class 1000 mm dia	metre	2003.40
1712	R.C.C. pipes NP2 class 1100 mm dia	metre	2362.50
1713	R.C.C. pipes NP2 class 1200 mm dia	metre	2425.50
1714	R.C.C. collars NP2 class 100 mm dia	each	37.80

1715	R.C.C. collars NP2 class 150 mm dia	each	44.10
1716	R.C.C. collars NP2 class 250 mm dia	each	63.00
1717	R.C.C. collars NP2 class 300 mm dia	each	69.30
1718	R.C.C. collars NP2 class 450 mm dia	each	126.00
1719	R.C.C. collars NP2 class 500 mm dia	each	144.90
1720	R.C.C. collars NP2 class 600 mm dia	each	176.40
1721	R.C.C. collars NP2 class 700 mm dia	each	189.00
1723	R.C.C. collars NP2 class 800 mm dia	each	252.00
1724	R.C.C. collars NP2 class 900 mm dia	each	296.10
1725	R.C.C. collars NP2 class 1000 mm dia	each	352.80
1726	R.C.C. collars NP2 class 1100 mm dia	each	378.00
1727	R.C.C. collars NP2 class 1200 mm dia	each	441.00
1728	RCC pipe 450 mm dia NP-3 spigot	metre	1884.96
1729	RCC pipe 600 mm dia NP-3 spigot	metre	2513.70
1730	RCC pipe 900 mm dia NP-3 spigot	metre	3969.00
1731	RCC pipe 1000 mm dia NP-3 spigot	metre	4895.10
1732	RCC pipe 1200 mm dia NP-3 spigot	metre	6350.40
1733	RCC pipe 1800 mm dia NP-3 spigot	metre	11907.00
1734	RCC pipe 450 mm dia NP-4 spigot	metre	2183.58
1735	RCC pipe 600 mm dia NP-4 spigot	metre	2910.60
1736	RCC pipe 900 mm dia NP-4 spigot	metre	5789.70
1737	RCC pipe 1000 mm dia NP-4 spigot	metre	7011.90
1738	RCC pipe 1200 mm dia NP-4 spigot	metre	8202.60
1739	RCC pipe 1800 mm dia NP-4 spigot	metre	17199.00
1854	Stoneware pipes grade A (60 cm long) 100 mm dia	each	63.00
1855	Stoneware pipes grade A (60 cm long) 150 mm dia	each	100.80
1856	Stoneware pipes grade A (60 cm long) 200 mm dia	each	170.10
1857	Stoneware pipes grade A (60 cm long) 230 mm dia	each	214.20
1858	Stoneware pipes grade A (60 cm long) 250 mm dia	each	277.20
1859	Stoneware pipes grade A (60 cm long) 300 mm dia	each	302.40
1863	Fire clay kitchen sink: 600x450x250 mm	each	1.14
1871	White vitreous china laboratory sink 450x300x150 mm	each	1033.20
1872	White vitreous china laboratory sink 600x450x200 mm	each	1921.50
1875	White plastic seat (solid) with lid C.P. brass hinges and rubber buffers	each	415.80
1876	Black plastic seat (solid) with lid C.P. brass hinges and rubber buffers	each	450.00
1878	Shower rose C.P. brass for 15 to 20 mm inlet 100 mm dia	each	150.00
1879	Shower rose C.P. brass for 15 to 20 mm inlet 150 mm dia	each	200.00
1881	Spun yarn	kilogram	63.00
1882	Strainer brass 40 mm dia 1.5 metre long	each	756.00
1885	15 mm C.P. brass tap	each	360.00
1889	C.P. brass toilet paper holder of standard size	each	400.00
1891	C.I. trap for standard urinal with vent arm with operating and other couplings in C.P. brass: 50 mm dia	each	214.20
1893	C.I. trap for standard urinal with vent arm with operating and other couplings in C.P. brass: 80 mm dia	each	283.50
1895	C.P. brass trap 40 mm dia	each	189.00
1896	100 mm S.C.I. trap with vent heel	each	396.90
1897	100 mm S.C.I. trap with 100 mm inlet and 100 mm outlet	each	346.50
1898	100 mm S.C.I. trap with 100 mm inlet and 75 mm outlet	each	274.68
1900	S.W. gully trap P type 100x100 mm	each	113.40
1902	S.W. gully trap P type 150x100 mm	each	163.80
1904	S.W. gully trap P type 180x150 mm	each	283.50
1913	Vitreous china lipped front urinal	each	579.60
1915	Vitreous china squatting plate urinal	each	957.60
1922	H.P. or L.P. ball valve with polythene floats: 15 mm dia	each	264.60
1923	H.P. or L.P. ball valve with polythene floats: 20 mm dia	each	384.30
1924	H.P. or L.P. ball valve with polythene floats: 25 mm dia	each	415.80

1927	Brass full way valve with C.I. wheel (screwed end) 25 mm dia	each	441.00
1928	Brass full way valve with C.I. wheel (screwed end) 32 mm dia	each	516.60
1929	Brass full way valve with C.I. wheel (screwed end) 40 mm dia	each	604.80
1930	Brass full way valve with C.I. wheel (screwed end) 50 mm dia	each	781.20
1931	Brass full way valve with C.I. wheel (screwed end) 65 mm dia	each	1360.80
1932	Brass full way valve with C.I. wheel (screwed end) 80 mm dia	each	2041.20
1933	Gunmetal non-return valve-horizontal (screwed end) 25 mm dia	each	415.80
1934	Gunmetal non-return valve-horizontal (screwed end) 32 mm dia	each	567.00
1935	Gunmetal non-return valve-horizontal (screwed end) 40 mm dia	each	705.60
1936	Gunmetal non-return valve-horizontal (screwed end) 50 mm dia	each	1033.20
1937	Gunmetal non-return valve-horizontal (screwed end) 65 mm dia	each	1877.40
1938	Gunmetal non-return valve-horizontal (screwed end) 80 mm dia	each	2671.20
1940	C.I. sluice valve (with caps) class I: 100 mm dia	each	3036.60
1941	C.I. sluice valve (with caps) class I: 125 mm dia	each	3276.00
1942	C.I. sluice valve (with caps) class I: 150 mm dia	each	4536.00
1943	C.I. sluice valve (with caps) class I: 200 mm dia	each	9450.00
1944	C.I. sluice valve (with caps) class I: 250 mm dia	each	13834.80
1945	C.I. sluice valve (with caps) class I: 300 mm dia	each	19530.00
1947	Vitreous china flat back wash basin 630x450 mm	each	913.50
1949	Vitreous china angle back wash basin 600x480 mm	each	913.50
1950	Vitreous china angle back wash basin 400x400 mm	each	535.50
1951	C.P. brass waste 32 mm	each	100.80
1952	C.P. brass waste 40 mm	each	119.70
1953	Vitreous china Indian type W.C. pan size 580 mm	each	1250.00
1954	Vitreous china orrisa type W.C. pan size 580 mm	each	1300.00
1955	Vitreous china pedestal type water closet	each	1250.00
1956	Bolts and nuts 16 mm dia 60 mm long	each	50.00
1957	Bolts and nuts 16 mm dia 65 mm long	each	100.00
1958	Bolts and nuts 20 mm dia 65 mm long	each	80.00
1959	Bolts and nuts 20 mm dia 70 mm long	each	18.90
1960	Bolts and nuts 20 mm dia 75 mm long	each	20.16
1961	Bolts and nuts 20 mm dia 80 mm long	each	22.68
1962	Bolts and nuts 24 mm dia 85 mm long	each	35.28
1963	Bolts and nuts 24 mm dia 90 mm long	each	40.32
1964	Bolts and nuts 27 mm dia 100 mm long	each	47.88
1965	White vitreous china dual purpose closet (Anglo Indian W.C.) suitable for use as squatting pan or European type water closet as per manufacturer's specifications	each	2800.00
1970	Vitreous china foot rests 250x125x25 mm	pair	300.00
1980	Fly ash	cum	9.77
1984	Common burnt clay F.P.S. bricks tile class designation 10	1000 Nos	6048.00
1986	Common burnt clay modular bricks class designation 12.5	1000 Nos	6615.00
2391	Strips-Aluminium fluted 3.15 mm thick and 150 mm wide	metre	287.28
2392	Strips Aluminium fluted 3.15 mm thick and 200 mm wide	metre	406.98
2393	1 mm thick Stainless Steel Cover plate grade 304	kg	346.50
2394	Coupler 16 mm dia	each	84.42
2395	Coupler 20 mm dia	each	110.88
2396	Coupler 25 mm dia	each	163.80
2397	Coupler 28 mm dia	each	241.92
2398	Coupler 32 mm dia	each	291.06
2399	Complete Roof Joint of 100 mm	metre	5670.00
2400	Complete Roof Joint of 150 mm	metre	6048.00
2401	Complete Roof Joint of 200 mm	metre	6300.00
2402	Epoxy adhesive	kg	189.00
2403	Floor Joint of 100 mm	metre	5670.00
2404	Floor Joint of 150 mm	metre	6300.00
2405	Floor Joint of 200 mm	metre	6804.00
2406	Float glass sheet of nominal thickness 4 mm (weight not less than 10 kg/sqm)	sqm	415.80

2407	Float glass sheet of nominal thickness 5.5 mm (weight not less than 13.50 kg/sqm)	sqm	630.00
2408	Float glass sheet of nominal thickness 8 mm (weight not less than 20.00 kg/sqm)	sqm	882.00
2409	Wall Joint of 100 mm	metre	4284.00
2410	Wall Joint of 150 mm	metre	4662.00
2411	Wall Joint of 200 mm	metre	5040.00
2412	Ply wood 5 ply with commercial ply on both faces 6 mm thick	sqm	453.60
2413	12 mm commercial ply	sqm	730.80
2414	18 mm thick block board with commercial ply veneering on both side	sqm	882.00
2447	Hollock ballies 125 mm diameter	metre	44.10
2449	Oxidised mild steel pull bolt lock (locking bolt) of size 85 mm x42 mm with screws, bolts, nuts and washers complete	each	63.00
2451	Brass cupboard lock 6 levers of approved quality, 40 mm size	each	88.20
2452	Brass cupboard lock 6 levers of approved quality, 50 mm size	each	94.50
2453	Brass cupboard lock 6 levers of approved quality, 65 mm size	each	100.80
2454	Brass cupboard lock 6 levers of approved quality, 75 mm size	each	126.00
2455	Brass hanging type door stopper 150 mm	each	81.90
2456	Hydraulic door closer bottle type M.S. body with necessary accessories and screws complete	each	1250.00
2459	Anodised Aluminium hanging type door stopper	each	150.00
2464	Anodised Aluminium pull bolt lock (locking bolt) of size 85 mm x42 mm with screws, bolts, nuts and washers complete	each	190.00
2465	Anodised Aluminium Casement stay 250 mm	each	200.00
2466	Hollock wood in scantling	10 cudm	409.50
2467	Chromium plated Brass pull bolt lock (locking bolt) of size 85 mmx 42 mm with screws, bolts, nuts and washers complete	each	207.90
2468	Nickled Chromium Brass cupboard lock 40 mm size	each	81.90
2469	Nickled Chromium Brass cupboard lock 50 mm size	each	94.50
2470	Nickled Chromium Brass cupboard lock 65 mm size	each	107.10
2471	Nickled Chromium Brass cupboard lock 75 mm size	each	138.60
2480	Ply wood 5 ply with teak ply on both faces 9 mm thick	sqm	2900.00
2481	Ply wood 5 ply with teak ply on one face and commercial ply on another face 9 mm thick	sqm	1900.00
2483	Ply wood 7 ply with teak ply on one face and commercial ply on another face 9 mm thick	sqm	1950.00
2484	Pre-laminated with decorative lamination on both side exterior Grade - I MDF Board 12 mm thick confirming to IS:14587	sqm	1800.00
2485	Pre-laminated with decorative lamination on both side exterior Grade - I MDF Board 18 mm thick confirming to IS:14587	sqm	1800.00
2486	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 25 mm thick confirming to IS:14587	sqm	2250.00
2487	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 12 mm thick confirming to IS:14587	sqm	1720.00
2488	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade - I MDF Board 18 mm thick confirming to IS:14587	sqm	1800.00
2489	PVC edge bending tape 2.00 mm thick	metre	100.00
2500	Extra for selected planks of second class deodar wood	10 cudm	200.00
2504	Kiln seasoning of timber	cum	919.80
2505	Hollock wood in planks	10 cudm	466.80
2506	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 60 mm	10 nos	315.00

2507	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 80 mm	10nos	369.18
2508	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 120mm	10 nos	458.64
2509	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 140 mm	10 Nos	567.00
2510	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 160 mm	10 Nos	718.20
2602	Common burnt clay F.P.S. (non modular) bricks class designation 7.5	1000 Nos	6048.00
2603	Common burnt clay F.P.S. (non modular) bricks class designation 5.0	1000 Nos	4410.00
2605	Structural sealant - 6 mm x 12 mm	metre	39.82
2606	Spacer tape 6.4 mm thick x 6 mm wide	metre	22.68
2607	Weather Sealant - Non Staining (600 ml)	each	578.53
2608	Weather Sealant - Normal (300 ml)	each	180.43
2609	MS Brackets/Aluminium Alloy Brackets	kg	126.00
2610	Silicon Gasket in Kg (Above 50 g / m)	kg	757.58
2611	EPDM Gasket in Kg (Above 60 g / m)	kg	201.60
2612	Anchor Fastner - M10	each	139.80
2613	SS Bolt with washer of sizes for structural glazing / ACP Cladding	each	44.10
2614	SS Screws of sizes for structural glazing / ACP Cladding	each	6.00
2615	Protective Tape	metre	31.50
2616	GI flashing - 1.2 mm Thick	kg	81.16
2617	6 mm thick High performance glass	sqm	2406.60
2618	6 mm thick clear heat strengthened glass	sqm	970.20
2619	6 mm thick clear heat strengthened glass	each	182.70
2620	ARMS GS HD -TOP HUNG -20"-TYPE P-COUPLE	pair	1979.21
2621	Connection Block	each	49.58
2622	Curtain wall striker	each	129.40
2623	Adjustable Fastening Pawl	each	48.20
2624	Corner drive	each	371.64
2625	Top wedge Block	each	171.68
2626	Glass wool Denisity 48 Kg / m3 with Black Glass Tissue (BGT)	sqm	289.80
2627	SS Screws - # 8 x 19	each	12.60
2628	Weather Sealant - DC 789	cartridge	170.10
2629	Cement Board	sqm	315.00
2630	Baker rod	metre	6.30
2631	4 mm thick ACP	sqm	1512.00
2632	Fire Stop	metre	708.06
2634	GI/Aluminium Sheet (0.8 mm thick)	kg	230.00
2704	Aluminium Strip 40 mm wide and 2 mm thick	kilogram	350.00
2708	Truf Paver (500 x 500 x 40 mm)	sqm	1373.40
2709	Ceremic Tiles Pieces for Crazy Flooring	quintal	170.10
2710	White marble makrana second quality plain veined stone pieces for crazy flooring	quintal	176.40
2711	FS800H Grade Flooring Panel (Size 600 mm x600 mm x32 mm)	each	945.00
2712	Zinc Electroplated Pedestals - 300 mm	each	176.40
2713	Zinc Electroplated Pedestals - 450 mm	each	189.00
2714	Zinc Electroplated Tube Stinger	each	88.20
2715	Machine Screw for Fixing	each	2.52
2750	8 mm thick granite stone tiles (mirror polished of all shades)	sqm	882.00
2751	8 mm thick marble tiles (polished) Raj Nagar	sqm	453.60
2901	Stone Aggregate (Single size) : 100 mm nominal size	cum	1008.00
2902	Stone Aggregate (Single size) : 80 mm nominal size	cum	1088.00

2903	Stone chippings/ screenings 4.75 mm nominal size	cum	1449.00
2904	Stone chippings/ screenings 150 micron nominal size	cum	1449.00
2908	Over burnt (Jhama) Brick Aggregate: 120 mm to 40 mm size	cum	478.80
2909	Over burnt (Jhama) Brick Aggregate: 90 mm to 40 mm size	cum	504.00
2910	Stone chippings/ screenings 12.5/ 13.2 mm nominal size	cum	1386.00
2911	Stone chippings/ screenings 10/ 11.2 mm nominal size	cum	1386.00
2914	Solvent	kilogram	31.50
2916	Paving Asphalt VG 10 of approved quality	tonne	50400.00
3002	Polyvinyle chloride sheet 400 micron thick	sqm	44.10
3004	Stone ware spouts 100 mm dia 60 cm long	each	44.10
3050	Galvanised steel corrugated sheets	quintal	6804.00
3080	Gunmetal non-return valve - vertical (screwed end) 25 mm dia	each	453.60
3084	Gunmetal non-return valve - vertical (screwed end) 32 mm dia	each	655.20
3088	Gunmetal non-return valve - vertical (screwed end) 40 mm dia	each	945.00
3092	Gunmetal non-return valve - vertical (screwed end) 50 mm dia	each	1272.60
3096	Gunmetal non-return valve - vertical (screwed end) 65 mm dia	each	2154.60
3213	Vitreous china Surgeon type wash basin of size 660x460 mm	each	1386.00
3228	600x120 mm glass shelf with anodised aluminium angle frame, C.P. brass brackets and guard rail of standard size	each	315.00
3229	Vitreous china flat back wash basin 550x400 mm	each	693.00
3300	Gunmetal non-return valve - vertical (screwed end) 80 mm dia	each	3641.40
3311	C.I.sluiice valve (with caps) class II : 100 mm dia	each	3666.60
3314	C.I.sluiice valve (with caps) class II : 125 mm dia	each	4410.00
3317	C.I.sluiice valve (with caps) class II : 150 mm dia	each	5418.00
3320	C.I.sluiice valve (with caps) class II : 200 mm dia	each	11604.60
3321	C.I.sluiice valve (with caps) class II : 250 mm dia	each	18648.00
3326	C.I.sluiice valve (with caps) class II : 300 mm dia	each	23310.00
3327	15 mm Battery Based Sensor Pillar Cock	each	7335.72
3617	C.P. Brass union 40mm dia	each	245.70
3620	C.C.I. (spun) socketed soil, waste and vent pipe 1.80 metres long:100 mm dia	each	1575.00
3621	C.C.I. (spun) socketed soil, waste and vent pipe 1.80 metres long: 75 mm dia	each	1304.10
3624	S.C.I. S&S bends with access door 100 mm dia	each	365.40
3625	S.C.I. S&S bends with access door 75 mm dia	each	302.40
3628	S.C.I. S&S bend 100 mm dia	each	333.90
3629	S.C.I. S&S bend 75 mm dia	each	245.70
3634	S.C.I. S&S heel rest sanitary bend 100 mm dia	each	322.96
3635	S.C.I. S&S heel rest sanitary bend 75 mm dia	each	315.00
3640	S.C.I. S&S single equal junctions 100x100x100 mm	each	594.72
3641	S.C.I. S&S single equal junctions 75x75x75 mm	each	415.80
3644	S.C.I. S&S single equal junctions with access door 100x100x100 mm	each	623.70
3645	S.C.I. S&S single equal junctions with access door 75x75x75 mm	each	469.98
3650	S.C.I. S&S double equal junctions 100x100x100x100 mm	each	781.20
3651	S.C.I. S&S double equal junctions 75x75x75x75 mm	each	582.12
3654	S.C.I. S&S double equal junctions with access door 100x100x100x100 mm	each	774.90
3655	S.C.I. S&S double equal junctions with access door 75x75x75x75 mm	each	604.80
3660	S.C.I. S&S single unequal junctions 100x100x75 mm	each	718.20
3664	S.C.I. S&S single unequal junctions with access door 100x100x75 mm	each	806.40
3670	S.C.I. S&S double unequal junctions 100x100x75x75 mm	each	1008.00
3674	S.C.I. S&S double unequal junctions with access door 100x100x75x75 mm	each	1071.00
3681	S.C.I. S&S single equal invert branch of required degree 100x100x100 mm dia	each	535.50

3682	S.C.I. S&S single equal invert branch of required degree 75x75x75 mm dia	each	406.98
3685	S.C.I. S&S double equal invert branch of required degree 100x100x 100x100 mm dia	each	667.80
3686	S.C.I. S&S double equal invert branch of required degree 75x75x75x75 mm dia	each	535.50
3690	S.C.I. S&S single unequal invert branch of required degree 100x100x75 mm dia	each	686.70
3695	S.C.I. S&S double unequal invert branch of required degree 100x100x75x75 mm dia	each	903.50
3699	S.C.I. S&S, 75 mm offset for 75 mm dia pipe	each	283.50
3707	S.C.I. S&S, 150 mm offset for 75 mm dia pipe	each	359.10
3708	S.C.I. S&S, 150 mm offset for 100 mm dia pipe	each	491.40
3712	S.C.I. S&S, 114 mm offset for 75 mm dia pipe	each	378.00
3713	S.C.I. S&S, 114 mm offset for 100 mm dia pipe	each	482.58
3716	S.C.I. S&S, 152 mm offset for 75 mm dia pipe	each	451.08
3717	S.C.I. S&S, 152 mm offset for 100 mm dia pipe	each	585.90
3728	S.C.I. S&S door pieces 100 mm dia	each	504.00
3729	S.C.I. S&S door pieces 75 mm dia	each	371.74
3733	S.C.I. S&S, Slotted Cowl (Terminal Guard) 100 mm	each	441.00
3734	S.C.I. S&S, Slotted Cowl (Terminal Guard) 75 mm	each	378.00
3738	S.C.I. S&S, collars 100 mm	each	315.00
3739	S.C.I. S&S, collars 75 mm	each	214.20
3746	S.C.I. S&S, 75 mm offset for 75 mm dia pipe	each	274.68
3747	S.C.I. S&S, 75 mm offset for 100 mm dia pipe	each	457.38
3749	Vitreous china toilet paper holder of standard size	each	189.00
3860	560 mm dia cover with frame (Heavy duty)	each	11340.00
3861	560 mm dia cover without frame (Heavy duty)	each	6300.00
4001	Stainless steel (Grade-304)hollow section round/square tubes	kg	600.00
4002	Stainless steel bolts/square bar and plates	kg	300.00
4006	Pressed steel door frames (mild steel sheet 1.60 mm) Profile "B"	metre	277.20
4007	Pressed steel door frames (mild steel sheet 1.60 mm) Profile "C"	metre	302.40
4008	Pressed steel door frames (mild steel sheet 1.60 mm) Profile "E"	metre	340.20
4009	Mild steel tubes hot finished welded type	kilogram	68.00
4010	Mild steel tubes hot finished seamless type	kilogram	75.00
4011	Mild steel tubes electric resistant or induction butt welded	kilogram	88.20
4012	Circular C.I. Box for ceiling fan	each	75.60
4013	Pulley 40 mm dia	each	37.80
4201	Aluminium primer	litre	126.00
4202	Red oxide Zinc chromate primer	litre	88.20
4203	Copper acetate	kilogram	378.00
4204	Hydrochloric acid	kilogram	44.10
4205	Copper chloride	kilogram	378.00
4206	Copper nitrate	kilogram	277.20
4207	Ammonium chloride	kilogram	25.20
5001	Mobil oil	litre	252.00
6001	White marble slab Makrana second quality plain veined 18 mm thick	sqm	2356.20
6007	Pink marble slab plain 18 mm thick	sqm	812.70
6010	Udaypur green marble slab plain 18 mm thick	sqm	869.40
6019	Black Zebra marble slab plain 18 mm thick	sqm	630.00
6501	Sand zone V (Jamuna)	cum	693.00
7001	Brass 100mm mortice latch and lock with 6 levers without pair of handles	each	327.60
7003	Pair of Anodised Aluminium lever handles for 100 mm mortice latch and lock	each	396.90
7004	Vitreous china flat back wash basin 450x300 mm	each	535.50
7005	Vitreous china 10 litres low level cistern without fittings	each	1165.50
7006	Vitreous china 10 litres low level cistern with fittings	each	2016.00

7008	F.P.S. (non modular) clay fly ash bricks class designation 7.5	1000 Nos	5796.00
7009	12.5 mm thick tapered edge gypsum plain borad	sqm	252.00
7010	Galvanised Steel ceiling section (size 80x26x0.50 mm)	metre	49.14
7011	Galvanised Steel perimetre Channel (Size 20x27x30x0.50 mm)	metre	34.02
7012	Galvanised Steel intermediate Channel (Size 15x45x15x0.90 mm)	metre	52.92
7013	Galvanised Steel angle hanger (Celling angle) (Size 25x10x0.50 mm)	metre	23.94
7014	Galvanised Steel connecting clips (2.64 mm dia and 230 mm long GI wire)	each	7.81
7015	Galvanised Steel soffit cleat (Size 27x37x25x0.60 mm)	each	5.04
7016	Joint filler	kilogram	27.72
7017	Joint finisher	kilogram	30.24
7018	Joint tape roll	roll	182.70
7019	Dash fastener / Chemical fastner	each	18.90
7020	All drive screws (for gypsum board)	100 Nos	75.60
7021	Primer (for gypsum board)	litre	107.10
7022	Chlorpyriphos 20% E.C. / Lindane 20% E.C.	litre	201.60
7023	Chromium plated brackets (curtain rods)	each	8.82
7024	Acid Proof cement	tonne	10269.00
7027	M.S. Butt hinges 125x90x4 mm	10 Nos	138.60
7028	12.5 mm thick Fully Perforated gypsum board	sqm	1168.02
7029	Galvanised wire mesh of average width of aperture 1.4 mm and nominal dia of wire 0.63 mm	sqm	315.00
7030	12.5 mm thick tapered edge gypsum fire resistant board	sqm	298.62
7031	12.5 mm thick tapered edge gypsum moisture resistant board	sqm	341.46
7032	Frosted glass sheet of nominal thickness 4 mm (weighing not less than 10 kg/sqm)	sqm	422.10
7033	Nickel plated M.S. pipe 25 mm dia	metre	100.80
7034	Nickel plated M.S. pipe 20 mm dia	metre	88.20
7035	Nickel plated M.S. Brackets for curtain rod 20 mm	each	8.82
7036	Nickel plated M.S - Brackets for curtain rod 25 mm	each	10.08
7040	Oxidised mild steel screws 35 mm	100 Nos	63.00
7042	Mild steel conduit pipe (heavy type) ISI marked-20 mm dia	metre	75.60
7043	Mild steel conduit pipe (heavy type) ISI marked-25 mm dia	metre	88.20
7044	Rolling shutters of 80x0.90 mm laths	sqm	1360.80
7045	Rolling shutters of 80x1.2 mm laths	sqm	1449.00
7046	Top cover of Rolling shutters 0.90 mm thick	metre	403.20
7047	Top cover of Rolling shutters 1.20 mm thick	metre	441.00
7048	Rawl plug 50 mm (designation 10 nos)	each	12.60
7049	Teak wood lipping of size 25x3 mm in pelmets	metre	27.72
7050	PU Primer	sqm	51.66
7051	40 mm (average) PU spray having 40-45 kg/m3 density	sqm	530.46
7052	GI wire netting 3/4" x 24 G	sqm	34.02
7053	400 G polythene sheet	sqm	18.90
7055	Flat pressed 3 layer and graded particle board (medium density) Grade 1 conforming to IS : 3087 - 18 mm thick	sqm	529.20
7056	Aluminium tee channel (heavy duty) with rollers and stop end	metre	63.00
7059	Aluminium hanging floor door stopper with twin rubber & stopper	each	81.90
7060	Hydraulic door closer tubular type Aluminium section body	each	1058.40
7063	Oxidised M.S.casement stay (straight peg type) 300 mm not less than 0.33 kg	each	27.72
7064	Oxidised M.S.casement stay (straight peg type) 250 mm not less than 0.28 kg	each	25.20
7065	Oxidised M.S. casement stay (straight peg type) 200 mm not less than 0.24 kg	each	22.68
7068	Extra for providing grilled rolling shutters with 8 mm dia M.S. rod	sqm	340.20
7070	Chequered precast cement concrete tiles 22 mm thick using marble chips of size 6mm - Light shade using white cement	sqm	592.20
7071	White marble Raj Nagar plain 18 mm thick upto 0.50 sqm area	sqm	756.00

7072	Wall mounted water closet	each	5859.00
7073	Adjustable Vitreous China Cistern with fittings	each	3150.00
7074	White Vitreous China Waterless Urinal	each	18900.00
7075	Cistern with fittings for Waterless Urinal	each	4284.00
7076	White Vitreous Urinal	each	17640.00
7077	Acid and alkali resistant tiles 300x300 mm size, 10 mm thick	10 Nos	718.20
7087	S.C.I. Tee 150 mm	each	756.00
7090	Expanded polystyrene type N- Normal	sqm	163.80
7091	Expanded polystyrene type - SE	sqm	195.30
7095	Stainless steel kitchen sink - with drain board bowl depth 250 mm	each	6533.10
7096	Stainless steel kitchen sink - with drain board 510 x 1040 mm bowl depth 225 mm	each	6237.00
7097	Stainless steel kitchen sink - with drain board 510 x 1040 mm bowl depth 200 mm	each	5355.00
7098	Stainless steel kitchen sink - with drain board 510x1040 mm bowl depth 178 mm	each	3780.00
7101	Stainless steel kitchen sink - without drain board 610x510 mm bowl depth 200 mm	each	3969.00
7102	Stainless steel kitchen sink - without drain board 610x460 mm bowl depth 200 mm	each	3584.70
7103	Stainless steel kitchen sink - without drain board 470x420 mm bowl depth 178 mm	each	2671.20
7104	Coloured Orissa pattern W.C. pan 580x440 mm	each	1663.20
7105	Coloured Pedestal type W.C. pan 580x440 mm (European type)	each	1449.00
7106	Coloured Vitreous china 10 lit. low level cistern	each	2167.20
7107	Coloured (other than black) solid P.V.C. seat in European W.C. pan	each	693.00
7112	Circular shape 450 mm dia Mirror with Plastic moulded frame	each	450.00
7113	Rectangular shape 453x357 mm Mirror with Plastic moulded frame	each	378.00
7114	Oval shape 450x350 mm (outer dimensions) Mirror with Plastic moulded frame	each	1000.00
7115	Rectangular shape 1500x450 mm Mirror with Plastic moulded frame	each	1800.00
7116	Hard board 6 mm thick	sqm	290.00
7117	Semi Rigid PVC waste pipe for sink and wash basin 32 mm dia with length not less than 700 mm i/c PVC waste fittings	each	37.80
7118	Semi Rigid PVC waste pipe for sink and wash basin 40 mm dia with length not less than 700 mm i/c PVC waste fittings	each	44.10
7119	Flexible (coil shaped) PVC waste pipe for sink and washbasin 32mm dia with length not less than 700 mm i/c PVC waste fittings	each	35.28
7120	Flexible (coil shaped) PVC waste pipe for sink and wash basin 40mm dia with length not less than 700 mm i/c PVC waste fittings	each	37.80
7123	Coloured High density polyethylene / poly propylene 10 lit. (full flush) capacity controlled low level flushing cistern with fittings	each	863.10
7126	White Vitreous china 10 litre (full flush) capacity controlled low level flushing cistern with all fittings	each	1228.50
7127	Coloured Vitreous china 10 litre (full flush) capacity controlled low level flushing cistern with all fittings	each	1890.00
7128	S.W. intercepting trap 100 mm dia	each	239.40
7129	S.W. intercepting trap 150 mm dia	each	315.00
7130	Rectangular shape 600x450 mm precast R.C.C. manhole cover with frame - L.D. - 25	each	945.00
7131	Square shape 450x450 mm precast R.C.C. manhole cover with frame - L.D. - 25	each	819.00
7132	Circular shape 450 mm dia precast R.C.C. manhole cover with frame - L.D. - 25	each	756.00
7133	Rectangular shape 500x500 mm precast R.C.C. manhole cover with frame - M.D. - 10	each	882.00

7134	Circular shape 500 mm dia precast R.C.C. manhole cover with frame - M.D.-10	each	831.60
7135	Circular shape 560 mm dia precast R.C.C. manhole cover with frame - H.D. - 20	each	1386.00
7136	Circular shape 560 mm dia precast R.C.C. manhole cover with frame - E.H.D. - 35	each	1543.50
7137	Factory made 35 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of 12 mm thick plain type-I, medium density flat pressed three layer, graded particle board (FPT-I) as per IS:3087 bonded with BWP type synthetic resin adhesive, as per IS:848	sqm	2331.00
7139	Factory made 35 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of 12 mm thick both sides prelaminated type-I, medium density flat pressed three layer, graded particle board (FPT-I) as per IS:3087 bonded with BWP type synthetic resin adhesive, as per IS:848	sqm	2557.80
7143	Factory made 35 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of 12 mm thick one side prelaminated type-I, and other side balancing lamination medium density flat pressed three layer, graded particle board (FPT-I) as per IS:3087 bonded with BWP type synthetic resin adhesive, as per IS:848	sqm	2457.00
7151	Factory made 30 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of sheet glass using 10 kg/ sqm glass panes	sqm	2079.00
7154	Factory made 35 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of galvanised wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm	sqm	2053.80
7155	Factory made 30 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of galvanised wire gauge with average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm	sqm	1827.00
7157	Laminated veneer lumber confirming to TADS 15:1995 manufactured in factory in frames of doors, windows	10 cudm	894.60
7178	Chemical ASTM C-type I	kg	138.60
7181	C.I. pile shoe	kilogram	63.00
7182	M.S. clamps for pile shoe	kilogram	90.00
7183	Bentonite	tonne	3906.00
7184	Oxidised M.S. safety chain (weighing not less than 450 gms) for door	each	75.60
7187	C.I. grating 150 mm dia, weighing not less than 440 gm	each	31.50
7188	uPVC pipes (working pressure 4 kg / cm ²) Single socketed pipe 75 mm dia	metre	84.42
7189	uPVC pipes (working pressure 4 kg / cm ²) Single socketed pipe 110 mm dia	metre	162.54
7190	uPVC pipes (working pressure 4 kg / cm ²) Rubber (Seal) Ring 75 mm dia	each	20.16
7191	uPVC pipes (working pressure 4 kg / cm ²) Rubber (Seal) Ring 110 mm dia	each	25.20
7192	uPVC coupler for UPVC drainage pipes 75 mm	each	42.84
7193	uPVC coupler for UPVC drainage pipes 110 mm	each	65.52
7194	uPVC pushfit coupler (single) 75 mm thick	each	63.00
7195	uPVC pushfit coupler (single) 110 mm thick	each	102.06
7196	uPVC single equal Tee (without door) 75x75x75 mm	each	119.70
7197	uPVC single equal Tee (without door) 110x110x110 mm	each	161.28
7198	uPVC single equal Tee (with door) 75x75x75 mm	each	144.90
7199	uPVC single equal Tee (with door) 110x110x110 mm	each	226.80
7208	UPVC bend 87.5° 75 mm bend	each	70.56

7209	UPVC bend 87.5° 110 mm bend	each	119.70
7212	UPVC plain shoe 75 mm bend	each	134.82
7213	UPVC plain shoe 110 mm bend	each	260.82
7214	UPVC pipe clip 75 mm bend	each	20.16
7215	UPVC pipe clip 110 mm bend	each	39.06
7231	Resin Bonded Glass wool 16 kg/ m3: 50 mm thick	sqm	189.70
7232	Resin Bonded Glass wool 24 kg/ m3: 50 mm thick	sqm	257.04
7233	Fibre glass tissue reinforcement Type II Grade I	sqm	90.72
7236	Precast chequered cement tiles 22 mm thick Dark shade using ordinary cement	sqm	289.80
7237	Precast chequered cement tiles 22 mm thick medium shade using 50% white cement 50% ordinary cement	sqm	750.00
7238	High Albedo paint	kg	309.96
7239	Epoxy paint	litre	315.00
7240	Fire retardant paint	litre	327.60
7241	Melamine polish	litre	378.00
7244	Table rubbed polished stone 18 mm thick (75x50cm) Agaria Marble stone - 18 mm thick	sqm	2205.00
7245	Table rubbed polished stone 18mm thick (75x50cm) Granite stone- 18 mm thick	sqm	2268.00
7246	Vertical load testing (initial) of piles in accordance with IS : 2911 (Part-IV) including installation of loading platform and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification and up to 50 tonne capacity pile	per test	41832.00
7247	Vertical load testing (initial) of piles in accordance with IS : 2911 (Part-IV) including installation of loading platform and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification & above 50 tonne and up to 100 tonne	per test	50778.00
7248	Vertical load testing (initial) of piles in accordance with IS : 2911 (Part-IV) including installation of loading platform and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification & group of two or more up to 50 tonne	per test	61110.00
7249	Cyclic vertical load testing of piles in accordance with IS : 2911 (Part-IV) including preparation of pile head etc. for Single pile up to 50 tonne capacity	per test	18900.00
7250	Cyclic vertical load testing of piles in accordance with IS : 2911 (Part-IV) including preparation of pile head etc. for Single pile above 50 tonne capacity pile and up to 100 tonne capacity pile	per test	28980.00
7251	Cyclic vertical load testing of piles in accordance with IS : 2911(Part-IV) including preparation of pile head etc. for Group of two piles up to 50 tonne capacity each	per test	37170.00
7252	Lateral load testing of single pile in accordance with IS : 2911 part-IV for determining safe allowable lateral load on pile up to 50 tonne capacity	per test	18900.00
7253	Lateral load testing of single pile in accordance with IS : 2911 part-IV for determining safe allowable lateral load on pile above 50 tonne capacity	per test	29736.00
7254	Hardening compound	litre	50.40
7255	Road marking paint (spirit based)	litre	151.20
7256	Superior quality road marking paint (water based)	litre	214.20
7257	C.P. Brass bibcock 15 mm	each	472.50
7258	C.P. Brass long nose bibcock 15 mm	each	827.82
7259	C.P. Brass long body bibcock 15 mm	each	631.26
7260	C.P. Brass stop cock (concealed) 15 mm	each	646.38
7261	C.P. Brass angle valve 15 mm	each	525.42
7266	Pressed clay tiles 20mm thick 250x250 mm size	1000 Nos	15309.00

7267	Plain ceiling tiles (BWP type phenol formaldehyde synthetic resin bonded) (600x600x12 mm)	each	151.20
7268	Semi perforated ceiling tiles (600x600x12 mm)	each	151.20
7269	25 mm thick particle board	sqm	604.80
7270	30 mm thick prelaminated flush door shutter	sqm	1071.00
7271	Ind class teak wood lipping 25 mm wide x 12 mm thick	metre	50.40
7272	25 mm thick melamine faced prelaminated three layer particle board	sqm	1184.40
7273	Resin Bonded Rockwool 48 kg/m3	sqm	265.86
7280	Waste plastic additive	tonne	50400.00
7281	Chemical ASTM C-type II	kg	214.20
7295	Granite of any colour, 18 mm thick (slab area upto 0.50 sqm)	sqm	2394.00
7296	Granite of any colour, 30 mm thick (slab area upto 0.50 sqm)	sqm	2898.00
7297	Granite of any colour, 18 mm thick (slab area above 0.50 sqm)	sqm	2520.00
7306	Aluminium T or L sections	kilogram	252.00
7307	For flush door shutters Extra for providing teak veneering on one side instead of commercial veneering	sqm	428.40
7309	Paving Asphalt of grade VG-30 of approved quality	tonne	51660.00
7312	Expandable fastener with plastic sleeve and M.S. screws :25 mm long	each	12.60
7313	Expandable fastener with plastic sleeve and M.S. screws :32 mm long	each	13.86
7314	Expandable fastener with plastic sleeve and M.S. screws :40 mm long	each	17.64
7315	Expandable fastener with plastic sleeve and M.S. screws. 50 mm long	each	18.90
7318	Plasticizer / super plasticizer	kilogram	47.88
7319	Wall form panel 1250x500 mm	each	1323.00
7320	Tie bolt 12 mm dia 100 mm length	each	63.00
7321	Tie bolt 12 mm dia 150 mm length	each	75.60
7322	Tie bolt 20 mm dia 150 mm length	each	94.50
7323	Tie bolt 20 mm dia 225 mm length	each	113.40
7324	Spring coil 12 mm	each	20.16
7325	Plastic cone 12 mm dia	each	22.68
7326	Corner angle 45x45x5 mm 1.50 m long	each	378.00
7327	100 mm channel shoulder 2.5 m long	each	1461.60
7328	Double clip (bridge clip)	each	122.22
7329	Single clip	each	97.02
7330	M.S. tube 40 mm dia	metre	352.80
7331	Wall form panel 1250x450 mm	each	1310.40
7332	Corner angle 45x45x5 mm 2.50 m long	each	428.40
7333	Column clamp 450x1070 mm	each	1537.20
7334	Prop 2 m (2-3.5 m)	each	1045.80
7335	Binding wire	kilogram	66.78
7338	Gun metal cramp	kilogram	415.80
7339	Stainless steel cramp	kilogram	428.40
7340	Stainless steel pin.	kg	239.40
7342	Adjustable span ESO+SI (2.35-3.40)	each	2394.00
7343	Adjustable telescopic prop 3 m (2.02-3.75 m)	each	1512.00
7344	Beam clamp 300-380 mm (450-1070 mm)	each set	531.72
7345	Prop 4 m	each	1474.20
7346	Double coupler	each	69.30
7347	Cadmium plated full threaded steel screws (30x4 mm dia)	100 Nos	35.28
7348	Aluminium washer 2 mm thick 15 mm dia	100 nos	12.60
7349	12 mm M.S. 'U' beading	metre	18.90
7354	Plastic encapsulated M.S. foot rest 30x20x15 cm	each	144.90
7358	Flushing Cistern P.V.C. 10 litre capacity (low level) (White) (with fittings, accessories and flush pipe)	each	806.40
7359	P.V.C. automatic flushing cistern 5 litre capacity	each	617.40

7361	P.V.C. automatic flushing cistern 10 litre capacity	each	667.80
7363	15 mm C.P. brass tap with elbow operation lever	each	882.00
7364	White glazed fire clay draining board 600x450x25 mm	each	693.00
7366	Glass reinforced Gypsum (GRG) board 12.5 mm thick	sqm	302.40
7367	Galvanised M.S. sheet 0.5 mm thick pressed channel section of size 50x32 mm	metre	75.60
7369	Galvanised M.S. sheet 0.50 mm thick pressed stud : 48x34x36 mm	metre	94.50
7375	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Single lipped urinal	each	585.50
7376	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Range of two lipped urinals	each	1323.00
7377	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Range of three lipped urinals	each	1575.00
7378	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Range of four lipped urinals	each	2394.00
7379	White vitreous china clay half stall urinal flat back 580x380x350mm or angle back 450x375x350 mm with waste fittings as per IS:2556	each	2016.00
7380	Precast R.C.C. grating with frame 500x450 mm horizontal grating	each	819.00
7381	Precast R.C.C. grating with frame 450x100 mm vertical grating	each	409.50
7382	Bitumen emulsion rapid setting (R.S.) conforming to IS : 8887	tonne	37548.00
7385	3 mm thick translucent white acrylic plastic sheet	sqm	718.20
7386	12 mm thick particle board ceiling tile	sqm	327.60
7387	Spigot for standard jointing	kilogram	56.70
7388	Dash hold fastener 12.5 mm dia, 50 mm long with 6 mm dia bolt	each	63.00
7389	Anodising 15 microns on aluminium sections	kilogram	50.40
7390	Neoprene/EPDM rubber gasket	metre	31.50
7391	Anodising 25 microns on aluminium sections	kilogram	63.00
7392	Powder coating 50 microns on aluminium sections	kilogram	80.64
7393	Polyester powder coating 50 microns on aluminium sections	kilogram	88.20
7394	Double action hydraulic floor spring with stainless steel cover plate	each	1953.00
7395	6 mm dia G.I. adjustable hangers including clips (up to 1.2 m length)	each	35.28
7396	Double action hydraulic floor spring with brass cover plate	each	2142.00
7397	Base Jack	each	226.80
7398	Challies	each	1008.00
7399	Cup locks	each	100.80
7400	15 mm PTMT bib cock	each	126.00
7401	15 mm PTMT bib cock with flange (fancy)	each	176.40
7402	15 mm PTMT bib-cock long body with flange	each	201.60
7403	15 mm dia PTMT stop cock(male thread)	each	190.00
7405	20 mm dia PTMT stop cock	each	220.00
7406	PTMT pillar cock	each	250.00
7407	PTMT push cock 15 mm dia	each	110.00
7408	PTMT push cock 12 mm dia 20 mm BSP	each	125.00
7409	PTMT grating 100 mm dia	each	90.00
7410	PTMT Pillar cock (fancy) 15 mm foam flow	each	350.00
7411	125 mm grating with waste hole	each	110.00
7412	Rectangular type with openable circular lid 150 mm size 18 mm high with 100 mm dia (110 gm)	each	153.72
7415	Double acting air valve 50 mm	each	5040.00
7416	Double acting air valve 80 mm	each	6552.00
7417	Double acting air valve 100 mm	each	8568.00
7418	Water meter (including testing charges) 80 mm	each	2683.80
7419	Water meter (including testing charges) 100 mm	each	4158.00
7420	Water meter (including testing charges) 150 mm	each	6300.00
7421	Water meter (including testing charges) 200 mm	each	6804.00
7422	Dirt box strainer 80 mm	each	3540.60
7423	Dirt box strainer 100 mm	each	5770.80

7424	Dirt box strainer 150 mm	each	7320.60
7425	Dirt box strainer 200 mm	each	10395.00
7426	Cat's eye	each	226.80
7427	Water stops Serrated with central bulb (225 mm wide, 8-11 mm thick)	metre	522.90
7428	Water stops Dumb bell with central bulb	metre	491.40
7429	Kickers	metre	472.50
7430	Wedge expansion hold fastener 1/4" or 6 mm	each	17.64
7431	Wedge expansion hold fastener 3/8" or 10 mm	each	18.90
7432	Wedge expansion hold fastener 1/2" or 12 mm	each	35.28
7439	8mm thick (mirror polished tiles machine cut edge) Raj Nagar white	sqm	630.00
7442	Wheel 75 mm dia. 40 mm wide	each	81.90
7443	Aluminium single cleat of size 30x32x3 mm	each	17.64
7444	Aluminium grip strip of size 50x12x2 mm	each	13.86
7445	25 mm thick prelaminated flush door shutter both side decorative	sqm	1045.80
7449	Aluminium U beading	kilogram	277.20
7451	Glass sheet (Pin headed) 4 mm thick	sqm	378.00
7452	Raj nagar plain white marble (table rubbed and polished) 18 mm thick (slab area upto 0.50 sqm)	sqm	819.00
7453	Raj nagar plain white marble (table rubbed and polished) 18 mm thick (slab area more than 0.50 sqm)	sqm	945.00
7466	Second class deodar teak wood lipping 30 mm wide x 12 mm thick	metre	37.80
7468	Veneered particle board with commercial veneering on both sides 12 mm thick	sqm	630.00
7477	Prelaminated particle board with one side decorative and other side balancing lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS : 12823 (exterior grade) 12 mm thick	sqm	932.40
7478	Prelaminated particle board with one side decorative and other side balancing lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS : 12823 (exterior grade) 18 mm thick	sqm	1071.00
7479	Prelaminated particle board with one side decorative and other side balancing lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS : 12823 (exterior grade) 25 mm thick	sqm	1171.80
7480	Pre/aminated particle board with both sides decorative lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS : 12823 (exterior grade) 12 mm thick	sqm	982.80
7485	Oxidised M. S. hinges finished with nickel plating 50 mm (Over all width)	metre	52.92
7486	Oxidised M. S. hinges finished with nickel plating 65 mm (Over all width)	metre	68.04
7491	PTMT - Waste Coupling 31/32 mm	each	64.26
7492	PTMT - Waste Coupling 38/40 mm	each	80.64
7493	PTMT - Bottle Trap 31/32 mm	each	399.42
7494	PTMT - Bottle Trap 38/40 mm	each	434.70
7495	PTMT Ball Cock 15mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	168.84
7496	PTMT Ball Cock 20mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	245.70
7497	PTMT Ball Cock 25mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	529.20
7498	PTMT Ball Cock 40mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	982.80
7499	PTMT Ball Cock 50mm complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	1449.00
7500	PTMT Angle Stop cock with Flange 15 mm	each	163.80
7501	PTMT Swiveling shower 15 mm	each	109.62

7503	PTMT Liquid Soap Container of 400 ml capacity	each	182.70
7504	PTMT Towel Ring 215x200x37 mm	each	146.16
7505	PTMT- Towel Rail (450 mm)	each	230.00
7506	PTMT - Towel Rail (600 mm)	each	300.00
7507	PTMT Shelf 450x124x36 mm	each	400.00
7508	PTMT - Urinal Spreader 15 mm	each	290.00
7509	PTMT Soap Dish/Holder 138x102x75 mm	each	320.00
7512	PTMT handle 125x34x24 mm	each	85.00
7513	PTMT handle 150x34x24 mm	each	80.00
7514	PTMT butt hinges 75x60x10 mm	each	60.00
7515	PTMT butt hinges 100x75x10 mm	each	70.56
7516	PTMT Tower bolt 152x42x18 mm	each	81.90
7517	PTMT Tower bolt 202x42x18 mm	each	100.80
7518	PTMT door catcher 72x42 mm	each	34.02
7552	Coir veneered board 4 mm thick	sqm	365.40
7553	Coir veneered board 6 mm thick	sqm	491.40
7555	Coir veneered board 12 mm thick	sqm	819.00
7556	Coir veneered board 18 mm thick	sqm	1297.80
7651	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 100 mm dia	metre	1008.00
7652	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 150 mm dia	metre	1512.00
7653	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 200 mm dia	metre	2079.00
7654	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 250 mm dia	metre	2898.00
7655	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 300 mm dia	metre	3603.60
7656	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 350 mm dia	metre	4422.60
7657	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 400 mm dia	metre	5670.00
7658	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 450 mm dia	metre	6552.00
7659	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 500 mm dia	metre	8290.80
7660	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 600 mm dia	metre	9991.80
7661	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 700 mm dia	metre	13860.00
7662	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 750 mm dia	metre	14994.00
7663	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 800 mm dia	metre	15120.00
7664	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 900 mm dia	metre	18270.00
7665	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 1000 mm dia	metre	20538.00
7666	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 100 mm dia	each	37.80
7668	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 150 mm dia	each	47.88
7669	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 200 mm dia	each	83.16
7670	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 250 mm dia	each	98.28
7671	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 300 mm dia	each	144.90
7672	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 350 mm dia	each	166.32
7673	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 400 mm dia	each	302.40
7674	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 450 mm dia	each	352.80
7675	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 500 mm dia	each	384.30
7676	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 600 mm dia	each	478.80
7677	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 700 mm dia	each	724.50
7678	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 750 mm dia	each	869.40
7679	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 800 mm dia	each	957.60

7680	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 900 mm dia	each	1260.00
7681	Rubber Gaskets Conforming to I.S 5382 of S.B.R quality 1000 mm dia	each	1512.00
7682	Ductile Iron K - 12 specials suitable for push on jointing up to 600mm dia	quintal	16380.00
7683	Ductile Iron K - 12 specials suitable for push on jointing over 600mm dia	quintal	22680.00
7684	Ductile Iron specials suitable for mechanical jointing as per I.S. 9523 - up to 600 mm dia	quintal	17262.00
7685	Ductile Iron Specials suitable for mechanical jointing as per I.S.9523 over 600 mm dia	quintal	24759.00
7686	Ductile Iron Pipe Class K-9 flanges and welding 100 mm dia	metre	2746.80
7687	Ductile Iron Pipe Class K-9 flanges and welding 150 mm dia	metre	4410.00
7688	Ductile Iron Pipe Class K-9 flanges and welding 200 mm dia	metre	5178.60
7689	Ductile Iron Pipe Class K-9 flanges and welding 250 mm dia	metre	4315.50
7690	Ductile Iron Pipe Class K-9 flanges and welding 300 mm dia	metre	8769.60
7691	Ductile Iron Pipe Class K-9 flanges and welding 350 mm dia	metre	11088.00
7692	Ductile Iron Pipe Class K-9 flanges and welding 400 mm dia	metre	13368.60
7693	Ductile Iron Pipe Class K-9 flanges and welding 450 mm dia	metre	16254.00
7694	Ductile Iron Pipe Class K-9 flanges and welding 500 mm dia	metre	19026.00
7695	Ductile Iron Pipe Class K-9 flanges and welding 600 mm dia	metre	25993.80
7696	Ductile Iron Pipe Class K-9 flanges and welding 700 mm dia	metre	32256.00
7697	S&S Centrifugally (Spun) C.I. Pipe class LA 100 mm dia	metre	1134.00
7698	S&S Centrifugally (Spun) C.I. Pipe class LA 125 mm dia	metre	1411.20
7699	S&S Centrifugally (Spun) C.I. Pipe class LA 150 mm dia	metre	1701.00
7700	S&S Centrifugally (Spun) C.I. Pipe class LA 200 mm dia	metre	2898.00
7701	S&S Centrifugally (Spun) C.I. Pipe class LA 250 mm dia	metre	3780.00
7702	S&S Centrifugally (Spun) C.I. Pipe class LA 300 mm dia	metre	5103.00
7703	S&S Centrifugally (Spun) C.I. Pipe class LA 350 mm dia	metre	6111.00
7704	S&S Centrifugally (Spun) C.I. Pipe class LA 400 mm dia	metre	8064.00
7705	S&S Centrifugally (Spun) C.I. Pipe class LA 450 mm dia	metre	9765.00
7706	S&S Centrifugally (Spun) C.I. Pipe class LA 500 mm dia	metre	11340.00
7707	S&S Centrifugally (Spun) C.I. Pipe class LA 600 mm dia	metre	15869.70
7708	S&S Centrifugally (Spun) C.I. Pipe Specials as per IS 1538 suitable for lead jointing up to 300 mm dia	quintal	6867.00
7709	S&S Centrifugally (Spun) C.I. Pipe Specials as per IS 1538 suitable for lead jointing over 300 mm dia	quintal	10332.00
7710	S&S Centrifugally (Spun) C.I. Pipe specials suitable for mechanical joint as per I.S. 13382 up to 300 mm dia	quintal	11340.00
7711	S&S Centrifugally (Spun) C.I. Pipe Specials suitable for mechanical joint as per I.S. 13382 over 300 mm dia	quintal	11970.00
7712	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 100 mm dia	metre	1732.50
7713	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 150 mm dia	metre	2709.00
7714	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 200 mm dia	metre	4284.00
7715	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 250 mm dia	metre	5166.00
7716	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 300 mm dia	metre	6602.40
7717	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 350 mm dia	metre	8316.00
7718	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 400 mm dia	metre	10773.00
7719	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 450 mm dia	metre	13734.00

7720	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 500 mm dia	metre	17085.60
7721	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 600 mm dia	metre	23688.00
7722	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 100 mm dia	metre	976.50
7723	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 150 mm dia	metre	1411.20
7724	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 200 mm dia	metre	1953.00
7725	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 250 mm dia	metre	2646.00
7726	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 300 mm dia	metre	3654.00
7727	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 350 mm dia	metre	4340.70
7728	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 400 mm dia	metre	5058.90
7729	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 450 mm dia	metre	6113.52
7730	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 500 mm dia	metre	7226.10
7731	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 600 mm dia	metre	9424.80
7732	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 700 mm dia	metre	12112.38
7733	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 800 mm dia	metre	15246.00
7734	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 900 mm dia	metre	20248.20
7735	Ductile Iron Class K- 7 pipe conforming to I.S. 8329 - 1000 mm dia	metre	21460.32
7736	Extruded burnt flyash clay sewer bricks conforming to I.S 4885	1000 Nos	6804.00
7737	Fly ash lime bricks (FALG Bricks) conforming to I.S. 12894	1000 Nos	5922.00
7738	Calcium Silicate Bricks machine moulded conforming to I.S. 4139	1000 Nos	6300.00
7739	Modified Bitumen Refinery produced CRMB - 55	tonne	51534.00
7741	Modified Bitumen Refinery produced CRMB - 60	tonne	51408.00
7742	Bitumen emulsion medium setting (M.S.) confirming to IS : 8887	tonne	37800.00
7743	M.S. pipe 150 mm dia casing pipe	metre	1335.60
7744	M.S. pipe 200 mm dia casing pipe	metre	1638.00
7745	PVC blind pipe 150 mm dia as per IS: 12818	metre	630.00
7746	PVC blind pipe 200 mm dia as per IS: 12818	metre	945.00
7747	M.S. cap 150 mm dia	each	201.60
7748	M.S. cap 200 mm dia	each	252.00
7749	M.S. bail plug 150 mm dia	each	252.00
7750	M.S. bail plug 200 mm dia	each	277.20
7751	PVC slotted pipe 150 mm dia as per IS: 12818	metre	567.00
7752	PVC slotted pipe 200 mm dia as per IS: 12818	metre	882.00
7753	Boulder 50 mm to 200 mm	cum	441.00
7754	Gravel 5 mm to 10 mm	cum	882.00
7755	Gravel 1.5 mm to 2 mm	cum	819.00
7756	Gravel 3 mm to 6 mm	cum	856.80
7757	M.S. pipe 100 mm dia casing pipe	metre	970.20
7758	uPVC blind pipe 100 mm dia as per IS: 12818	metre	453.60
7759	uPVC slotted pipe 100 mm dia as per IS: 12818	metre	478.80
7760	M.S. cap 100 mm dia	each	163.80
7761	M.S. bail plug 100 mm dia	each	201.60
7762	Precast R.C.C. perforated slab	each	1008.00
7763	Water supply tanker of 5000 litre capacity	each	1008.00
7764	M.S. socket 100 mm dia	each	226.80
7765	M.S. socket 150 mm dia	each	277.80
7766	M.S. socket 200 mm dia	each	352.80
7767	Stone cleaning chemical approved by ASI	litre	207.90
7768	Water repellent chemical approved by ASI	litre	1999.62
7769	Stone surface strengthening chemical approved by ASI	litre	1285.20
7770	Turpentine oil	litre	85.68
7771	Liquid Amonia 5%	litre	202.86
7772	Pea Gravel	cum	945.00
7773	Coloured inter locking C.C. paver Block	sqm	630.00
7774	Stone size 10x10x7.50cm	each	11.34
7775	Sodium pentachlorophenate	kilogram	793.80
7800	Ceramic Glazed Tiles 1st quality minimum thickness 5mm in all colours shades and designs except burgundy, bottle green, black	sqm	600.00

7801	Ceramic Glazed Tiles 1st quality 300 x 300 mm in all shades and designs of White, Ivory, grey, Fume Red brown etc.	sqm	590.00
7802	Ceramic Glazed Tiles 1st quality 300 x 300 in all shades designs except White, Ivory, Grey, Fume Red Brown etc.	sqm	600.00
7803	Rectified Ceramic Glazed Tiles 1st quality 300 x 300 mm or more in all shades designs White, Ivory, Grey, Fume Red Brown etc.	sqm	775.00
7804	Rectified Ceramic Glazed Tiles 1st quality 300 x 300 mm or more in all shades designs except White, Ivory, Grey, Fume Red Brown etc.	sqm	790.00
7805	Salem Stainless steel AISI - 304 (18/8) Orrisa pattern W.C. pan 724 mm X 578 mm	each	4788.00
7806	Salem Stainless steel AISI - 304 (18/8) Round basin 405mm X 355 mm	each	2331.00
7807	Salem Stainless steel AISI - 304 (18/8) Wash basin 530mm X 345 mm	each	2079.00
7808	Centrifugally cast (spun) iron S&S 100 mm inlet and 100 mm outlet	each	548.10
7809	Centrifugally cast (spun) iron S&S 100 mm inlet and 75 mm outlet	each	589.68
7850	Agaria White marble slab plain 18 mm thick	sqm	1411.20
7857	P.T.M.T. Grating square slit 150 mm	each	97.02
7858	P.T.M.T. Urinal cock 15 mm dia	each	151.20
7859	P.T.M.T. Bib cock with nozzle 15 mm	each	182.70
7861	P.T.M.T. Stop cock (concealed) 15 mm	each	199.08
7862	15 mm nominal bore and 30 cm length PVC connection pipe with P.T.M.T. Nuts	each	40.32
7863	15 mm nominal bore and 45 cm length PVC connection pipe with P.T.M.T. Nuts	each	50.40
7864	P.T.M.T. extension nipple 15 mm	each	40.32
7865	P.T.M.T. extension nipple 20 mm	each	47.88
7866	P.T.M.T. extension nipple 25 mm	each	71.82
7893	Tactile tile	sqm	1093.68
7895	Matt finished vitrified tile 100x100 x16 mm	sqm	1200.00
7896	Vitrified tile	sqm	650.00
7900	Modular common burnt clay bricks of class designation 7.5	1000 Nos	5670.00
7901	Machine moulded perforated common burnt clay FPS (non modular) bricks of class designation 12.5	1000 Nos	10000.00
7902	Machine moulded common burnt clay modular perforated bricks of class designation 12.5	1000 Nos	10000.00
7903	Machine moulded common burnt clay FPS (non modular) bricks of class designation 12.5	1000 Nos	10000.00
7904	Machine moulded common burnt clay tile bricks of class designation 12.5	1000 Nos	6300.00
8001	24 mm thick Factory made shutters with style, rails and panels of PVC extruded sections in white, grey or wooden finish	sqm	2709.00
8002	30 mm thick Factory made shutters with style, rails and panels of PVC extruded sections in white, grey or wooden finish	sqm	2835.00
8003	Factory made PVC rigid foam panelled shutter i/c carriage	sqm	2709.00
8004	Factory made PVC rigid foam panelled shutter as per IS : 4020 i/c carriage	sqm	3213.00
8006	Factory made PVC rigid foam sheet 1 mm thick	sqm	233.10
8007	Factory made PVC rigid foam sheet 5 mm thick	sqm	796.32
8008	Factory made prelaminated PVC rigid foam sheet 5 mm thick	sqm	947.52
8010	48mmX40mmX1.5mm thick Factory made door frame of PVC extruded sections in white, grey or wooden finish	metre	189.00
8011	Factory made door frame PVC extruded sheet i/c carriage	metre	441.00
8012	Adhesive solvent cement	kg	250.00
8014	Factory made door frame of size 50x47 mm with wall thickness 5mm made of single piece extruded profile	metre	617.40
8100	Powder coated M.S. butt hinges 100 mm X58 mmX1.9 mm	10 Nos	107.10
8200	A.P.P. modified polymeric felt (two layers) 1.5 mm thick	sqm	75.60

8201	A.P.P. modified polymeric felt (two layers) 2 mm thick	sqm	124.74
8203	A.P.P. modified 2 mm thick membrane reinforced with glass fibre matt	sqm	210.42
8204	A.P.P. modified 3 mm thick membrane reinforced with glass fibre matt	sqm	260.82
8205	A.P.P. modified 3 mm thick membrane reinforced with polyester matt	sqm	308.70
8206	Bitumen primer for bitumen membrane	litre	103.32
8207	Geotextile 120 grams per sqm membrane	sqm	47.88
8210	Stainless steel screws 50 mm	100 Nos	315.00
8211	Stainless steel screws 40 mm	100 Nos	252.00
8212	Stainless steel screws 30 mm	100 Nos	189.00
8214	Stainless steel screws 20 mm	100 Nos	126.00
8215	Stainless steel butt hinges 125x64x1.9 mm IS : 12817 marked	10 Nos	315.00
8216	Stainless steel butt hinges 100x58x1.9 mm IS: 12817 marked	10 Nos	289.80
8217	Stainless steel butt hinges 75x47x1.8 mm IS : 12817 marked	10 Nos	189.00
8218	Stainless steel butt hinges 50x37x1.5 mm IS : 12817 marked	10 Nos	163.80
8219	Stainless steel butt hinges (heavy weight) 125x64x2.5 mm IS :12817 marked	10 Nos	415.80
8220	Stainless steel butt hinges (heavyweight) 100x60x2.5 mm IS :12817 marked	10 Nos	302.40
8221	Stainless steel butt hinges (heavy weight) 75x50x2.5 mm IS :12817 marked	10 Nos	245.70
8222	M.S. heavy weight butt hinges 125x90x4.0 mm IS: 1341 marked.	10 Nos	415.80
8223	M.S. heavy weight butt hinges 100x75x3.5 mm IS: 1341 marked	10 Nos	214.20
8224	M.S. heavy weight butt hinges 75x60x3.1 mm IS: 1341 marked	10 nos	113.40
8225	M.S. heavy weight butt hinges 50x40x2.5 mm IS : 1341 marked	10 Nos	94.50
8300	1216 mm PE-AL-PE Composite pressure pipe	metre	119.70
8301	1620 mm PE-AL-PE Composite pressure pipe	metre	157.50
8302	2025 mm PE-AL-PE Composite pressure pipe	metre	201.60
8303	2532 mm PE-AL-PE Composite pressure pipe	metre	258.30
8304	3240 mm PE-AL-PE Composite pressure pipe	metre	428.40
8305	4050 mm PE-AL-PE Composite pressure pipe	metre	472.50
8501	Polymer modified cementation coating	kilogram	170.10
8502	Fibre glass cloth	sqm	55.44
8504	Multi surface paint	litre	346.50
8505	Acrylic exterior paint	litre	320.00
8506	Premium Acrylic exterior paint	litre	280.00
8507	Textured exterior paint	litre	252.00
8508	Primer for cement paint	litre	110.00
8509	Special Primer (C.W.)	litre	104.58
8510	Metal Primer (U.G.)	litre	175.00
8589	Calcium Silicate tegular edged ceiling tiles 595x595 mm and 15mm thick	sqm	1081.08
8590	Galvanised Steel main Tee ceiling section Size 24x38x0.33 mm(3 metre long)	each	241.92
8591	Galvanised Steel perimeter wall Angle Size 24 x 24 x 0.40 mm(3.00 metre long)	each	157.50
8592	Galvanised Steel intermediate cross T section Size 24 x 25 x0.33 mm (1.2 metre long)	each	97.02
8593	Galvanised Steel intermediate cross T section Size 24 x 25 x0.33 mm (0.6 metre long)	each	49.14
8594	Galvanised Steel soffit cleat size 25x35x1.60 mm	each	3.78
8595	Wooden screws with plastic rawl plugs 35x8 mm	each	0.76
8597	GI Metal Tile Clip in Plain Beveled edge global white colour tiles of size 600x600 mm and 0.5 mm thick	sqm	1127.70
8598	GI Metal Tile Clip in Perforated Beveled edge global white colour tiles of size 600x600 mm and 0.5 mm thick	sqm	1260.00

8599	GI Metal Tile Lay-in Plain Tegular edge global white color tiles of Size 595x595 mm and 0.5 mm thick	sqm	1019.34
8600	GI Metal Tile Lay-in Perforated Tegular edge global white color tiles of Size 595x595 mm and 0.5 mm thick	sqm	1145.56
8601	PVC Laminated Gypsum Tiles (Square edge) of Size 595x595mm and 12.5 mm thick	sqm	589.68
8602	Gypsum Tiles Fully Perforated Square edge of Size 595x595 mm and 12.5 mm thick	sqm	608.84
8604	Spring T-section 24x34x0.45 mm (3.00 meter long)	metre	226.80
8605	C Wall angle section 20x30x20x0.50 mm (3.00 meter long)	metre	195.30
8606	Main C Carrier Size 10x38x10x0.70 mm (3.00 meter long)	metre	206.64
8607	Spring T-connector	each	6.30
8608	C Carrier Connector	each	13.86
8609	C Suspension Clip	each	13.86
8610	Wire Coupling Clip	each	11.34
8611	Main T ceiling sections 24x38x0.3 mm (3 metre long)	each	235.62
8612	Perimeter wall angle 24 x 24 x 0.3 mm (3 metre long)	each	148.68
8613	Intermediate cross T-Section 24x25x0.3 mm (1.2 m long)	each	90.72
8614	Intermediate cross T-Section 24x25x0.3 mm (0.6 m long)	each	42.84
8615	Hanger rod 4 mm thick	each	10.08
8616	Adjustment clip 85x30x0.8 mm	each	7.56
8617	Soffit cleat (Size 27x37x25x1.60 mm)	each	3.78
8618	Dash fastener 6 mm dia 50 mm long	each	13.86
8620	Vitrified floor tile 50x50 cm	sqm	800.00
8621	Vitrified floor tile 60x60 cm	sqm	950.00
8622	Vitrified floor tile 80x80 cm	sqm	1200.00
8623	Vitrified floor tile 100x100 cm	sqm	1400.00
8625	Poly propylene- Random - Co - Polymer (PPR) pipes SDR 7.4 -16 mm Outer dia	metre	46.62
8626	Poly propylene - Random - Co - Polymer (PPR) pipes SDR 7.4 -20 mm Outer dia	metre	71.82
8627	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 -25 mm outer dia	metre	110.88
8628	Poly propylene - Random - Co - poymer (PPR) pipes SDR 7.4 -32 mm Outer dia	metre	178.92
8629	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 -40 mm Outer dia	metre	268.38
8630	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 -50 mm Outer dia	metre	419.58
8631	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 -63 mm Outer dia	metre	646.38
8632	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 -75 mm Outer dia	metre	882.00
8633	Poly propylene - Random - Co - polymer (PPR) pipes SDR 7.4 -90 mm Outer dia	metre	1343.16
8634	Poly propylene - Random - Co - polymer (PPR) pipes SDR - 11 -110 mm Outer dia	metre	1512.00
8635	Poly propylene - Random - Co - polymer (PPR) pipes SDR - 11-160 mm Outer dia	metre	3150.00
8636	Chlorinated Polyvinyl - chloride (CPVC) pipe 15 mm outer dia	metre	69.30
8637	Chlorinated Polyvinyl - chloride (CPVC) pipe 20 mm outer dia	metre	85.68
8638	Chlorinated Polyvinyl - chloride (CPVC) pipe 25 mm outer dia	metre	119.70
8639	Chlorinated Polyvinyl - chloride (CPVC) pipe 32 mm outer dia	metre	163.80
8640	Chlorinated Polyvinyl - chloride (CPVC) pipe 40 mm outer dia	metre	378.00
8641	Chlorinated Polyvinyl - chloride (CPVC) pipe 50 mm outer dia	metre	1146.60
8642	Chlorinated Polyvinyl - chloride (CPVC) pipe 62.5 mm inner dia	metre	1638.00
8643	Chlorinated Polyvinyl - chloride (CPVC) pipe 75 mm inner dia	metre	1638.00
8644	Chlorinated Polyvinyl - chloride (CPVC) pipe 100 mm inner dia	metre	2668.00
8645	Chlorinated Polyvinyl - chloride (CPVC) pipe 150 mm inner dia	metre	2709.00

8646	Silicon sealant	cartridge	386.82
8647	Stainless steel screws 30 mm x4 mm	100 Nos	36.54
8648	Hermetically sealed double glazed unit made with 6 mm thick clear float glass both side having 12 mm air gap	sqm	2885.40
8649	Stainless steel (SS 304 grade) adjustable friction window stay 205 x 19 mm	each	216.72
8650	Stainless steel (SS 304 grade) adjustable friction window stay 255 x 19 mm	each	270.90
8651	Stainless steel (SS 304 grade) adjustable friction window stay 355 x 19 mm	each	346.50
8652	Stainless steel (SS 304 grade) adjustable friction window stay 510 x 19 mm	each	617.40
8653	Stainless steel (SS 304 grade) adjustable friction window stay 710 x 19 mm	each	1071.00
8654	Masking tape	metre	3.15
8655	Autoclaved aerated cement (AAC) blocks	cum	251.50
8656	Gypsum panel 666 X 500 X 100 mm size	sqm	604.80
8657	Bonding plaster for Gypsum panel	kg	69.30
8659	Water proof ply 12 mm thick	sqm	819.00
8660	Aluminium casement window fastener (Anodised AC 15)	each	50.40
8661	Aluminium casement window fastener (powder coated)	each	51.66
8662	Aluminium casement window fastener (polyester powder coated)	each	50.40
8663	Aluminium round shape handle (anodised AC 15)	each	61.74
8664	Aluminium round shape handle (powder coated)	each	68.04
8665	Aluminium round shape handle (polyester powder coated)	each	74.34
8666	Stainless steel screws 25 mm x4 mm	100 Nos	40.32
8667	UV stabilised 2 mm thick plain FRP sheet	sqm	585.90
8668	UV stabilised 2 mm thick corrugated FRP sheet	sqm	677.88
8669	Mangalore ridge tiles 20 mm thick	each	36.54
8670	Mangalore tiles 20 mm thick	each	13.23
8671	Precoated galvanised iron profile sheet 0.50 mm TCT	sqm	600.00
8672	Precoated galvanised steel plain ridges	metre	600.00
8673	Precoated galvanised steel flashings/aprons	metre	610.00
8674	Precoated galvanised steel gutter	metre	573.30
8675	Precoated galvanised steel north light curves	metre	573.30
8676	Precoated galvanised steel barge board	metre	560.70
8677	Precoated galvanised steel crimp curve	sqm	598.50
8678	1 mm thick 35 mm wide bright finished stainless steel piano hinges	metre	50.40
8682	Epoxy Grout	kg	642.60
8683	Red sand stone gang saw cut 30 mm thick	sqm	579.60
8684	White sand stone gang saw cut 30 mm thick	sqm	604.80
8685	Delineator	each	390.60
8686	Precast C.C. Kerb stone M - 25	cum	5166.00
8687	Thermoplastic paint	kg	79.38
8688	Glass beads	kg	78.12
8689	Interlocking C.C. paver block (60 mm thick, M-30)	sqm	450.00
8690	High intensity retro - reflective sheet	sqm	1921.50
8691	Punched tape concertina coil 600 mm dia 10 m openable length (Total length 90 m)	bundle	945.00
8692	RBT reinforced barbed wire	metre	11.34
8693	Turn buckle and strengthening bolt	each set	50.40
8694	Precast pavement slab 450 x 450 x 50 mm (M - 30)	each	75.60
8695	Chain link fabric fencing mesh of size 50x50 mm made of G.I.wire of dia 4 mm	sqm	325.08
8696	Chain link fabric fencing mesh of size 50x50 mm made of G.I. wire of dia 4 mm, PVC coated to outer dia 5 mm	sqm	359.10
8697	Chain link fabric fencing mesh of size 25x25 mm made of G.I. wire of dia 3 mm	sqm	428.40

8698	Stainless steel cramps(weight 260 grams) with nuts, bolts and washer for dry stone cladding	each	113.40
8699	8 mm thick tapered edge calcium silicate board	sqm	463.68
8700	10 mm thick calcium silicate board	sqm	491.40
8701	SS pipe 304 grades with press fit technology as per JIS 3448 standard 48.60 mm outer dia	metre	856.80
8702	Coupling/Socket fittings for 15.88 mm outer dia SS pipe	each	71.82
8703	Telescopic drawer channels 300 mm long	set	176.40
8704	Stainless steel roller for sliding arrangement in racks/ cupboards/cabinets shutter	each	10.08
8705	50 mmX42 mmX2 mm thick Factory made door frame of PVC extruded sections in white, grey or wooden finish	metre	176.40
8706	25 mm thick factory made PVC flush door shutter i/c carriage	sqm	2709.00
8707	Factory made glass reinforced plastic door frame 90x45 mm i/c carriage	metre	478.80
8708	30 mm thick factory made glass fiber reinforced plastic panel door shutter i/c carriage	sqm	2331.00
8709	30 mm thick factory made solid PVC profile panelled door single piece extruded profile decorative finish (wood grain printed on both side)	sqm	3339.00
8710	Factory made solid PVC door frame 60 x 30 mm i/c carriage	metre	365.40
8711	28 mm factory made solid PVC panel door shutter i/c carriage	sqm	2835.00
8712	30 mm thick factory made solid PVC profile panelled door single piece extruded profile non decorative finish	sqm	2656.08
8713	Fiber glass reinforced plastic chajja	sqm	4536.00
8714	Magnetic catcher triple strip vertical type	each	25.20
8715	Magnetic catcher double strip horizontal type	each	18.90
8716	100 mm mortice lock with 6 levers for aluminium door	each	415.80
8717	12.5 mm thick Glass fibre reinforced Gypsum board	sqm	214.20
8719	2nd class teak wood lipping / moulded beading or Taj beading of size 18X5 mm	metre	37.80
8720	Ceiling sections 0.55 mm thick having a knurled web of 51.55 mm and two flanges of 26 mm each with lips of 10.55 mm	metre	50.40
8721	Perimeter channel having one flange of 20 mm and another flange of 30 mm with thickness of 0.55 mm and web of length 27 mm	metre	31.50
8722	Nylon sleeves & wooden screws (40 mm)	each	2.52
8723	Counter sunk ribbed head screw 25 mm	100 Nos	94.50
8724	12 mm thick marine plywood conforming to IS: 710	sqm	1071.00
8725	12 mm thick fire retardant plywood conforming to IS: 5509	sqm	1108.80
8726	1.5 mm thick decorative laminated sheet	sqm	617.40
8727	1.0 mm thick decorative laminated sheet	sqm	478.80
8730	30 mm thick factory made glass fiber reinforced plastic flush door shutter i/c carriage	sqm	2709.00
8731	High polymer modified quickset tile adhesive	per kg	31.42
8732	Synthetic ployster triangular fibre of length 12 mm, effective diameter 10-40 microns and specific gravity of 1.34 to 1.40	kg	459.90
8733	Synthetic ployster triangular fibre of length 6 mm, effective diameter 10-40 microns and specific gravity of 1.34 to 1.40	kg	459.90
8734	P.V.C. Single piece extruded door frame of profile size 50 mm x 47 mm with wall thickness of 5 mm	metre	441.00
8735	35 mm thick factory made solid panel PVC door shutter of single piece extruded profile non decorative finished (Matt finished)	sqm	2646.00
8736	35 mm thick factory made solid panel PVC door shutter of single piece extruded profile decorative finished (wood grain finished)	sqm	3276.00
8737	Stainless steel wire guage (Grade-304) aperture 1.4 mm and 0.50mm dia wire	sqm	1045.80
8738	Factory made door frame fire rated (60 minutes) made with 16 SWG G.I. Sheet of section 143 mm x 57 mm duly filled with vermuculite based concrete mix	metre	1260.00

8739	Fire rated door shuttere made with 16 SWG G.I. sheet(60 minutes) without panel	sqm	6615.00
8740	Fire seal Putty	kg	882.00
8741	Clear fire resistant glass panes 6mm thick (60 minutes)	sqm	26460.00
8742	G.I. U beading of 16 SWG G.I. sheet (zinc coating >120gm/ m2) with ceramic tape of suitable thickness and fire resistant primer coating	metre	327.60
8743	Matrix Mineral Board	metre	81.90
8744	Panic Bar / latch (Double point)	each	6300.00
8745	65 mm x 55 mm x 2 mm thick Factory made door frame of PVC extruded section in white,grey or wooden finish	metre	415.80
8746	37 mm thick Factory made shutter with style,rails and panels of PVC extruded section in white or grey finish i/c carriage	sqm	3961.00
8747	75 mm x 53 mm x 2.0 mm thick Factory made door frame of PVC extruded section in white,grey or wooden finish	metre	441.00
8748	37 mm thick Factory made fusion welded shutter with style,rails and panels of PVC extruded section in wooden finish	sqm	3087.00
8750	Zinc alloy (white powder coated) casement handle for uPVC windows	each	250.00
8751	Zinc alloy (white powder coated) Touch Lock for uPVC windows	each	138.60
8752	Zinc alloy rollers for uPVC windows	each	63.00
8753	Zinc alloy rollers for uPVC door	each	107.10
8754	Zinc alloy (white powder coated) casement lock for uPVC windows	each	126.00
8755	Stainless steel friction hinge of size 200 mm x 19 x 1.9 mm for uPVC windows	each	289.80
8756	Stainless steel friction hinge of size 250 mm x 19 x 1.9 mm for uPVC windows	each	364.40
8757	Stainless steel friction hinge of size 300 mm x 19 x 1.9 mm for uPVC windows	each	466.20
8758	Stainless steel friction hinge of size 350 mm x 19 x 1.9 mm for uPVC windows	each	529.20
8759	Stainless steel friction hinge of size 400 mm x 19 x 1.9 mm for uPVC windows	each	667.80
8760	uPVC extruded profile casement window Frame (50 mm x 50 mm)	metre	207.90
8761	uPVC extruded profile casement window sash (Style and Rail) (62 mm x 34 mm)	metre	189.00
8762	uPVC extruded profile casement window mullion (intermediate section) (66 mm x 50 mm)	metre	233.10
8763	uPVC extruded profile casement window 'T' profile (one vertical length in between two shutters) (24 mm x 34.5 mm)	metre	63.00
8764	uPVC extruded profile casement window glazing bead (12 mm x 18 mm)	metre	63.00
8765	uPVC extruded profile casement window Frame (67 mm x 62 mm)	metre	296.10
8766	uPVC extruded profile casement Window Sash/Mullion (67 mmx 75 mm)(Style,rail and intermediate section)	metre	333.90
8767	uPVC extruded profile casement window glazing bead (35 mm x 18 mm)	metre	107.10
8768	uPVC extruded profile Two Track Sliding frame (67 mm x 52 mm)	metre	308.70
8769	uPVC extruded profile Sliding window Sash (60 mm x 44 mm)	metre	289.80
8770	uPVC extruded profile Sliding Interlock for Window (one vertical length in each shutter) (45.5 mm x 28 mm)	metre	63.00
8771	uPVC extruded profile Sliding Door Sash (80 mm x 44 mm)	metre	365.40
8772	Aluminium Track on bottom rail for uPVC window	metre	31.50
8773	Wool Pine for uPVC window	metre	22.68
8774	Aluminium Grill	kg	495.00
8775	Steel Galvanised tubular reinforcement for uPVC door/ window	metre	63.00
8776	Stainless steel dash fastener of 8 mm dia and 75 mm long bolt	each	25.20
8778	Toughened glass 12 mm thickness	sqm	2394.00

8779	SS pipe 304 grades with press fit technology as per JIS 3448 standard 15.88 mm outer dia	metre	181.44
8780	SS pipe 304 grades with press fit technology as per JIS 3448 standard 22.22 mm outer dia	metre	320.04
8781	SS pipe 304 grades with press fit technology as per JIS 3448 standard 28.58 mm outer dia	metre	415.80
8782	SS pipe 304 grades with press fit technology as per JIS 3448 standard 34.00 mm outer dia	metre	589.68
8783	SS pipe 304 grades with press fit technology as per JIS 3448 standard 42.70 mm outer dia	metre	731.32
8784	8 mm thick Calcium silicate perforated tiles of size 595 x595 mm	sqm	266.88
8786	Coupling/Socket fittings for 22.22 mm outer dia SS pipe	each	110.88
8787	Coupling/Socket fittings for 28.58 mm outer dia SS pipe	each	136.08
8788	Coupling/Socket fittings for 34.00 mm outer dia SS pipe	each	291.06
8789	Coupling/Socket fittings for 42.70 mm outer dia SS pipe	each	415.80
8790	Coupling/Socket fittings for 48.60 mm outer dia SS pipe	each	561.96
8791	Reducer for 22.22 mm X 15.88 mm outer Dia SS pipe	each	129.78
8792	Reducer for 28.58 mm X 15.88 mm outer Dia SS pipe	each	177.66
8793	Reducer for 28.58 mm X 22.22 mm outer Dia SS pipe	each	182.70
8795	Reducer for 34.00 mm X 22.22 mm outer Dia SS pipe	each	298.62
8796	Reducer for 34.00 mm X 28.58 mm outer Dia SS pipe	each	298.62
8797	Reducer for 42.70 mm X 15.88 mm outer Dia SS pipe	each	452.34
8798	Reducer for 42.70 mm X 22.22 mm outer Dia SS pipe	each	456.12
8799	Reducer for 42.70 mm X 28.58 mm outer Dia SS pipe	each	456.12
8800	Reducer for 42.70 mm X 34.00 mm outer Dia SS pipe	each	487.62
8801	Reducer for 48.60 mm X 15.88 mm outer Dia SS pipe	each	589.68
8802	Reducer for 48.60 mm X 22.22 mm outer Dia SS pipe	each	592.20
8803	Reducer for 48.60 mm X 28.58 mm outer Dia SS pipe	each	597.24
8804	Reducer for 48.60 mm X 34.00 mm outer Dia SS pipe	each	603.54
8805	Reducer for 48.60 mm X 42.70 mm outer Dia SS pipe	each	603.54
8806	Slip Coupling / Socket 15.88 mm outer dia SS pipe	each	142.38
8807	Slip Coupling / Socket 22.22 mm outer dia SS pipe	each	231.84
8808	Slip Coupling / Socket 28.58 mm outer dia SS pipe	each	297.36
8809	Slip Coupling / Socket 34.00 mm outer dia SS pipe	each	439.74
8810	Slip Coupling / Socket 42.70 mm outer dia SS pipe	each	617.40
8811	Slip Coupling / Socket 48.60 mm outer dia SS pipe	each	767.34
8812	Elbow 90 0 for 15.88 mm outer dia SS pipe	each	110.00
8813	Elbow 90 0 for 22.22 mm outer dia SS pipe	each	250.00
8814	Elbow 90 0 for 28.58 mm outer dia SS pipe	each	260.00
8815	Elbow 90 0 for 34.00 mm outer dia SS pipe	each	600.00
8816	Elbow 90 0 for 42.70 mm outer dia SS pipe	each	790.00
8817	Elbow 90 0 for 48.60 mm outer dia SS pipe	each	1018.08
8818	Reducing Elbow 90 0 for 22.22 mm X 15.88 mm outer dia SS pipe	each	186.48
8819	Reducing Elbow 90 0 for 28.58 mm X 15.88 mm outer dia SS pipe	each	272.16
8820	Reducing Elbow 90 0 for 28.58 mm X 22.22 mm outer dia SS pipe	each	278.46
8821	Reducing Elbow 90 0 for 34.00 mm X 22.22 mm outer dia SS pipe	each	404.46
8822	Reducing Elbow 90 0 for 34.00 mm X 28.58 mm outer dia SS pipe	each	498.96
8823	Reducing Elbow 90 0 for 42.70 mm X 34.00 mm outer dia SS pipe	each	879.48
8824	Equal Tee for 15.88 mm outer dia SS pipe	each	200.34
8825	Equal Tee for 22.22 mm outer dia SS pipe	each	291.06
8826	Equal Tee for 28.58 mm outer dia SS pipe	each	372.96
8827	Equal Tee for 34.00 mm outer dia SS pipe	each	77.42
8828	Equal Tee for 42.70 mm outer dia SS pipe	each	1088.64
8829	Equal Tee for 48.60 mm outer dia SS pipe	each	1295.28
8830	Reducing Tee for 22.22 mm X 15.88 mm outer dia SS pipe	each	283.50
8831	Reducing Tee for 28.58 mm X 15.88 mm outer dia SS pipe	each	352.80
8832	Reducing Tee for 28.58 mm X 22.22 mm outer dia SS pipe	each	366.66
8833	Reducing Tee for 34.00 mm X 15.88 mm outer dia SS pipe	each	690.48
8834	Reducing Tee for 34.00 mm X 22.22 mm outer dia SS pipe	each	703.08

8835	Reducing Tee for 34.00 mm X 28.58 mm outer dia SS pipe	each	710.64
8836	Reducing Tee for 42.70 mm X 15.88 mm outer dia SS pipe	each	1031.94
8837	Reducing Tee for 42.70 mm X 22.22 mm outer dia SS pipe	each	1034.46
8838	Reducing Tee for 42.70 mm X 28.58 mm outer dia SS pipe	each	1035.72
8839	Reducing Tee for 42.70 mm X 34.00 mm outer dia SS pipe	each	1045.80
8840	Reducing Tee for 48.60 mm X 15.88 mm outer dia SS pipe	each	1126.44
8841	Reducing Tee for 48.60 mm X 22.22 mm outer dia SS pipe	each	1150.38
8842	Reducing Tee for 48.60 mm X 28.58 mm outer dia SS pipe	each	1159.20
8843	Reducing Tee for 48.60mm X 34.00 mm outer dia SS pipe	each	1207.08
8844	Reducing Tee for 48.60mm X 42.70mm outer dia SS pipe	each	1251.18
8845	Male thread Tee for 15.88 mm outer dia X 15 mm nominal dia threaded	each	360.36
8846	Male thread Tee for 22.22 mm outer dia X 15 mm nominal dia threaded	each	433.44
8847	Male thread Tee for 22.22 mm outer dia X 20 mm nominal dia threaded	each	463.68
8848	Male thread Tee for 28.58 mm outer dia X 15 mm nominal dia threaded	each	521.64
8849	Male thread Tee for 28.58 mm outer dia X 20 mm nominal dia threaded	each	544.32
8850	Male thread Tee for 28.58 mm outer dia X 20 mm nominal dia threaded	each	608.58
8851	Male thread Tee for 34.00 mm outer dia X 15 mm nominal dia threaded	each	758.52
8852	Male thread Tee for 34.00 mm outer dia X 20 mm nominal dia threaded	each	720.26
8853	Male thread Tee for 34.00 mm outer dia X 25 mm nominal dia threaded	each	979.02
8854	Male thread Tee for 34.00 mm outer dia X 32 mm nominal dia threaded	each	1236.06
8855	Male thread Tee for 42.70 mm outer dia X 15 mm nominal dia threaded	each	1157.94
8856	Male thread Tee for 42.70 mm outer dia X 20 mm nominal dia threaded	each	1185.66
8857	Male thread Tee for 42.70 mm outer dia X 25 mm nominal dia threaded	each	1290.24
8858	Male thread Tee for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1432.62
8859	Male thread Tee for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1740.06
8860	Male thread Tee for 48.60 mm outer dia X 15 mm nominal dia threaded	each	1260.00
8861	Male thread Tee for 48.60 mm outer dia X 20 mm nominal dia threaded	each	1297.80
8862	Male thread Tee for 48.60 mm outer dia X 25 mm nominal dia threaded	each	1353.24
8863	Male thread Tee for 48.60 mm outer dia X 32 mm nominal dia threaded	each	1625.40
8864	Male thread Tee for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1803.06
8865	Male thread Tee for 48.60 mm outer dia X 50 mm nominal dia threaded	each	2203.74
8866	Female thread Tee for 15.88 mm outer dia X 15 mm nominal dia threaded	each	367.92
8867	Female thread Tee for 22.22 mm outer dia X 15 mm nominal dia threaded	each	433.44
8868	Female thread Tee for 22.22 mm outer dia X 20 mm nominal dia threaded	each	448.56

8869	Female thread Tee for 28.58 mm outer dia X 15 mm nominal dia threaded	each	560.70
8870	Female thread Tee for 28.58 mm outer dia X 20 mm nominal dia threaded	each	573.30
8871	Female thread Tee for 28.58 mm outer dia X 25 mm nominal dia threaded	each	627.48
8872	Female thread Tee for 34.00 mm outer dia X 15 mm nominal dia threaded	each	241.68
8873	Female thread Tee for 34.00 mm outer dia X 20 mm nominal dia threaded	each	855.54
8874	Female thread Tee for 34.00 mm outer dia X 25 mm nominal dia threaded	each	965.16
8875	Female thread Tee for 34.00 mm outer dia X 32 mm nominal dia threaded	each	1146.60
8876	Female thread Tee for 42.70 mm outer dia X 15 mm nominal dia threaded	each	1126.44
8877	Female thread Tee for 42.70 mm outer dia X 20 mm nominal dia threaded	each	1146.60
8878	Female thread Tee for 42.70 mm outer dia X 25 mm nominal dia threaded	each	1287.72
8879	Female thread Tee for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1344.42
8880	Female thread Tee for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1464.12
8881	Female thread Tee for 48.60 mm outer dia X 15 mm nominal dia threaded	each	1341.90
8882	Female thread Tee for 48.60 mm outer dia X 20 mm nominal dia threaded	each	1355.76
8883	Female thread Tee for 48.60 mm outer dia X 25 mm nominal dia threaded	each	1404.90
8884	Female thread Tee for 48.60 mm outer dia X 32 mm nominal dia threaded	each	1491.84
8885	Female thread Tee for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1553.58
8886	Female thread Tee for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1721.16
8887	Female threaded Connector/Adapter for 15.88 mm outer dia X 15mm nominal threaded	each	239.40
8888	Female threaded Connector/Adapter for 22.22 mm outer dia X 15mm nominal threaded	each	289.80
8889	Female threaded Connector/Adapter for 22.22 mm outer dia X 20mm nominal threaded	each	289.62
8890	Female threaded Connector/Adapter for 28.58 mm outer dia X 15mm nominal threaded	each	349.02
8891	Female threaded Connector/Adapter for 28.58 mm outer dia X 20mm nominal threaded	each	360.36
8892	Female threaded Connector/Adapter for 28.58 mm outer dia X 25mm nominal threaded	each	424.62
8893	Female threaded Connector/Adapter for 34.00 mm outer dia X 25mm nominal threaded	each	515.34
8894	Female threaded Connector/Adapter for 34.00 mm outer dia X 32mm nominal threaded	each	677.88
8895	Female threaded Connector/Adapter for 42.70 mm outer dia X 32mm nominal threaded	each	725.76
8896	Female threaded Connector/Adapter for 42.70 mm outer dia X 40mm nominal threaded	each	858.06
8897	Female threaded Connector/Adapter for 48.60 mm outer dia X 40mm nominal threaded	each	1055.88

8898	Female threaded Connector/Adapter for 48.60 mm outer dia X 50mm nominal threaded	each	1215.90
8899	Male threaded Connector/Adapter for 15.88 mm outer dia X 15mm nominal threaded	each	243.18
8900	Male threaded Connector/Adapter for 22.22 mm outer dia X 15mm nominal threaded	each	286.02
8901	Male threaded Connector/Adapter for 22.22 mm outer dia X 20mm nominal threaded	each	312.48
8902	Male threaded Connector/Adapter for 28.58 mm outer dia X 20mm nominal threaded	each	394.38
8903	Male threaded Connector/Adapter for 28.58 mm outer dia X 25mm nominal threaded	each	403.20
8904	Male threaded Connector/Adapter for 34.00 mm outer dia X 25mm nominal threaded	each	580.86
8905	Male threaded Connector/Adapter for 34.00 mm outer dia X 32mm nominal threaded	each	711.90
8906	Male threaded Connector/Adapter for 42.70 mm outer dia X 32mm nominal threaded	each	817.74
8907	Male threaded Connector/Adapter for 42.70 mm outer dia X 40mm nominal threaded	each	914.76
8908	Male threaded Connector/Adapter for 48.60 mm outer dia X 40mm nominal threaded	each	1058.40
8909	Male threaded Connector/Adapter for 48.60 mm outer dia X 50mm nominal threaded	each	1433.88
8910	Valve Connector for 15.88 mm outer dia X 15 mm nominal dia threaded	each	294.84
8911	Valve Connector for 22.22 mm outer dia X 15 mm nominal dia threaded	each	347.76
8912	Valve Connector for 22.22 mm outer dia X 20 mm nominal dia threaded	each	371.70
8913	Valve Connector for 28.58 mm outer dia X 25 mm nominal dia threaded	each	534.24
8914	Valve Connector for 34.00 mm outer dia X 32 mm nominal dia threaded	each	792.54
8915	Valve Connector for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1102.50
8916	Valve Connector for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1481.76
8917	Female Threaded Elbow 90 0 for 15.88 mm outer dia X 15 mm nominal dia threaded	each	258.30
8918	Female Threaded Elbow 90 0 for 22.22 mm outer dia X 15 mm nominal dia threaded	each	346.50
8919	Female Threaded Elbow 90 0 for 22.22 mm outer dia X 20 mm nominal dia threaded	each	357.84
8920	Female Threaded Elbow 90 0 for 28.58 mm outer dia X 25 mm nominal dia threaded	each	530.46
8921	Female Threaded Elbow 90 0 for 34.00 mm outer dia X 32 mm nominal dia threaded	each	923.58
8922	Female Threaded Elbow 90 0 for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1159.20
8923	Female Threaded Elbow 90 0 for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1253.70
8924	Female Threaded Elbow 90 0 for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1389.78
8925	Female Threaded Elbow 90 0 for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1620.36
8926	Male Threaded Elbow 90 0 for 15.88 mm outer dia X 15 mm nominal dia threaded	each	272.16

8927	Male Threaded Elbow 90 0 for 22.22 mm outer dia X 15 mm nominal	each	343.98
8928	Male Threaded Elbow 90 0 for 22.22 mm outer dia X 20 mm nominal dia threaded	each	362.88
8929	Male Threaded Elbow 90 0 for 28.58 mm outer dia X 25 mm nominal dia threaded	each	475.02
8930	Male Threaded Elbow 90 0 for 34.00 mm outer dia X 25 mm nominal dia threaded	each	762.30
8931	Male Threaded Elbow 90 0 for 34.00 mm outer dia X 32 mm nominal dia threaded	each	927.36
8932	Male Threaded Elbow 90 0 for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1176.84
8933	Male Threaded Elbow 90 0 for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1335.60
8934	Male Threaded Elbow 90 0 for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1499.40
8935	Male Threaded Elbow 90 0 for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1825.74
8936	Cap for 15.88 mm outer dia pipe	each	56.70
8937	Cap for 22.22 mm outer dia pipe	each	80.64
8938	Cap for 28.58 mm outer dia pipe	each	105.84
8939	Cap for 34.00 mm outer dia pipe	each	217.98
8940	Cap for 42.70 mm outer dia pipe	each	318.78
8941	Cap for 48.60 mm outer dia pipe	each	415.80
8942	Pipe Bridge for 15.88 mm outer dia pipe	each	269.64
8943	Pipe Bridge for 15.88 mm outer dia pipe	each	341.46
8944	Pipe Bridge for 28.58 mm outer dia pipe	each	512.82
8945	4 Point facade glass bracket	Nos	4180.68
8946	2 Point facade glass bracket	Nos	2090.34
8947	1 Point facade glass bracket	Nos	1769.04
8948	Flate head bolt	Nos	820.26
8949	400 fin plate at top	pair	7473.06
8953	Micro Silica	kg	40.32
8954	Stop end tubes for diaphragm wall 600 mm dia.	sqm	5.67
8955	Driving end tubes for diaphragm wall 600 mm dia.	sqm	90.72
9999	Sundries	L.S.	1.70
<u>Materials not included in the DSR</u>			0.00
1	W.C Brick 19X9X9	1000Nos	9000.00
2	W.C Brick 22.9X11.2X7	1000Nos	11750.00
3	C.B.Brick 19X9X9	1000Nos	7500.00
4	C.B.Brick 22.9X11.2X7	1000Nos	7250.00
5	M.P Roofing tile 340mm 1st Class	1000Nos	20000.00
6	M.P Hip and Ridge tile	1000Nos	39000.00
7	Laterite stone 44X24X14	100Nos	3500.00
8	Laterite stone 35X20X14	100Nos	3100.00
9	Shell Lime Slacked	m3	2500.00
10	Shell Lime Quick	m3	4000.00
11	Angjily Wood	m3	70000.00
12	Irul Wood	m3	61000.00
13	Pincoda	m3	65000.00
14	Mango wood	m3	25000.00
15	Jack wood	m3	70000.00
16	Bambo post	8m	250.00
17	Bolts ,Nuts	kg	75.00
18	M.S Round and Squire	qtl	5000.00
19	Bitumen (bulk)80/100	mt	50983.00
20	Bitumen (bulk)60/70	mt	51945.00
21	9mm Mettal	m3	1350.00
22	Iron Wire gauge (22Gauge)	kg	80.00

23	Iron scrws 35mm(9)	10 Nos	8.10
24	AC Plain Sheet	m2	175.00
25	Glass pannel 3mm Thick	m2	300.00
26	Flat iron	qtl	6000.00
27	Charcoal	kg	675.00
28	Corrugated AC Sheet	m2	220.00
29	G.I Hook and Crank	E	20.00
30	AC. Ridge Caping	Pair	225.00
31	G.I Corrugated Sheet(0.45mm)	MT	49000.00
32	G.I Plain Sheet(1mm)	MT	45000.00
33	G.I Plain Sheet(0.8mm)	MT	43000.00
34	Glazed Tile	m2	340.00
35	Ceramic Tile	m2	380.00
36	Cement Water proof Paint	kg	40.00
37	Wood Primer	ltr	180.00
38	Iron primer	ltr	210.00
39	Aluminium Paint	ltr	320.00
40	Waste Oil / Crude Oil	ltr	50.00
41	Copal Varnish	ltr	125.00
42	black japan	ltr	75.00
43	Welding Rod(8g)	100 Nos	600.00
44	European Water closet wuth P or S trap White	E	950.00
45	Duro pla. Seat & lid with CP brass hinge White	E	500.00
46	Porcelain flushing Cistern 15Lr	E	1250.00
47	Table top Wash Hand Basin	E	2250.00
48	32mm GI Telescopic Flush pipe	E	300.00
49	CP Piller tap 15mm	E	450.00
50	G M Wheel valve 15mm	E	425.00
51	15mm or nearest Lead Brass Connection	E	125.00
52	CP Brass Chain With 32mm Rubber Plug	E	40.00
53	Lead Trap 32mm	E	240.00
54	CI Bracket for Basin	Pair	100.00
55	Indian Water Closet 450mm With P trap	E	950.00
56	Solid Cement Block 30 x20 x 15 cm	E	35.00
57	Solid Cement Block 40 x20 x 15 cm	E	38.00
58	Designer paving tile	m2	500.00
59	Inter locking tile 75 mm thick	m2	475.00
60	4 mm thick plain glass	m2	400.00
61	20mm PVC Pipe 10kgf/cm2	m	19.00
62	25mm PVC Pipe 10kgf/cm2	m	22.95
63	32mm PVC Pipe 10kgf/cm2	m	34.80
64	40mm PVC Pipe 10kgf/cm2	m	39.00
65	50mm PVC Pipe 10kgf/cm2	m	57.00
66	63mm PVC Pipe 10kgf/cm2	m	57.00
67	75mm PVC Pipe 10kgf/cm2	m	95.00
68	90mm PVC Pipe 10kgf/cm2	m	120.00
69	110mm PVC Pipe 10kgf/cm2	m	170.00
70	160mm PVC Pipe 10kgf/cm2	m	390.00
71	63mm dia PVC Pipe 8 Kgf/cm2	m	105.00
72	63mm dia PVC Pipe 6 Kgf/cm2	m	75.00
73	40mm dia PVC Pipe 8 Kgf/cm2	m	42.00
74	50mm dia PVC Pipe 6 Kgf/cm3	m	55.00
75	110mm PVC 6kgf/cm2	m	280.00
76	110mm PVC bend	E	140.00
77	110mm PVC vent cowl	E	90.00
78	110mm PVC door tee	E	225.00
79	110mm PVC door elbow	E	195.00
80	GM Wheel valve 15mm	E	450.00
81	SDB Tap 15mm	E	150.00

82	C.P Long body tap 15mm	E	600.00
83	C.P Short body tap 15mm	E	550.00
84	MS -Z,J and T section for Steel Window	qtl	7500.00
85	Windstay For steel window	E	30.00
86	handle For SW	E	40.00
87	Hinges For SW	E	40.00
88	Aluminum channel for fixing glass for SW	m	20.00
89	Steel Screw 12mm (4)	10 Nos	4.00
90	Fibre Glass Corrugated Sheet	m2	2600.00
91	MS Plate	qtl	5600.00
92	200mm Iron tower bolt	10	180.00
93	Aldrop 300mm MS for steel Door	E	160.00
94	Powder Coated G.I. sheet (0.5 mm thick)	m2	410.00
95	Powder Coated G.I. sheet (0.4 mm thick)	m2	325.00
96	Galvalume sheet(o.40mm th)	m2	400.00
97	Galvalume sheet(o.50mm th)	m2	450.00
98	M.S Pipe for truss work (medium)	kg	50.00
99	Prepainted galvenised steel sheet 1mm thick. 90 CM wide	m	300.00
100	PVC Low level Flush tank	No	810.00
101	M.S Pipe for supporting post (Heavy)	qtl	6500.00
102	200mm Half cut PVC	m	200.00
103	150mm Half cut PVC	m	150.00
104	110mm Half Cut PVC pipe	m	125.00
105	Rectified tile	m2	510.00
106	Country Fire fuse	m	15.00
107	Country Blasting Powder	kg	50.00
108	Powder coated Aluminium section	kg	500.00
109	Glazing strips	m	40.00
110	Rubber beeding	m	30.00
111	Best quality Hollow PVC sheet 7 mm thick	m2	450.00
112	Aluminium hinges 100mm	10 Nos	320.00
113	Mortise lock with handle	E	850.00
114	Door handle Aluminium hexagonal 200 mm	E	600.00
115	5.5mm Plain glass	m2	525.00
116	25mm steel screws for fixing channels to frame	10 Nos	15.00
117	65mm steel screws for fixing frame	10 Nos	30.00
118	Pad lock	E	260.00
119	Flat back front lipped urinal basin 430x230x350mm	E	500.00
120	Trap P or S	E	245.00
121	50mm dia CI Nahni trap	E	175.00
122	Door frame 50 x 47 x 5mm with 19 x 19mm x 9g MS squre tube	m	280.00
123	30mm thick Solid PVC Door shutter reinforced with 19 x 19mm x 9g MS squre tube	m2	2000.00
124	Automatic flushing tank (PVC) 5 ltr or nearest size low level	E	900.00
125	Automatic flushing tank (PVC) 5 ltr or nearest size high level	E	950.00
126	20mm dia GI pipe(B class)	m	130.00
127	European Water closet with P or S trap Hard Colour	E	3500.00
128	Temple Tile 6" x 9"	E	10.00
129	Hylam board 2mm thick	m2	500.00
130	Temple tile fixing type 5.5" x 3.5"	E	7.50
131	50mm Dia GI Pipe (B class)	m	500.00
132	Ferrow cement slab	m2	650.00
133	Putty	kg	32.00
134	Weld mesh of size 50x50 mm 10Gx 10G	m2	225.00
135	Aunti fungal/ weather proof paint	ltr	480.00
136	Sleek (For painting on wood work)	ltr	300.00
137	Hollow PVC Door frame	m	225.00
138	Hollow PVC Door Shutter	m2	700.00
139	Laxury type wash hand basin with ornamental pedestal	e	6200.00

140	Angle cock 20mm (medium)	e	575.00
141	Cast Iron Grills	qtl	8000.00
142	Cascade Type European closet(with tank)	E	9750.00
143	Brass Towel rail	E	290.00
144	PVC Water tank	Ltr	7.00
145	Red Earth	m3	820.00
146	Quarry dust	m3	950.00
147	Quarry Muck	m3	912.50
148	Traffold Profile Sheet	m2	400.00
149	150X150mm PVC grating	E	40.00
150	Brass Gate Valve with wheel 20mm	E	350.00
151	Brass Gate Valve with wheel 15mm	E	295.00
152	20mm thick thermocoal	m2	80.00
153	3.15mm thick Aluminium fluted strips 1mX15cm	m	320.00
154	Glazed Tile 450mm x 300 mm	m2	580.00
155	M sand	m3	2275.00

EXECUTIVE ENGINEER

To.

1. The Assistant Executive Engineer, PWD Buildings sub Division, Manjeri, Perinthalmanna & Parappanangadi
2. The Executive Engineer PWD (Roads) Division, Manjeri
3. The Executive Engineer PWD (NH) Division, Malappuram

Copy to

1. The Chief Engineer PWD (Buildings), Thiruvananthapuram.
2. The Superintending Engineer, PWD (Buildings) North Circle, Kozikode
3. The Chief Technical Examiner, Thiruvananthapuram