

PWD, BUILDINGS DIVISION KOLLAM

LOCAL MARKET RATES OF HIRE CHARGES, COST OF MATERIALS (AT SITE) AND LABOUR CHARGES IN KOLLAM DISTRICT w.e.f 1/1/2015 to 31/3/2015

DSR Code	Description	Unit	Rate
<u>HIRE CHARGES OF PLANTS</u>			
0001	Hire charges of Coaltar Boiler 900 to 1400 litres	Day	1235.00
0002	Hire charges of Concrete Mixer 0.25 to 0.40 cum with Hopper	Day	2400.00
0003	Hire charges of Diesel Road Roller- 8 to 10 tonne	Day	1990.00
0004	Production cost of concrete by batch mix plant	cum	600.00
0005	Hire charges of Diesel Truck-9 tonne	Day	2600.00
0006	Hire charges of sparaying machine including electric charges	Day	388.00
0007	Hire charges of coaltar Sprayer	Day	470.00
0008	Hire charges of Barber green, drying,mixing and Asphalt Plant, with accessories, capacity 30/45 tonne	Day	14150.00
0009	Pumping charges of concrete including Hire charges of pump, piping work & accessories etc.	cum	272.00
0010	Hire charges of Derrick monkey rope	Day	1425.00
0011	Hire charges of Pump set of capacity 4000 litres/hour	Day	3000.00
0012	Vibrator (Needle type 40 mm)	Day	500.00
0013	Machine for rubbing of floors	Day	575.00
0014	Front end loader capacity 1.00 cum	Day	7500.00
0016	Mastic Cooker	Day	1280.00
0017	Hire and running charges of tipper	Day	3050.00
0018	Hire and running charges of loader	Day	7655.00
0019	Hand Grinder for mirror polish	Day	340.00
0020	Hydraulic Excavator (3D) with driver and fuel	Day	9075.00
0021	pin vibrator	Day	485.00
0022	Surface Vibrator	Day	450.00
0023	Hot Bitumen Mixer 0.5cum i/c hand cart	Day	6460.00
0024	Hire and running charges of hydraulic piling with power unit etc. including complete accessories and shifting at site	Day	49575.00
0025	Hire and running charges of light crane	Day	3500.00
0026	Hire and running charges of bentonite pump	Day	6160.00
0027	Hire and running charges of vibrating pile driving hammer complete with power unit and accessories	Day	50200.00
0028	Hire and running charges of crane 20 tonne capacity	Day	13500.00
0029	Carriage of concrete by transit mixer	cum per km	50.00
0030	Generator 250 KVA	Day	2880.00
0033	Paint applicator	Day	1100.00
0037	Mobile crane	Day	10400.00
0038	Tractor with ripper attachment	Day	1475.00
0039	Tractor with trolley	Day	1650.00
0040	Air compressor 250 cm with two leads for pneumatic cutters/hammers	Day	4000.00
0041	joint cutting machine with 2-3 blades	Day	2000.00
0042	C.C.batch mix plant	Day	15000.00
0043	Road Sweeper	Day	825.00

0045	Slip form paver with sensor	Day	14475.00
0046	Water tanker 5000 Ltr. Capacity	Day	1614.00
0047	Concrete joint cutting machine	Day	1418.00
0048	Texturing machine	Day	1378.00
0049	Dozer D-80-A12	hour	3250.00
0050	Motor Grade 3.35 meter blade	hour	2700.00
0051	Hydraulic Excavator of 1 cum bucket	hour	1750.00
0052	Front end loader 1 cum bucket capacity (incl POL)	hour	1450.00
0053	Tipper -5 cum	tonne km	5.00
0054	Vibratory roller 8 to 10 tonne	hour	2570.00
0055	Smooth Wheeled Roller 8 to 10 tonne	hour	493.00
0056	Tandem Road Roller	hour	1683.00
0057	Water Tanker 5 to 6 KL Capacity	hour	240.00
0058	Air Compressor	hour	475.00
0059	Wet Mix Plant 60 TPH	hour	2000.00
0060	Mechanical Broom Hydraulic	hour	400.00
0061	Emulsion Pressure Distributor @1750 sqm per hour	hour	1250.00
0062	Hot Mix Plant - 120 TPH capacity	hour	35000.00
0063	Hot Mix Plant 100 TPH Capacity	hour	18888.00
0064	Paver finisher Hydrostatic with sensor control 100 TPH	hour	2898.00
0065	Paver finisher Mechanical 100 TPH	hour	1088.00
0066	Batching and Mixing Plant @75 cum per hour	hour	4000.00
0068	Concrete Paver finisher with 40 HP Motor and sensor	hour	4500.00
0069	Generator 250 KVA	hour	1250.00
0070	Generator 100 KVA/125	hour	900.00
0071	Truck 5.5 cum/ 10 tonnes	tonne km	5.00
0075	Road sweeper (Mechanical Broom) @ 1250 sqm per hour	hour	550.00
0076	Drum Type HMP of 60-90 TPH Capacity @ 75 tonne per hour actual output	hour	14560.00
0080	Hire and running charges of drill Machine up to 400 mm dia (including cost of mobile oil, diesel consumption in ordinary soil operator)	Day	8100.00
0081	Pile integrity testing equipment	Day	4913.00
0082	Excavation of Diaphragm wall by Mechanical Grab	sqm	1613.00
<u>LABOUR</u>			
0100	Bandhani	Day	730.00
0101	Bhisti	Day	730.00
0102	Blacksmith 1st class	Day	870.00
0103	Blacksmith 2nd class	Day	790.00
0111	Carpenter 1st Class	Day	880.00
0112	Carpenter 2nd class	Day	800.00
0113	Chowkidar	Day	680.00
0114	Beldar	Day	690.00
0115	Coolie	Day	700.00
0116	Fitter(grade1)	Day	740.00
0117	Assistant Fitter or 2nd class fitter	Day	710.00
0119	Glazier	Day	690.00
0122	Mason(for plaster of paris work) 1st class	Day	880.00
0123	Mason (brick layer) 1st class	Day	850.00

0124	Mason (brick layer)2nd class	Day	840.00
0125	Mason (for plain stone work) 2nd class	Day	890.00
0126	Mason (for Ornamental stone work) 1st class	Day	950.00
0127	Driver (for Road Roller, Concrete Mixer, Truck etc)	Day	720.00
0128	Mate	Day	720.00
0130	Mistry	Day	730.00
0131	Painter	Day	740.00
0132	Rock Excavator	Day	730.00
0133	Rock Breaker	Day	730.00
0134	Rock Hole Driller	Day	730.00
0135	Stone Chiseller	Day	790.00
0138	Sprayer (for bitumen, tar etc)	Day	730.00
0139	Skilled Beldar (for floor rubbing etc.)	Day	790.00
0141	White Washer	Day	730.00
0155	Mason (average)	Day	870.00
0156	Carpenter (average)	Day	870.00
0157	Operator (Pile/Special machine)	Day	870.00
0159	Skilled torch operator for laying tack	Day	840.00
0160	Technician	Day	840.00
0161	Helper (Technician)	Day	730.00
<u>MATERIALS</u>			
0222	Seam bolts and nuts 6 mm dia and 25 mm long	10 nos	58.00
0223	Non-Asbestos fibre (high impact poly propylene reinforced) cement corrugated sheet 6 mm thick	sqm	351.00
0224	Non-Asbestos fibre (high impact poly propylene reinforced) cement close fitting adjustable ridge	metre	305.00
0225	Non-Asbestos fibre (high impact poly propylene reinforced) cement corrugate serrated adjustable ridge	metre	310.00
0226	Non-Asbestos fibre (high impact poly propylene reinforced) cement plain wing adjustable ridge	metre	291.00
0227	Non-Asbestos fibre (high impact poly propylene reinforced) cement unserrated adjustable ridge for hips	metre	422.00
0228	Non-Asbestos fibre (high impact poly propylene reinforced) cement corrugated apron piece	metre	320.00
0229	Non-Asbestos fibre (high impact poly propylene reinforced) cement eaves filler piece	each	247.00
0230	Non-Asbestos fibre (high impact poly propylene reinforced) cement north light curves	metre	427.00
0231	Non-Asbestos fibre (high impact poly propylene reinforced) cement ventilator curves	each	581.00
0232	Non-Asbestos fibre (high impact poly propylene reinforced) cement barge boards 6 mm thick	metre	573.00
0233	Non-Asbestos fibre (high impact poly propylene reinforced) cement ridge finial	pair	230.00
0234	Non-Asbestos fibre (high impact poly propylene reinforced) cement special north light curves	each	780.00
0235	Non-Asbestos fibre (high impact poly propylene reinforced) cement S type louvers	each	356.00
0236	Non-Asbestos multi purpose fibre (high impact poly propylene reinforced) cement board 6 mm thick	sqm	287.00

0237	Non-Asbestos multi purpose fibre (high impact poly propylene reinforced) cement 8 mm thick	sqm	362.00
0285	Brick Aggregate (single size):63 mm nominal size	cum	722.00
0286	Brick Aggregate (single size):50 mm nominal size	cum	722.00
0287	Brick Aggregate (single size):40 mm nominal size	cum	736.00
0291	Stone Aggregate(single size):63 mm nominal size	cum	1470
0292	Stone Aggregate(single size):50 mm nominal size	cum	1470
0293	Stone Aggregate(single size): 40 mm nominal size	cum	1490
0294	Stone Aggregate(single size):25 mm nominal size	cum	1530
0295	Stone Aggregate(single size):20 mm nominal size	cum	1610
0296	Stone Aggregate(single size): 12.5 mm nominal size	cum	1610
0297	Stone Aggregate(single size): 10 mm nominal size	cum	1630
0298	Stone Aggregate(single size): 06 mm nominal size	cum	1630
0302	Safeda ballies 125 mm diameter	metre	60.00
0303	Cowdung	cum	69.00
0304	Bajiri	cum	1360.00
0305	Bamboo 25 mm dia 2.5 meter long	score	529.00
0308	Bhusa	quintal	568.00
0309	Paving bitumen of grade VG 10 of approved quality	tonne	58950.00
0310	Bitumen emulsion	tonne	41800.00
0312	Bitumen grade PMB - 40	tonne	58068.00
0313	Blown type petroleum bitumen of penetration 85/25 of approved quality	tonne	52120.00
0314	Bitumen hot sealing compound : grade A	kilogram	37.00
0316	Bitumen solution primer of approved quality	Litre	65.00
0317	Premoulded joing filler 12 mm thick	sqm	489.00
0318	Bitumen felt fibre base (vegetable or animal): Type 2 grade 1	sqm	86.00
0319	Bitumen felt as per IS 7193 Grade II	sqm	81.00
0322	Bitumen felt : Type 3 grade 1	sqm	86.00
0323	Separation Membrane of impermeable plastic sheeting 125 micron thick	sqm	25.00
0324	Coal Tar	Litre	49.00
0325	Blasting powder	kilogram	37.00
0326	Blasting fuse (fuse wire)	each	22.00
0328	White face insulating board : 12 mm thick	sqm	518.00
0332	Natural colour insulating board : 12 mm thick	sqm	390.00
0336	Flame retardant face insulating board : 12 mm thick	sqm	460.00
0339	Flame retardant face insulating, impregnated fibre board 12 mm thick	sqm	511.00
0341	Flat pressed 3 layer particle board (medium density) Grade 1,12 mm thick	sqm	459.00
0346	Extra for veneered particle board with : Teak veneering on one side and commercial veneering on other side	sqm	379.00
0347	Extra for veneered particle board with Commercial veneering on both sides	sqm	256.00
0348	Extra for veneered particle board with Teak veneering both sides	sqm	719.00
0349	Curing compound	Litre	53.00
0362	Brick bats	cum	717.00
0364	Wire brush	each	29.00

0365	Soft brush	each	26.00
0367	Portland Cement	tonne	7870
0368	White cement	tonne	17500.00
0369	Plastic sheath,1.25 mm thick for dowel bars	sqm	43.00
0370	Coal (steam)	quintal	574.00
0371	Sealant primer	kg	129.00
0373	Cramp Gun metal 25x6x300 mm	each	116.00
0374	Pre moulded joint filler, 25mm thick for expansion joint	sqm	728.00
0378	Brass butt hinges (light /ordinary type):125x70x4 mm	10 nos	1203.00
0379	Brass butt hinges (light /ordinary type) : 100x70x4 mm	10 nos	972.00
0380	Brass butt hinges (light /ordinary type) : 75x40x2.5 mm	10 nos	611.00
0381	Brass butt hinges (light /ordinary type) : 50x40x2.5 mm	10 nos	265.00
0382	Brass butt hinges (heavy type) :125x85x5.5 mm(0.70 kg)	10 nos	4477.00
0383	Brass butt hinges (heavy type) : 100x85x5.5 mm (0.56kg)	10 nos	3919.00
0384	Brass butt hinges (heavy type): 75x65x4.0 mm (0.20 kg)	10 nos	1354.00
0385	Brass parliamentary hinges 150x125x27x5 mm	10 nos	4063.00
0386	Brass parliamentary hinges 125x125x27x5 mm	10 nos	3530.00
0387	Brass parliamentary hinges 100x125x27x5 mm	10 nos	3354.00
0388	Brass parliamentary hinges 75x100x20x3.2 mm	10 nos	2448.00
0389	Brass single acting spring hinges 150 mm	each	435.00
0390	Brass single acting spring hinges 125 mm	each	387.00
0391	Brass single acting spring hinges 100 mm	each	242.00
0392	Brass double acting spring hinges 150 mm	each	714.00
0393	Brass double acting spring hinges 125 mm	each	531.00
0394	Brass double acting spring hinges 100 mm	each	461.00
0400	Brass tower bolt (barrel type) 250x10 mm	each	332.00
0401	Brass tower bolt (barrel type) 200x10 mm	each	261.00
0402	Brass tower bolt (barrel type) 150 x 10 mm	each	209.00
0403	Brass tower bolt (barrel type) 100 x 10 mm	each	141.00
0404	Brass flush bolt 250 mm	each	213.00
0405	Brass flush bolt 150 mm	each	190.00
0406	Brass flush bolt 100 mm	each	130.00
0408	Brass handles 125 mm with plate 175x32 mm	each	199.00
0409	Brass handles 100 mm with plate 150x32 mm mm	each	193.00
0410	Brass handles 75 mm with plate 125x32 mm	each	145.00
0411	Brass door latch 300x16x5x mm (0.380 kg)	each	235.00
0412	Brass door latch 250x16x5 mm (0.350 kg)	each	228.00
0413	Brass mortice latch and lock 100 x 65 mm with6 levers and a pair of brass lever handles	each	676.00
0414	Brass mortice latch 100x65 mm with a pair of brass lever handles	each	467.00
0417	Brass 150 mm floor door stopper (0.357 kg)	each	239.00
0418	Brass hard drawn hooks and eyes 300 mm	10 nos	1070.00
0419	Brass hard drawn hooks and eyes 250 mm	10 nos	986.00
0420	Brass hard drawn hooks and eyes 200 mm	10 nos	925.00
0421	Brass hard drawn hooks and eyes 150 mm	10 nos	875.00
0422	Brass hard drawn hooks and eyes 100 mm	10 nos	730.00
0423	Brass casement window fastener	each	74.00
0424	Brass casement stays (straight peg type) 300 mm weighing not less than 0.33 kg	each	197.00

0425	Brass casement stays (straight peg type) 250 mm weighing not less than 0.28 kg	each	156.00
0426	Brass casement stays (straight peg type) 200 mm weighing not less than 0.24 kg	each	144.00
0427	Brass quadrant stays 300 mm	each	177.00
0428	Brass fanlight catch	10 nos	256.00
0429	Brass fanlight pivot	10 nos	287.00
0430	Brass chain with hook for fan light catch	each	59.00
0431	Brass hasps and staples (safety type) 150 mm	10 nos	1092.00
0432	Brass hasps and staples (safety type) 115 mm	10 nos	920.00
0433	Brass hasps and staples (safety type) 90 mm	10 nos	788.00
0438	Brass Night latch	each	692.00
0442	Brass helical spring 150 mm	each	430.00
0444	Brass curtain rod 20 mm dia 1.25 mm thick	metre	166.00
0445	Brass curtain rod 25 mm dia 1.25 mm thick	metre	199.00
0446	Brass brackets (curtain rods) 20 mm	each	62.00
0447	Brass cupboard knob or wardrobe knob 50 mm	each	56.00
0449	brass screws 50 mm	100 nos	294.00
0450	Brass screws 40 mm	100 nos	244.00
0451	Brass screws 30 mm	100 nos	193.00
0452	Brass screws 25 mm	100 nos	135.00
0453	Brass screws 20 mm	100 nos	130.00
0524	Chromium plated Brass butt hinges (heavy) type 75x65x4 mm (200 gms)	10 nos	1368.00
0525	Chromium plated Brass butt hinges (light/ordinary) type 125x70x4 mm	10 nos	1165.00
0526	Chromium plated Brass butt hinges (light/ordinary) type 100x70x4 mm	10 nos	976.00
0527	Chromium plated Brass butt hinges (light/ordinary) type 75x40x2.5 mm	10 nos	641.00
0528	Chromium plated Brass butt hinges (light/ordinary) type 50x40x2.5 mm	10 nos	286.00
0555	Chromium plated Brass handles 125 mm with plate 175x32 mm	each	251.00
0556	Chromium plated Brass handles 100 mm with plate 150x32 mm	each	216.00
0557	Chromium plated Brass handles 75 mm with plate 125x32 mm	each	191.00
0558	Chromium plated Brass mortice latch and lock 100x65 mm with 6 levers and a pair of brass lever handles	each	738.00
0568	Chromium plated brass casement window fastener	each	137.00
0569	Chromium plated Brass casement stays (straight peg type) 300 mm weighing not less than 0.33 kg	each	225.00
0570	Chromium plated Brass casement stays (straight peg type) 250 mm weighing not less than 0.28	each	193.00
0571	Chromium plated Brass casement stays (straight peg type) 200 mm weighing not less than 0.24 kg	each	166.00
0583	Chromium plated Brass Night latch	each	732.00
0584	Chromium plated Brass Wardrobe Knob 50 mm	each	69.00
0585	Chromium plated Brass Screws 50 MM	100 nos	334.00
0586	Chromium plated Brass screw 40 mm	100 nos	285.00

0587	Chromium plated Brass screws 30 mm	100 nos	216.00
0588	Chromium plated Brass screws 25 mm	100 nos	170.00
0589	Chromium plated Brass screws 20 mm	100 nos	145.00
0590	Chromium plated Brass curtain rod 12 mm dia 1.25 mm thick	metre	267.00
0591	Chromium plated Brass curtain rod 20 mm dia 1.25 mm thick	metre	365.00
0592	Chromium plated Brass curtain rod 25 mm dia 1.25 mm thick	metre	484.00
0594	Bright finished or black enameled mild steel butt hinges 125x65x2.12 mm	10 nos	199.00
0595	Bright finished or black enameled mild steel butt hinges 100x58x1.90 mm	10 nos	125.00
0596	Bright finished or black enameled mild steel butt hinges 75x47x1.70 mm	10 nos	86.00
0597	Bright finished or black enameled mild steel butt hinges 50x37x1.50 mm	10 nos	74.00
0608	Nickel plated bright finished mild steel piano hinges 1 mm thick 25 mm wide	metre	60.00
0635	Bright finished or black enameled mild steel screws 50 mm	100 nos	95.00
0637	Bright finished or black enameled mild steel screws 40 mm	100 nos	74.00
0638	Bright finished or black enameled mild steel screws 30 mm	100 nos	58.00
0639	Bright finished or black enameled mild steel screws 25 mm	100 nos	53.00
0640	Bright finished or black enameled mild steel screws 20 mm	100 nos	46.00
0641	Bright finished or black enameled mild steel bolts and nuts 50x6 mm	each	10.00
0642	Oxidised mild steel butt hinges 125x65x2.12 MM	10 nos	195.00
0643	Oxidised mild steel butt hinges 100x58x1.90 mm	10 nos	128.00
0644	Oxidised mild steel butt hinges 75x47x1.70 mm	10 nos	95.00
0645	Oxidised mild steel butt hinges 50x37x1.50 mm	10 nos	81.00
0646	Oxidised mild steel parliamentary hinges 150x125x27x2.8 mm	10 nos	467.00
0647	Oxidised mild steel parliamentary hinges 125x125x27x2.8 mm	10 nos	433.00
0648	Oxidised mild steel parliamentary hinges 100x125x27x2.8 mm	10 nos	323.00
0649	Oxidised mild steel parliamentary hinges 75x100x20x2.24 mm	10 nos	279.00
0650	Oxidised mild steel single acting spring hinges 150 mm	each	191.00
0651	Oxidised mild steel single acting spring hinges 125 mm	each	158.00
0652	Oxidised mild steel single acting spring hinges 100 mm	each	132.00
0653	Oxidised mild steel single acting spring hinges 150 mm	each	167.00
0654	Oxidised mild steel single acting spring hinges 125 mm	each	160.00
0655	Oxidised mild steel single acting spring hinges 100 mm	each	139.00
0656	Nickel plated mild steel piano hinges 1 mm thick 35 mm wide	metre	70.00
0660	Oxidised mild steel sliding door bolt 300x16 mm	each	144.00
0661	Oxidised mild steel sliding door bolt 250x16 mm	each	132.00
0662	Oxidised mild steel door latch 300x20x6 mm	each	69.00
0663	Oxidised mild steel door latch 250x20x6 mm	each	57.00
0664	Oxidised mild steel tower bolt (barrel type) 250x10mm	each	67.00

0665	Oxidised mild steel tower bolt (barrel type) 200x10 mm	each	59.00
0666	Oxidised mild steel tower bolt (barrel type) 150x10 mm	each	50.00
0667	Oxidised mild steel tower bolt (barrel type) 100x10 mm	each	39.00
0668	Oxidised mild steel handles 125 mm	each	30.00
0669	Oxidised mild steel handles 100 mm	each	27.00
0670	Oxidised mild steel handles 75 mm	each	23.00
0679	Oxidised mild steel hasps and staples (safety type)150 mm	10 nos	178.00
0680	Oxidised mild steel hasps and staples (safety type) 115 mm	10 nos	147.00
0681	Oxidised mild steel hasps and staples (safety type) 90 mm	10 nos	111.00
0682	Oxidised mild steel screws 50 mm	100 nos	111.00
0683	Oxidised mild steel screws 40 mm	100 nos	90.00
0684	Oxidised mild steel screws 30 mm	100 nos	78.00
0685	Oxidised mild steel screws 25 mm	100 nos	66.00
0686	Oxidised mild steel screws 20 mm	100 nos	53.00
0687	Anodised Aluminium butt hinges 125x75x4 mm	10 nos	803.00
0688	Anodised Aluminium butt hinges 125x63x4xmm	10 nos	748.00
0689	Anodised Aluminium butt hinges 100x75x4 mm	10 nos	732.00
0690	Anodised Aluminium butt hinges 100x63x3.2 mm	10 nos	702.00
0691	Anodised Aluminium butt hinges 100x63x4 mm	10 nos	715.00
0692	Anodised Aluminium butt hinges 75x63x4 mm	10 nos	696.00
0693	Anodised Aluminium butt hinges 75x63x3.2 mm	10 nos	657.00
0694	Anodised Aluminium butt hinges 75x45x3.2 mm	10 nos	513.00
0696	Anodised Aluminium sliding door bolt 300x16 mm	each	228.00
0697	Anodised Aluminium sliding door bolt 300x16 mm	each	185.00
0698	Anodised Aluminium tower bolt (barrel type)300x10 mm	10 nos	1061.00
0699	Anodised Aluminium tower bolt (barrel type) 250 x 10 mm	10 nos	840.00
0700	Anodised Aluminium tower bolt (barrel type) 200x10 mm	10 nos	670.00
0701	Anodised Aluminium tower bolt (barrel type) 150x10 mm	10 nos	537.00
0702	Anodised Aluminium tower bolt (barrel type) 100x10 mm	10 nos	426.00
0703	Anodised Aluminium handles 125 mm with plate 175 x 32 mm	10 nos	706.00
0704	Anodised Aluminium handles 100 mm with plate 150 x 32 mm	10 nos	542.00
0705	Anodised Aluminium handles 75 mm with plate 125 x 32 mm	10 nos	467.00
0706	Anodised Aluminium kicking plate 50 cm long 100x3.15 mm	each	197.00
0713	Block board construction flush door with teak wood ply on both faces 35 mm thick	sqm	2440.00
0714	Block board construction flush door with teak wood play on both faces 30 mm thick	sqm	2239.00
0715	Block board construction flush door with teak wood ply on both faces 25 mm thick	sqm	1994.00
0717	Block board construction flush door with commercial ply on both faces	sqm	1610.00
0718	Block board construction flush door with commercial ply on both faces 30 mm thick	sqm	1409.00
0719	Block board construction flush door with commerciial ply on both faces 25 mm thick	sqm	1278.00

0752	Block board construction flush door lipping	sqm of door area	422.00
0753	Square vision panel (upto 0.10sqm) in Block board construction flush door	sqm of door area	165.00
0754	Circular vision panel (upto 0.10 sqm) in Block board construction flush door	sqm of door area	259.00
0755	Decorative type Louvers (upto 0.20 sqm) in Block board construction flush door	sqm of door area	449.00
0757	Rebate cutting in Block board construction flush door	sqm of door area	122.00
0759	Decorative plywood 4 mm	sqm	587.00
0761	Fuel wood	quintal	708.00
0763	Glue	kilogram	98.00
0765	Hessian cloth	sqm	29.00
0768	Cement Concrete Jali 50 mm thick	sqm	241.00
0769	Cement Concrete Jali 40 mm thick	sqm	298.00
0770	Cement Concrete Jali 25 mm thick	sqm	221.00
0771	Kerosene oil	Litre	68.00
0773	Unslaked lime	quintal	418.00
0775	Deharadun white lime	quintal	666.00
0776	Satna lime	quintal	425.00
0777	Dry hydrated lime (factory made)	quintal	323.00
0784	Marble dust/ powder	cum	1400.00
0785	Marble chips up to 4 mm and downsize white &black	quintal	293.00
0788	Marble chips large size above 4 mm white & black	quintal	289.00
0801	Silicon and acrylic emulsion	Litre	290.00
0802	Acrylic distemper 1st quality, having VOC content less than 50 gm/litre	kg	56.00
0803	Acrylic emulsion, having VOC content less than 50 gm/litre	Litre	351.00
0804	Premium acrylic emulsion of interior grade, having VOC content less than 50 gm/litre	Litre	487.00
0805	Synthetic enamel paint, having VOC (Volatile Organic Compound content less than 150 gm/liitre	Litre	280.00
0806	Ready mixed pink or grey primer on wood work(hard and softwood) having VOC content less than 50 gms/litre	Litre	173.00
0807	Ready mixed red oxide zinc chromatic on steel/ iron work, having VOC content less than 250 gms/litre	Litre	185.00
0808	Water thinnable cement primer for interior wall surface, having VOC content less than 50 gms/litre	Litre	90.00
0809	Exterior primer	kilogram	46.00
0810	Moorum	cum	633.00
0811	Mud (dry)	cum	84.00
0815	Dry distemper	kilogram	54.00
0816	Oil bound washable distemper/ Acrylic distemper	kilogram	66.00
0818	Linseed oil (double boiled)	Litre	158.00
0820	Cement Primer	Litre	135.00

0821	Distemper primer	Litre	134.00
0823	Pink primer (for wood)	Litre	135.00
0824	White cement based putty	kg	38.00
0826	Aluminium paint	Litre	197.00
0827	Acid proof paint (chocolate or black)	Litre	220.00
0828	Anticorrosive bituminous paint (black)	Litre	131.00
0829	Black Japan	Litre	141.00
0830	Enamel paint	Litre	234.00
0831	Floor enamel paint in all shades except green	Litre	175.00
0833	Synthetic enamel paint in black or chocolate shade	Litre	220
0834	Synthetic enamel paint in all shades except black or chocolate shade	Litre	254.00
0835	Plastic emulsion paint	Litre	279.00
0845	Roofing paint for iron sheets in red colour	Litre	173.00
0850	White lead	kilogram	108.00
0851	water proofing cement paint	kilogram	50.00
0855	Wax polish (ready made)	kilogram	245.00
0856	Ordinary varnish	Litre	110.00
0857	Superior copal varnish	Litre	150.00
0858	Superior spar varnish	Litre	165.00
0859	Oil type wood preservative	Litre	101.00
0863	Putty for wood work	kilogram	50.00
0865	pig lead	kilogram	135.00
0868	Premixed super white gypsum plaster	kilogram	10.00
0869	Plaster or paris	kilogram	9.00
0870	Plug	each	15.00
0873	Copper pins 6 mm dia 7.5 cm long	each	32.00
0874	Black colour dark shade pigment	kilogram	80.00
0875	Red chocolate, orange, buff or yellow (red oxide of iron) light shade	kilogram	106.00
0876	Green or blue medium shade pigment	kilogram	81.00
0886	Standard holder bat clamps for sand cast iron or cast iron pipes 150 mm dia	each	40.00
0966	Sand cast iron plain shoe 150 mm dia	each	440.00
0967	Copper plate	kilogram	278.00
0969	Pulley 25 mm dia	each	59.00
0973	Rolling shutter made of 80x1.25 mm machine rolled laths	sqm	1375.00
0974	Top cover for rolling shutters 1.25 mm thick	metre	728.00
0975	27.5 cm long wire spring grade no 2 for rolling shutters	each	380.00
0976	Ball bearing for rolling shutters	each	478.00
0977	Extra for mechanical devices chain and cranked operation for operating rolling shutters: exceeding 16.80 sqm area of door	sqm	774.00
0978	Extra for mechanical devices chain and cranked operation for operating rolling shutters: exceeding 16.80 sqm area of door	sqm	790.00
0979	Royalty for good earth	cum	45.00
0980	Royalty for sludge	cum	129.00
0982	Coarse sand (zone III)	cum	4300.00
0983	Fine sand (zone IV)	cum	3800.00
0992	Galvanised steel plain sheets	quintal	7305.00

0994	Standard quality hard board sheet 3 mm thick	sqm	179.00
0996	Standard quality hard board sheet 4.5 mm thick	sqm	217.00
0999	Shellac	kilogram	299.00
1000	Spirit	Litre	101.00
1001	Spun yarn	kilogram	61.00
1002	Mild steel round bar 12 mm dia and below	quintal	5400.00
1003	Mild Steel round bar above 12 mm dia	quintal	5400.00
1004	Average rate of mild steel round bars for reinforcements	quintal	6100
1005	Twisted steel/deformed bars	quintal	5630
1006	Mild steel square bars	quintal	5900.00
1007	Structural steel such as tees, angles, channels and R.S. joists	quintal	5850.00
1008	Flats up to 10 mm in thickness	quintal	5700.00
1009	Flats exceeding 10 mm in thickness	quintal	5500.00
1010	Mild steel plates	quintal	5900.00
1011	Steel glazed door, window/ ventilator, all members viz, F7D, F4B, K11 and K12B etc.	kg	74.00
1013	Mild steel sheets for tanks	quintal	6700.00
1015	Mild steel expanded metal 20x60xmm strands	sqm	404.00
1019	Mild steel hooks	each	50.00
1020	Mild steel rivets	quintal	7000.00
1021	Hard drawn steel wire fabric	sqm	724.00
1022	Galvanised steel bolts & nuts 6 mm dia and 25 mm long round head with slots	10 nos	39.00
1023	Galvanised steel J or L hooks 8 mm dia	10 nos	159.00
1024	Galvanised steel bolts & nuts 10 mm dia and 125 mm long round head with slots	each	20.00
1025	Mild steel bolts 6 mm dia and 25 mm long with hexagonal head	10 nos	47.00
1028	Straining bolts	each	99.00
1029	Galvanised steel barbed wire	quintal	7125.00
1030	Galvanised steel turn buckles	each	28.00
1031	Galvanised steel bolts & nuts 10 mm dia and 27 cm long both sides threaded with 4 galvanised steel nuts	each	38.00
1032	Galvanised steel bolts 10 mm dia and 7 cm long with nuts	each	32.00
1034	Bolts and nuts up to 300 mm in length	quintal	7915.00
1035	Bolts and nuts above 300 mm in length	quintal	7665.00
1036	Iron pintels including welded pin	each	56.00
1143	Steel beading siz 10 x 10x 106 mm (box type)	metre	37.00
1145	Aluminium Plain Strip edging 38x12x3 mm	metre	103.00
1149	Glass strip 4 mm thick 40 mm deep	metre	13.00
1151	Boundary stone top chisel dressed 15X15X90 cm	each	86.00
1154	Through and bond stone size 24 x 24 x 39cm	100 nos	1720.00
1157	Stone for masonry work	cum	1200.00
1158	Stone for pitching 15 cm x 22.5 cm	cum	680.00
1159	Stone dust	cum	1513.00
1160	Red sand stone block	10 cud m	94.00
1161	White sand stone block	10 cud m	105.00
1163	White sand stone slab 75 mm thick (un- dressed)	sqm	426.00
1164	Red sand stone slab 40 mm thick (un-dressed)	sqm	229.00
1165	White sand stone slab 40 mm thick (un-dressed)	sqm	253.00
1166	Red sand stone slab 30 mm thick (un-dressed)	sqm	186.00

1168	Kota stone slab 20 mm to 25 mm thick (semi-polished)	sqm	404.00
1169	Kota stone slab 25 mm thick (rough chiseled)	sqm	294.00
1174	Red sand stone slab 45 mm to 50 mm thick (un-dressed)	sqm	243.00
1175	White sand stone slab 45 mm to 50 mm thick (un-dressed)	sqm	320.00
1177	Stone grit 6 mm and down size or pea sized gravel	cum	1319.00
1179	Crushed stone 2.36 mm to 12.5 mm size	cum	1339.00
1182	Surkhi	cum	985.00
1186	Superior class teak wood such as Dandeli, Balarshah or Malabar in planks	10 cud m	2500.00
1187	First class teak wood in scantling	10 cud m	1650.00
1188	First class teak wood in planks	10 cud m	2000.00
1189	Second class teak wood in scantling	10 cud m	1100.00
1190	Second class teak wood in planks	10 cud m	1250.00
1194	Second class deodar wood in planks	10 cud m	830.00
1196	First class kail wood in planks	10 cud m	450.00
1197	Second class kail wood in scantling	10 cud m	400.00
1198	Second class kail wood in planks	10 cud m	400.00
1199	Sal wood in scantling	10 cud m	650.00
1200	Klin seasoned selected sheesham wood planks	10 cud m	1000.00
1201	Precast terrazzo tiles 22 mm thick (light shade)	sqm	370.00
1202	Precast terrazzo tiles 22 mm thick (medium shade)	sqm	344.00
1203	Precast terrazzo tiles 22 mm thick (dark shade)	sqm	314.00
1204	Precast heat resistant terrance tiles (size 300x300 mm) and 20 mm thick	sqm	678.00
1207	G.I Limpet washer	100 nos	49.00
1208	Bitumen washer	100 nos	48.00
1209	G.I. Plain washer thick	100 nos	50.00
1210	G.I. Plain washer thin	100 nos	48.00
1211	G.I. Plain washer for seam bolts	100 nos	48.00
1213	Water proofing materials	kilogram	52.00
1214	Welding by gas plant	cm	5.00
1215	Welding by electric plant	cm	4.00
1216	Whiting	quintal	700.00
1219	Wire nails	kilogram	87.00
1220	Wire mesh (rabbit)	sqm	66.00
1221	20 mm dia holding down bolts	quintal	7998.00
1222	Mild steel sheets with bolts and nuts to rest on pintels	each	183.00
1224	Hard drawn steel wire	quintal	7548.00
1225	Mild steel flat strap fitting	quintal	6250.00
1227	Chequered terrazzo tiles 22 mm thick (light shade)	sqm	453.00
1228	Chequered terrazzo tiles 22 mm thick (medium shade)	sqm	396.00
1229	Chequered terrazzo tiles 22 mm thick (dark shade)	sqm	349.00
1231	Extra for selected planks of second class teakwood	10 cud m	198.00
1234	Aluminium Plain Strip edging 57x12x3 mm	metre	195.00
1235	Diesel oil	Litre	66.00
1237	Cutting marble or sand stone slab up to 50 mm thick by mechanical device	metre	15.00
1238	Extra for selected planks of first class teakwood	10 cud m	193.00
1239	18 mm thick Flamed finish granite stone slab	sqm	2475.00
1240	18 mm thick Italian Marble stone slab. Perlato (slab area up to 0.5 sqm)	sqm	4690.00

1241	Commercial LPG in cylinder	kg	128.00
1242	Glass mosaic tiles (20 mm x 20 mm x 4 mm).	sqm	1475.00
1243	Tile fixing chemical adhesive	kg	58.00
1244	Cement Polymer Grout Compound	kg	56.00
1245	Acid for cleaning tiles	Litre	28.00
1301	Bleaching powder	quintal	2475.00
1304	Surface box for stop cock	each	183.00
1305	Surface box for sluice valve	each	296.00
1307	Surface box for water meter	each	347.00
1309	C.I. bracket for wash basin and sinks	pair	103.00
1314	C.P. brass chain with 32 mm dia rubber plug	each	60.00
1315	C.P.brass chain with 40 mm dia rubber plug	each	58.00
1330	Clamps and M.S. stays including bolts and nuts for 100 mm pipe	each	51.00
1331	M.S. Holder bat clamp of approved design for 100 mm S.C.I pipe	each	31.00
1332	M.S. Holder bat clamp of approved design for 75 mm S.C.I. pipe	each	27.00
1334	Clamps and M.S. stays including bolts and nuts for 50 mm pipe	each	42.00
1335	Clamps and M.S.stays including bolts and nuts for 75 mm pipe	each	44.00
1336	Clearing eye with chain and lid 100 mm dia	each	63.00
1337	Clearing eye with chain and lid 150 mm dia	each	72.00
1339	Brass bib-cock-15 mm dia	each	296.00
1340	Brass bib-cock 20 mm dia	each	325.00
1342	Brass stop-cock 15 mm dia	each	296.00
1343	Brass stop-cock 20 mm dia	each	395.00
1350	Mosquito proof coupling of approved design	each	46.00
1352	C.I. Cover and frame 300X300 mm inside	each	435.00
1353	C.I. Cover without frame 300x300 mm inside	each	319.00
1354	Rectangular cover 455x610 mm with frame (low duty)	each	2120.00
1355	Rectangular cover 455X610 mm with frame (low duty)	each	1415.00
1356	500 mm dia cover with frame (medium duty)	each	6578.00
1357	500 mm dia cover without frame(medium duty)	each	3260.00
1360	C.I.mouth,brass ferrule 15 mm dia	each	192.00
1361	C.I.mouth, brass ferrule 20 mm dia	each	225.00
1362	C.I.mouth, brass ferrule 25 mm dia	each	309.00
1363	Vitreous china foot rests 250x130x30 mm	pair	156.00
1364	C.I. Grating 100x100 mm	each	28.00
1366	C.I. grating 150x150 mm	each	40.00
1367	C.I. grating 180x180 mm	each	47.00
1369	S.C.I. gully or nahani grating 100 mm dia	each	29.00
1373	Rubber insertions for 80 mm dia pipe joints	each	23.00
1374	Rubber insertions for 100 mm dia pipe joints	each	26.00
1375	Rubber insertions for 125 mm dia pip joints	each	30.00
1376	Rubber insertions for 150 mm dia pipe joints	each	30.00
1377	Rubber insertions for 200 mm dia pipe joints	each	37.00
1378	Rubber insertions for 250 mm dia pipe joints	each	57.00
1379	Rubber insertions for 300 mm dia pipe joints	each	64.00
1380	Rubber insertions for 350 mm dia pipe joints	each	73.00

1381	Rubber insertions for 400 mm dia pipe joints	each	106.00
1382	Rubber insertions for 450 mm dia pipe joints	each	131.00
1383	Rubber insertions for 500 mm dia pipe joints	each	158.00
1384	Rubber insertions for 600 mm dia pipe joints	each	178.00
1392	Mirror of superior make glass 60x45 cm	each	461.00
1396	vitreous china pedestal for wash basin	each	1008.00
1397	pig lead	kilogram	131.00
1464	S & S.C.I. standard specials up to 300 mm dia (heavy class)	quintal	5018.00
1466	S&S.C.I. standard specials over 300 mm dia (heavy class)	quintal	5140.00
1468	Flanged C.I. standard specials up to 300 mm dia (heavy class)	quintal	7688.00
1470	Flanged C.I. standard specials over 300 mm dia (heavy class)	quintal	8073.00
1472	Casing pipe 100 mm dia	metre	473.00
1532	Flush pipe with union spreaders and clamps all in C.P. Brass for single stall	each	369.00
1533	Flush pipe with union spreaders and clamps all in C.P. brass for double stall	each	553.00
1534	Flush pipe with union spreaders and clamps all in C.P. brass for range of three stall	each	726.00
1535	Flush pipe with union spreaders and clamps all in C.P. brass for range of four stall	each	830.00
1540	Flush pipe and spreaders G.I. for single set of one squatting plate urinal	each	243.00
1541	Flush pipe and spreaders G.I. for range of two squatting plates urinal	each	347.00
1542	Flush pipe and spreaders G.I. for range of three squatting plates urinal	each	415.00
1543	Flush pipe and spreaders G.I. for range of four squatting plates urinal	each	535.00
1545	G.I. pipes 15 mm dia	metre	90.00
1546	G.I. pipes 20 mm dia	metre	110.00
1547	G.I. pipes 25 mm dia	metre	158.00
1548	G.I. pipes 32 mm dia	metre	191.00
1549	G.I. pipes 40 mm dia	metre	233.00
1550	G.I pipes 50 mm dia	metre	280.00
1551	G.I. pipes 65 mm dia	metre	390.00
1552	G.I. pipes 80 mm dia	metre	480.00
1555	G.I. back (jam) nuts 25 mm dia	each	15.00
1559	G.I. back (jam) nuts 65 mm dia	each	31.00
1608	G.I. tees (equal) 25 mm	each	63.00
1612	G.I. tees (equal) 65 mm	each	383.00
1614	G.I. inlet connection	each	90.00
1616	S.C.I. soil, waste and vent single socketed pipe 1.80 metres long: 100mm dia	each	1301.00
1617	S.C.I. soil, waste and vent single socketed pipe 1.80 metres long: 100mm dia	each	1580.00
1618	S.C.I. Soil waste and vent single socketed pipe .80 metres lon: 150mm dia	each	2395.00
1620	S.C.I. plain bend 75 mm dia	each	235.00
1621	S.C.I. plain bend 100 mm dia	each	475.00

1622	S.C.I. plain bend 150 mm dia	each	818.00
1624	S.C.I. bend with access door 75 mm dia	each	276.00
1625	S.C.I. bend with access door 100 mm dia	each	344.00
1627	S.C.I. Plain single equal junctions 75x75x75 mm dia	each	363.00
1628	S.C.I. plainsingle equal junctions 100x100x100 mm dia	each	615.00
1630	S.C.I. single equal junctions 75x75x75mm dia with access door	each	386.00
1631	S.C.I. single equal junctions 100x100x100 mm dia with access door	each	516.00
1633	S.C.I. plain double equal junctions 75x75x75x75mm dia	each	476.00
1634	S.C.I. plain double equal junctions 100x100x100x100 mm dia	each	706.00
1636	S.C.I.double equal junctions 75x75x75x75 mm dia with access door	each	581.00
1637	S.C.I.double equal junctions 100x100x100x100 mm dia with access door	each	758.00
1639	Slotted cowl (terminal guard) 75 mm dia	each	210.00
1640	Slotted cowl (terminal guard) 100 mm dia	each	263.00
1641	G.I. Union 15 mm nominal bore	each	78.00
1642	G.I. Union 20 mm nominal bore	each	106.00
1643	G.I. Union 25 mm nominal bore	each	119.00
1644	G.I. Union 32 mm nominal bore	each	169.00
1645	G.I. Union 40 mm nominal bore	each	256.00
1646	G.I. Union 40 mm nominal bore	each	301.00
1647	G.I. Union 65 mm nominal bore	each	594.00
1648	G.I. Union 80 mm nominal bore	each	697.00
1649	Polyethylene water storage tank with cover and suitable locking arrangement	per litre	7.00
1653	Sand cast iron S & S single unequal junctions: 100x100x75x75 mm dia	each	505.00
1656	Sand cast iron S&S single unequal Junction: 100x100x75 mm dia with access dor	each	545.00
1659	Sand cast iron S&S plain double unequal junction: 100x100x75x75 mm dia	each	758.00
1662	Sand cast iron S&S double unequal junction: 100x100x75x75xmm dia with access door	each	758.00
1666	Sand cast iron heel rest bend 75 mm dia	each	303.00
1667	Sand cast iron heel rest bend 100 mm dia	each	345.00
1669	S.C.I. Single equal invert branch of required degree 75x75x75x75 mm dia	each	440.00
1670	S.C.I. Single equal invert branch of required degree 100x100x100 mm dia	each	559.00
1672	S.C.I. double equal invert branch of required degree 75x75x75x75 mm dia	each	559.00
1673	S.C.I. double equal invert branch of required degree 100x100x100x100 mm dia	each	750.00
1674	S.C.I. Single unequal invert branch of required degree 100x100x75 mm dia	each	685.00
1677	S.C.I. double unequal invert branch of required degree 100x100x75x75 mm dia	each	782.00
1682	S.C.I. door pieces 75 mm dia	each	375.00

1683	S.C.I.door pieces 100 mm dia	each	549.00
1685	S.C.I. collar 75 mm dia	each	159.00
1686	S.C.I. collar 100 mm dia	each	199.00
1687	Unplasticised P.V.C. connection pipe with brass union 30 cm long 15 mm bore	each	44.00
1688	Unplasticised P.V.C. connection pipe with brass union 30 cm long 20 mm bore	each	485.00
1689	Unplasticised P.V.C. connection pipe with brass union 45 cm long 15 mm bore	each	485.00
1690	Unplasticiesd P.V.C. connection pipe with brass union 45 cm long 20 mm bore	each	70.00
1693	S.C.I hand pump	each	916.00
1700	R.C.C. pipes NP2 class 100 mm dia	metre	279.00
1701	R.C.C.pipes NP2 class 150 mm dia	metre	297.00
1702	R.C.C. pipes NP2 class 250 mm dia	metre	363.00
1703	R.C.C. pipes NP2 class 300 mm dia	metre	418.00
1704	R.C.C. pipes NP2 class 450 mm dia	metre	562.00
1705	R.C.C. pipes NP2 class 500 mm dia	each	696.00
1706	R.C.C. pipes NP2 class 600 mm dia	each	1293.00
1707	R.C.C. pipes NP2 class 700 mm dia	metre	1473.00
1709	R.C.C. pipes NP2 class 800 mm dia	metre	1610.00
1710	R.C.C. pipes NP2 class 900 mm dia	metre	1790.00
1711	R.C.C. pipes NP2 class 1000 mm dia	metre	2225.00
1712	R.C.C. pipes NP2 class 1100 mm dia	metre	2623.00
1713	R.C.C. pipes NP2 class 1200 mm dia	metre	2685.00
1714	R.C.C. collars NP2 class 100 mm dia	each	47.00
1715	R.C.C. collars NP2 class 150 mm dia	each	50.00
1716	R.C.C. collars NP2 class 250 mm dia	each	73.00
1717	R.C.C. collars NP2 class 300 mm dia	each	78.00
1718	R.C.C. collars NP2 class 450 mm dia	each	146.00
1719	R.C.C. collars NP2 class 500 mm dia	each	164.00
1720	R.C.C. collars NP2 class 600 mm dia	each	196.00
1721	R.C.C. collars NP2 class 700 mm dia	each	210.00
1723	R.C.C. Collars NP2 class 800 mm dia	each	279.00
1724	R.C.C. collars NP2 class 900 mm dia	each	328.00
1725	R.C.C. collars NP2 class 1000 mm dia	each	389.00
1726	R.C.C. collars NP2 class 1100mm dia	each	413.00
1727	R.C.C. collars NP2 class 1200 mm dia	each	557.00
1728	RCC pipe 450 mm dia NP -3 spigot	metre	1540.00
1729	RCC pipe 600 mm dia NP- 3 spigot	metre	1553.00
1730	RCC pipe 900 mm dia NP - 3 spigot	metre	3245.00
1731	RCC pipe 1000 mm dia NP -3 spigot	metre	3996.00
1732	RCC pipe 1200 mm dia NP - 3 spigot	metre	5124.00
1733	RCC pipe 1800 mm dia NP- 3 spigot	metre	7928.00
1734	RCC pipe 450 mm dia NP- 4 spigot	metre	1774.00
1735	RCC pipe 600 mm dia NP- 4 spigot	metre	2365.00
1736	RCC pipe 900 mm dia NP- 4 spigot	metre	4680.00
1737	RCC pipe 1000 mm dia NP- 4 spigot	metre	5660.00
1738	RCC pipe 1200 mm dia NP- 4 spigot	metre	6607.00
1739	RCC pipe 1800 mm dia NP- 4 spigot	metre	13877.00
1854	stoneware pipes grade A (60 cm long) 100 mm dia	each	74.00

1855	Stoneware pipes grade A (60 cm long) 150 mm dia	each	112.00
1856	Stoneware pipes grade A (60 cm long) 200 mm dia	each	195.00
1857	Stoneware pipes grade A (60 cm long)230 mm dia	each	260.00
1858	Stoneware pipes grade A (60 cm long) 200 mm dia	each	732.00
1859	Stoneware pipes grade A (60 cm long) 300 mm dia	each	551.00
1863	Fire clay kitchen sink: 600x450x250 mm	each	1955.00
1871	White vitreous china laboratory sink 450x300x150x mm	each	1005.00
1872	White vitreous china laboratory sink 600x450x200 mm	each	1713.00
1875	White plastic seat (solid) with lid C.P. brass hinges and rubber buffers	each	369.00
1876	Black plastic seat (soild) with lid C.P.brass hinges and rubber buffers	each	338.00
1878	Shower rose C.P brass for 15 to 20 mm intel 100 mm dia	each	79.00
1879	Shower rose C.P.brass for 15 to 20 mm intel 150 mm dia	each	63.00
1881	Spun yarn	kilogram	53.00
1882	Strainer brass 40 mm dia 1.5 metre long	each	840.00
1885	15 mm C.P.brass tap	each	301.00
1889	C.P.brass toilet paper holder of standard size	each	247.00
1891	C.I. trap for standard urinal with vent arm with operating and other couplings in C.P. brass: 50 mm dia	each	239.00
1893	C.I. trap for standard urinal with vent arm with operating and other coupling in C.P. brass: 80 mm dia	each	315.00
1895	C.P. brass trap 40 mm dia	each	214.00
1896	100 mm S.C.I. trap with vent heel	each	439.00
1897	100 mm S.C.I. trap with 100 mm inlet and 100 mm outlet	each	380.00
1898	100 mm S.C.I. trap with 100 mm inlet and 75 mm outlet	each	299.00
1900	S.W. gully trap type 100x100 mm	each	126.00
1902	S.W. gully trap type 150x100 mm	each	181.00
1904	S.W. gully trap P type 180x150 mm	each	310.00
1913	Vitreous china lipped front urinal	each	651.00
1915	Vitreous china squatting plate urinal	each	1070.00
1922	H.P. or L.P. ball valve with polythene floats: 15 mm dia	each	295.00
1923	H.P. or L.P. ball valve with polythene floats: 20 mm dia	each	423.00
1924	H.P. or L.P. ball valve with polythene floats: 25 mm dia	each	386.00
1927	Brass full way valve with C.I. wheel (screwed end) 25 mm dia	each	483.00
1928	Brass full way valve with C.I. wheel (screwed end) 32 mm dia	each	569.00
1929	Brass full way valve with C.I. wheel (screwed end) 40 mm dia	each	661.00
1930	Brass full way valve with C.I. wheel (screwed end) 50 mm dia	each	846.00
1931	Brass full way valve with C.I. wheel (screwed end) 65 mm dia	each	1541.00
1932	Brass full way valve with C.I. wheel (screwed end) 80 mm dia	each	2214.00
1933	Gunmetal non-return valve-horizontal (screwed end) 25 mm dia	each	458.00
1934	Gunmetal non-return valve-horizontal (screwed end) 32 mm dia	each	634.00

1935	Gunmetal non-return valve-horizontal (screwed end) 40 mm dia	each	768.00
1936	Gunmetal non-return valve-horizontal (screwed end) 50 mm dia	each	1176.00
1937	Gunmetal non-return valve-horizontal (screwed end) 65 mm dia	each	2084.00
1938	Gunmetal non-return valve-horizontal (screwed end) 80 mm dia	each	2922.00
1940	C.I.Sluice valve (with caps) class I : 100 mm dia	each	3280.00
1941	C.I.Sluice valve (with caps) class I : 125 mm dia	each	3580.00
1942	C.I.Sluice valve (with caps) class I : 150 mm dia	each	4895.00
1943	C.I.Sluice valve (with caps) class I : 200 mm dia	each	10156.00
1944	C.I.Sluice valve (with caps) class I : 250 mm dia	each	14887.00
1945	C.I.Sluice valve (with caps) class : 300 mm dia	each	20948.00
1947	Vitreous China flat back wash basin 630x450 mm	each	996.00
1949	Vitreous China angle back wash basin 600x480 mm	each	996.00
1950	Vitreous china angle back wash basin 400x400 mm	each	586.00
1951	C.P. brass waste 32 mm	each	113.00
1952	C.P. brass waste 40 mm	each	138.00
1953	Vitreous china India type w.c. pan size 580 mm	each	622.00
1954	Vitreous China orrisa type w.c. pan size 580 mm	each	1081.00
1955	Vitreous china pedestal type wate closet	each	981.00
1956	Bolts and nuts 16 mm dia 60 mm long	each	18.00
1957	Bolts and nuts 16 mm dia 65 mm long	each	18.00
1958	Bolts and nuts 20 mm dia 65 mm long	each	22.00
1959	Bolts and nuts 20 mm dia 70 mm long	each	22.00
1960	Bolts and nuts 20 mm dia 75 mm long	each	24.00
1961	Bolts and nuts 20 mm dia 80 mm long	each	26.00
1962	Bolts and nuts 24 mm dia 85 mm long	each	40.00
1963	Bolts and nuts 24 mm dia 90 mm long	each	45.00
1964	Bolts and nuts 27 mm dia 100 mm long	each	53.00
1965	White vitreous china dual purpose closet (Anglo Indian W.C.) suitable for use as squatting pan or European type water closet as per manufacture's specifications	each	1799.00
1970	Vitreous china foot rests 250x125x25 mm	pair	152.00
1980	Fly ash	cum	14.00
1984	Common burnt clay F.P.S. (non modular) bricks tile class designation 10	1000 nos	7000.00
1986	Common burnt clay modular bricks class designation 12.5	1000 nos	7185.00
2391	Strips-Aluminium fluted 3.15 mm thick and 150 mm wide	metre	322.00
2392	Strips-Aluminium fluted 3.15 mm thick and 200 mm wide	metre	448.00
2393	1 mm thick Sstainless Steel Cover plate grade 304	each	387.00
2394	Coupler 16 mm dia	each	96.00
2395	Coupler 20 mm dia	each	123.00
2396	Coupler 25 mm dia	each	182.00
2397	Coupler 28 mm dia	each	270.00
2398	Coupler 32 mm dia	each	321.00
2399	Complete Roof Joint of 100 mm	metre	6082.00
2400	Complete Roof Joint of 150 mm	metre	6485.00
2401	Complete Roof Joint of 200 mm	metre	6760.00
2402	Epoxy adhesive	kg	203.00

2403	Floor Joint of 100 mm	metre	6075.00
2404	Floor Joint of 150 mm	metre	6750.00
2405	Floor Joint of 200 mm	metre	7290.00
2406	Float glass sheet of nominal thickness 4 mm (weight not less than 10 kg/sqm)	sqm	446.00
2407	Float glass sheet of nominal thickness 5.5 mm (weight not less than 13.50 Kg/ sqm)	sqm	675.00
2408	Float glass sheet of nominal thickness 8 mm (weight not less than 20.00 kg/sqm)	sqm	945.00
2409	Wall Joint of 100 mm	metre	4590.00
2410	Wall Joint of 150 mm	metre	4995.00
2411	Wall Joint of 200 mm	metre	5400.00
2412	Play wood 5 ply with commercial ply on both faces 6 mm thick	sqm	490.00
2413	12 mm commercial ply	sqm	785.00
2414	18 mm thick block board with commercial ply veneering on both side	sqm	950.00
2447	Hollock ballies 125 mm diameter	metre	47.00
2449	Oxidised mild steel pull bolt lock (locking bolt) of size 85 mm x 42 mm with screws, bolts, nuts and washers complete	each	68.00
2451	Brass cupboard lock 6 levers of approved quality, 40 mm size	each	95.00
2452	Brass upboard lock 6 levers of approved quality, 50 mm size	each	101.00
2453	Brass cupboard lock 6 levers of approved quality, 65 mm size	each	108.00
2454	Brass cupboard lock 6 levers of approved quality, 75 mm size	each	135.00
2455	Brass hanging type door stopper 150 mm	each	88.00
2456	Hydraulic door closer bottle type M.S. body with necessary accessories and screw complete	each	797.00
2459	Anodised Aluminium hanging type door stopper	each	34.00
2464	Anodised Aluminium pull bolt lock (locking bolt) of size 85 mmx42 mm with screws, bolts, nuts and washers complete	each	68.00
2465	Anodised Aluminium Casement stay 250 mm	each	68.00
2466	Hollock wood in scantling	10 cud m	439.00
2467	Chromium plated Brass pull bolt lock (locking bolt) of size 85 mmx42 mm with screws, bolts, nuts and washers complete	each	223.00
2468	Nickeled Chromium Brass cupboard lock 40 mm size	each	88.00
2469	Nickeled Chromium Brass cupboard lock 50 mm size	each	101.00
2470	Nickeled Chromium Brass cupboard lock 65 mm size	each	115.00
2471	Nickeled Chromium Brass cupboard lock 75 mm size	each	149.00
2480	Ply wood 5 ply with teak ply on both faces 9 mm thick	sqm	1391.00
2481	Ply wood 5 ply with teak ply on one faces and commercial ply on another face 9 mm thick	sqm	1134.00
2483	Ply wood 75 ply with teak ply on one face and commercial ply on another face 9 mm thick	sqm	1242.00

2484	Pre- laminated with decorative lamination on both side exterior Grade - I MDF Board 12 mm thick confirming to IS:14587	sqm	934.00
2485	Pre - laminated with decorative lamination on both side exterior Grade - I MDF Board 18 mm thick confirming to IS:14587	sqm	1245.00
2486	Pre- laminated with decorative lamination side and other side balancing lamination exterior Grade - I MDF Board 25 mm thick confirming to IS: 14587	sqm	1618.00
2487	Pre- laminated with decorative lamination side and other side balancing lamination exterior Grade - I MDF Board 12 mm thick Confirming to IS:14587	sqm	866.00
2488	Pre-laminated with decorative lamination one side and other side balancing lamination exterior Grade- I MDF Board 18 mm thick confirming to IS:14587	sqm	1162.00
2489	PVC edge bending tape 2.00 mm thick	metre	39.00
2500	Extra for selectd planks of second class deodar wood	10 cud m	135.00
2504	Kiln seasoning of timber	cum	1019.00
2505	Hollock wood in planks	10 cud m	533.00
2506	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 608 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 60 mm	10 nos	338.00
2507	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x mm	10 nos	396.00
2508	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 120 mm	10 nos	491.00
2509	Carben steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade sleeve, Size 10 mm x 140 mm	10 nos	608.00
2510	Carben Steel galvanised dash fastner (min 5 micron) of 10 mm dia double threaded 6.8 grade counter sunk head screw comprising of 10 mm dia polyamide PA 6 grade sleeve. Size 10 mm x 160 mm	10 nos	770.00
2602	Common burnt clay F.P.S. (non modular) bricks class designation 7.5	1000 nos	6480.00
2603	Common burnt clay F.P.S. (non modular) bricks class designation 5.00	1000 nos	4725.00
2605	Structural sealant- 6mm x12 mm	metre	43.00
2606	Spacer tape 6.4 mm thick x 6 mm wide	metre	24.00
2607	Weather Sealant - Non Staining (600 ml)	each	620.00
2608	Weather Sealant - Normal (300 ml)	each	193.00
2609	MS Brackets / Aluminium Alloy Brackets	kg	135.00
2610	Silicon Gasket in kg (Above 50 g/m)	kg	812.00
2611	EPDM Gasket in kg(Above 60 g / m)	kg	216.00
2612	Anchor Fastner - M10	each	150.00

2613	SS Bolt with washer of sizes for structural glazing / ACP Cladding	each	47.00
2614	SS Screws of sizes for structural glazing / ACP Cladding	each	7.00
2615	Protective Tape	metre	34.00
2616	GI flashing - 1.2 mm thick	kg	89.00
2617	6 mm thick High performance glass	sqm	2579.00
2618	6 mm thick clear heat strengthened glass	sqm	1040.00
2619	6 mm thick clear heat strengthened glass	each	196.00
2620	ARMS GS HD - TOP HUNG -20	pair	2121.00
2621	Connective Block	each	53.00
2622	Curtain wall striker	each	139.00
2623	Adjustable Fastening Pawl	each	52.00
2624	Corner drive	each	398.00
2625	Top wedge block	each	184.00
2626	Glass wool Density 48 kg/m3 with Block Glass Tissue (BGT)	sqm	311.00
2627	SS Screws - #8x19	each	14.00
2628	Weather Sealant - DC 789	cartridge	182.00
2629	Cement Board	sqm	338.00
2630	Baker rod	metre	7.00
2631	4 mm thick ACP	sqm	1620.00
2632	Fire Stop	metre	759.00
2634	GI/Aluminium Sheet (0.8 mm thick)	kg	77.00
2704	Aluminium Strip 40 mm wide and 2 mm thick	kilogram	297.00
2708	Truf Paver (500 x 500x 40 mm)	sqm	1472.00
2709	Ceremic Tiles Pieces for Crazy Flooring	quintal	182.00
2710	White marble makrana second quality plain veined stone pieces for crazy flooting	quintal	189.00
2711	FS800H Grade Flooring Panel (Size 600 mmx600 mmx32 mm)	each	1013.00
2712	Zinc Electroplated Pedestals - 300 mm	each	189.00
2713	Zinc Electroplated Pedestals - 450 mm	each	203.00
2714	Zinc Electroplated Tube stringer	each	95.00
2715	Machine Screw for Fixing	each	3.00
2750	8 mm thick granite stone tiles (mirror polished of all shades)	sqm	750.00
2751	8 mm thick marble tiles (polished) Raj Nagar	sqm	486.00
2901	Stone Aggregate (Single size): 100 mm nominal size	cum	1160.00
2902	Stone Aggregate (single size) : 80 mm nominal size	cum	1370
2903	Stone chippings/ screenings 4.75 mm nominal size	cum	1600
2904	Stone chippings/ screenings 150 micron nominal size	cum	1670
2908	Over burnt (Jhama) Brick Aggregate: 120 mm to 40 mm size	cum	513.00
2909	Over burnt (jhama) Brick Aggregate: 90 mm to 40 mm siize	cum	540.00
2910	Stone chippings/screenings 12.5/13.2 mm nominal size	cum	1485.00
2911	Stone Chippings/ screenings 10/ 11.2 mm nominal size	cum	1485.00
2914	Solvent	kilogram	34.00
2916	Paving Asphalt VG-10 of approved quality	tonne	5400.00
3002	Polyvinyl chloride sheet 400 micron thick	sqm	47.00
3004	Stone ware spouts 100 mm dia 60 cm long	each	47.00
3050	Galvanised steel corrugated sheets	quintal	7290.00
3080	Gunmetal non-return valve-vertical (screwed end)25 mm dia	each	486.00

3084	Gunmetal non-return valve-vertical (screwed end) 32 mm dia	each	702.00
3088	Gunmetal non-return valve-vertical (screwed end) 40 mm dia	each	1013.00
3092	Gunmetal non-return valve-vertical (screwed end) 50 mm dia	each	1364.00
3096	Gunmetal non-return valve-vertical (screwed end) 65 mm dia	each	2309.00
3213	Vitreous china Surgeon type wash basin of size 660x460 mm	each	1485.00
3228	600x120 mm glass shelf with anodised aluminium angle frame, C.P. brass brackets and guard rail of standard size	each	338.00
3229	Vitreous china flat back wash basin 550x400 mm	each	743.00
3300	Gunmetal non-return valve-vertical (screwed end) 80 mm dia	each	3902.00
3311	C.I. sluice valve (with caps) class II : 100 mm dia	each	3929.00
3314	C.I. sluice valve (with caps) class II : 125 mm dia	each	4725.00
3317	C.I. sluice valve (with caps) class II : 150 mm dia	each	5805.00
3320	C.I. sluice valve (with caps) class II : 200 mm dia	each	12434.00
3321	C.I. sluice valve (with caps) class II : 250 mm dia	each	19980.00
3326	C.I. sluice valve (with caps) class II : 300 mm dia	each	24975.00
3327	15 mm Battery Based Sensor Pillar Cock	each	7860.00
3617	CP Brass Union 40 mm dia	each	263.00
3620	C.C.I. (spun) socketed soil, waste and vent pipe 1.80 metres long : 100 mm dia	each	1688.00
3621	C.C.I (spun) socketed soil, waste and vent pipe 1.80 meters long : 75 mm dia	each	1397.00
3624	S.C.I. S&S bends with access door 100 mm dia	each	392.00
3625	S.C.I. S&S bends with access door 75 mm dia	each	324.00
3628	S.C.I. S&S bend 100 mm dia	each	358.00
3629	S.C.I. S&S bend 75 mm dia	each	263.00
3634	S.C.I. S&S heel rest sanitary bend 100 mm dia	each	400.00
3635	S.C.I S&S heel rest sanitary bend 75 mm dia	each	338.00
3640	S.C.I. S&S single equal junctions 100x100x100 mm	each	637.00
3641	S.C.I. S&S single equal junctions 75x75x75 mm	each	446.00
3644	S.C.I. S&S single equal junctions with access door 100x100x100 mm	each	668.00
3645	S.C.I. S&S single equal junctions with access door 75x75x75 mm	each	504.00
3650	S.C.I. S&S double equal junctions 100x100x100x100 mm	each	837.00
3651	S.C.I. S&S double equal junctions 75x75x75x75 mm	each	624.00
3654	S.C.I. S&S double equal junctions with access door 100x100x100x100 mm	each	830.00
3655	S.C.I. S&S double equal junctions with access door 75x75x75x75 mm	each	648.00
3660	S.C.I. S&S single unequal junctions 100x100x75 mm	each	770.00
3664	S.C.I. S&S single unequal junctions with access door 100x100x75 mm	each	864.00
3670	S.C.I. S&S double unequal junctions 100x100x75x75 mm	each	1080.00
3674	S.C.I. S&S double unequal junctions with access door 100x100x75x75	each	1148.00

3681	S.C.I. S&S single equal invert branch of required degree 100x100x100 mm dia	each	574.00
3682	S.C.I. S&S single equal invert branch of required degree 75x75x75 mm dia	each	436.00
3685	S.C.I. S&S double equal invert branch of required degree 100x100x100x100 mm dia	each	716.00
3686	S.C.I. S&S double equal invert branch of required degree 75x75x75x75 mm dia	each	574.00
3690	S.C.I. S&S single unequal invert branch of required degree 100x100x75 mm dia	each	736.00
3695	S.C.I. S&S double unequal invert branch of required degree 100x100x75x75xmm dia	each	979.00
3699	S.C.I. S&S, 75 mm offsets for 75 mm dia pipe	each	304.00
3707	S.C.I. S&S, 150 mm offset for 75 mm dia pipe	each	385.00
3708	S.C.I. S&S, 150 mm offset for 100 mm dia pipe	each	527.00
3712	S.C.I. S&S, 114 mm offset for 75 mm dia pipe	each	405.00
3713	S.C.I. S&S, 114 mm offset for 100 mm dia pipe	each	517.00
3716	S.C.I. S&S, 152 mm offset for 75 mm dia pipe	each	483.00
3717	S.C.I. S&S, 152 mm offset for 100 mm dia pipe	each	628.00
3728	S.C.I. S&S, door peeces 100 mm dia	each	540.00
3729	S.C.I. S&S, door pieces 75 mm dia	each	398.00
3733	S.C.I. S&S, Slotted Cowl (Terminal Guard) 100 mm	each	391.00
3734	S.C.I. S&S, Slotted Cowl (Terminal Guard) 75 mm	each	335.00
3738	S.C.I. S&S, collars 100 mm	each	279.00
3739	S.C.I. S&S, collars 75 mm	each	190.00
3746	S.C.I. S&S, 75 mm offset for 75 mm dia pipe	each	243.00
3747	S.C.I. S&S, 75 mm offset for mm dia pipe	each	405.00
3749	Vitreous china toilet paper holder of standard size	each	168.00
3860	560 mm dia cover with frame (Heavy duty)	each	10050.00
3861	560 mm dia cover without frame (Heavy duty)	each	5583.00
4001	Stainless steel (Grade - 304) hollow section round/square tubes	kg	391.00
4002	Stainless steel bolts /square bar and plates	kg	145.00
4006	Pressed steel door fames (mild steel sheet 1.60 mm) Profile	metre	246.00
4007	Pressed steel door fames (mild steel sheet 1.60 mm) Profile	metre	268.00
4008	Pressed steel door fames (mild steel sheet 1.60 mm) Profile	metre	302.00
4009	Mild steel tubes hot finished welded type	kilogram	58.00
4010	Mild steel tubes hot finished seamless type	kilogram	73.00
4011	Mild steel tubes electric resistant or induction butt welded	kilogram	78.00
4012	Circular C.I. Bok for ceiling fan	each	67.00
4013	Pulley 40 mm dia	each	34.00
4201	Aluminium primer	Litre	112.00
4202	Red oxide Zinc chromate primer	Litre	78.00
4203	Copper acetate	kilogram	335.00
4204	Hydrochloric acid	kilogram	39.00
4205	Copper chloride	kilogram	335.00
4206	Copper nitrate	kilogram	246.00
4207	Ammonium chloride	kilogram	22.00

5001	Mobil oil	Litre	223.00
6001	White marble slab Makrana second quality plain veined 18 mm thick	sqm	2088.00
6007	Pink marble slab plain 18 mm thick	sqm	720.00
6010	Udaypur green marble slab plain 18 mm thick	sqm	771.00
6019	Black Zebra Marble slab plain 18 mm thick	sqm	558.00
6501	Sand zone V (jamina)	cum	700.00
7001	Brass 100 mm mortice latch and lock with 6 levers without pair of handles	each	290.00
7003	Pair Anodised Aluminium lever handles for 100 mm mortice latch and lock	each	352.00
7004	Vitreous china flat back wash basin 450x300 mm	each	475.00
7005	Vitreous china 10 litres low level cistern without fittings	each	1033.00
7006	Vitreous china 10 litres low level cistern with fittings	each	1787.00
7008	F.P.S. (non modular) clay fly ash bricks class designation 7.5	1000 nos	5137.00
7009	12.5 mm thick tapered edge gypsum plain board	sqm	223.00
7010	Galvanised Steel ceiling section (size 80x26x0.50 mm)	metre	44.00
7011	Galvanised Steel perimeter Channel (Size 20x27x30x0.50 mm)	metre	30.00
7012	Galvanised Steel intermediate Channel (Size 15x45x15x0.90 mm)	metre	47.00
7013	Galvanised Steel angle hanger (Ceiling angle) (Size 25x10x0.50 mm)	metre	21.00
7014	Galvanised Steel connecting clips (2.64 dia and 230 mm long GI wire)	each	7.00
7015	Galvanised Steel soffit cleat (Size 27x37x25x0.60 mm)	each	4.00
7016	Joint filler	kilogram	25.00
7017	Joint finisher	kilogram	27.00
7018	Joint tape roll	roll	162.00
7019	Dash fastener/chemical Fastener	each	17.00
7020	All drive screws (for gypsum board)	100 nos	67.00
7021	Primer (for gypsum board)	Litre	95.00
7022	Chlorpyriphos 20% E.C. / Lindane 20% E.C.	Litre	179.00
7023	Chromium plated brackets (curtain rods)	each	8.00
7024	Acid Proof cement	tonne	9101.00
7027	M.S. Butt hinges 125x90x4 mm	10 nos	123.00
7028	12.5 mm thick Fully Perforated gypsum board	sqm	1035.00
7029	Galvanised wire mesh of average width of aperture 1.4 and nominal dia. of wire 0.63 mm	sqm	279.00
7030	12.5 mm thick tapered edge gypsum fire resistant board	sqm	265.00
7031	12.5 mm thick tapered edge gypsum moisture resistant board	sqm	303.00
7032	Frosted glass sheet or nominal thickness 4 mm (weighing not less than 10 kg/sqm)	sqm	374.00
7033	Nickel plated M.S. pipe 25 mm dia.	metre	89.00
7034	Nickel plated M.S. pipe 20 mm dia	metre	78.00
7035	Nickel palted M.S. Brackets for curtain rod 20 mm	each	8.00
7036	Nickel plated M.S. Bracekts for curtain rod 25 mm	each	9.00
7040	Oxidised mild steel screws 35 mm	100 nos	56.00

7042	Mild steel conduit pipe (heavy type) ISI Marked-20 mm dia.	metre	67.00
7043	Mild steel conduit pipe (heavy type) ISI Marked-25 mm dia	metre	78.00
7044	Rolling shutters of 80x0.90 mm laths	sqm	1206.00
7045	Rolling shutters of 80x1.2 mm laths	sqm	1284.00
7046	Top cover of Rolling shutters 0.90 mm thick	metre	357.00
7047	Top cover of Rolling shutters 1.20 mm thick	metre	391.00
7048	Rawl plug 50 mm (designation 10 nos)	each	11.00
7049	Teak wood lipping of size 25x3 mm in pelmets	metre	25.00
7050	PU Primer	sqm	46.00
7051	40 mm (average) PU spray having 40-45 kg/m3 density	sqm	470.00
7052	GI wire netting 3/4" x 24 G	sqm	30.00
7053	400 G polythene sheet	sqm	17.00
7055	Flat pressed 3 layer and graded particle board (medium density) Grade 1 Conforming to IS : 3087-18 mm thick	sqm	469.00
7056	Almonium tee channel (heavy duty) with rollers and stop end	metre	56.00
7059	Aluminium hanging floor door stopper with twin rubber & stopper	each	73.00
7060	Hydraulic door closer tubular type Aluminium section body	each	938.00
7063	Oxidised M.S. casement stay (straight peg type) 300 mm not less than 0.33 kg	each	25.00
7064	Oxidised M.S. casement stay (straight peg type) 250 mm not less than 0.28 kg	each	22.00
7065	Oxidised M.S. casement stay (straight peg type) 200 mm not less than 0.24 kg	each	20.00
7068	Extra for providing grilled rolling shutters with 8 mm dia M.S. rod	sqm	302.00
7070	Chequered precast cement concrete tiles 22 mm thck using marble chips of size 6 mm - light shade using white cement	sqm	525.00
7071	White marble Raj Nagar plain 18 mm thick upto 0.50 sqm area	sqm	670.00
7072	Wall mounted water closet	each	5193.00
7073	Adjustable Vetrious China Cistern with fittings	each	2792.00
7074	White Vetrious China Waterless Urinal	each	16750.00
7075	Cistern with fittings for Waterless Urinal	each	3797.00
7076	White Vetrious Urinal	each	15633.00
7077	Acid and alkali resistant tiles 300x300 mm size, 10 mm thick	10 nos	637.00
7087	S.C.I. Tee 150 mm	each	670.00
7090	Expanded polystyrene type N- Normal	sqm	145.00
7091	Expanded polystyrene type - SE	sqm	173.00
7095	Stainless steel kitchen sink - with drain board bowl depth 250 mm	each	5790.00
7096	Stainless steel kitchen sink - with drain board 510x 1040 mm bowl depth 225 mm.	each	5528.00
7097	Stainless steel kitchen sink - with drain board 510 x 1040 mm bowl	each	4746.00
7098	Stainless steel kitchen sink - with drain board 510 x 1040 mm bowl depth 178 mm	each	3350.00
7101	Stainless steel kitchen sink - without drain board 610x510 mm bowl depth 200 mm	each	3518.00

7102	Stainless steel kitchen sink - without drain board 610x460 mm bowl depth 200 mm	each	3177.00
7103	Stainless steel kitchen sink - without drain board 470x420 mm bowl depth 178 mm	each	2367.00
7104	Coloured Orissa pattern W.C. pan 580x440 mm	each	1474.00
7105	Coloured Pedestal type W.C. pan 580x440 mm (European type)	each	1284.00
7106	Coloured Vitreous china 10 lit. low level cistern	each	1921.00
7107	Coloured (other than black)solid P.V.C. seat in European W.C. pan	each	614.00
7112	Circular shape 450 mm dia Mirror with Plastic moulded frame	each	503.00
7113	Rectangular shape 453x357 mm Mirror with Plastic moulded frame	each	335.00
7114	Oval shape 450x350 mm (outer dimension) Mirror with Plastic moulded fame	each	391.00
7115	Rectangular shape 1500x450 mm Mirror with Plastic moulded frame	each	782.00
7116	Hard board 6 mm thick	sqm	140.00
7117	Semi Rigid PVC waste pipe for sink and wash basin 32 mm dia with length not less than 700 mm i/c PVC waste fittings	each	34.00
7118	Semi Rigid PVC waste pipe for sink and wash basin 40 mm dia with length not less than 700 mm i/c PVC waste fittings	each	39.00
7119	Flexible (coil shaped) PVC waste pipe for sink and wash basin 32 mm dia with length not less than 700 mm i/c PVC waste fittings	each	31.00
7120	Flexible (coil shaped) PVC waste pipe for sink and wash basin 40 mm dia with length not less than 700 mm i/c PVC waste fittings	each	34.00
7123	Coloured High density polyethylene/poly propylene 10 lit. (full flush) capacity controlled low level flushing cistern with fittings	each	765.00
7126	White Vitreous china 10 lit. (full flush) capacity controlled low level flushing cistern with all fittings	each	1089.00
7127	Coloured Vitreous china 10 lit. (full flush) capacity controlled low level flushing cistern with all fittings	each	1675.00
7128	S.W. intercepting trap 100 mm dia	each	212.00
7129	S.W. intercepting trap 150 mm dia	each	279.00
7130	Rectangular shape 600x 450 mm precast R.C.C. manhole cover with frame - L.D. - 25	each	838.00
7131	Square shape 450x450 mm precast R.C.C. manhole cover with frame - L.D. -25	each	726.00
7132	Circular shape 450 mm dia precast R.C.C. manhole cover with frame L.D. -25	each	670.00
7133	Rectangular shape 500x500 mm precast R.C.C. manhole cover with frame - M.D.-10	each	782.00
7134	Circular shape 500 mm dia precast R.C.C. manhole cover with frame - M.D. 1 10	each	737.00
7135	Circular shape 560 mm dia precast R.C.C.manhole cover with frame - H.D. - 20	each	1228.00
7136	Circular shape 560 mm thick shutters with frame E.H.D. -35	each	1368.00

7137	Factory made 35 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of 12 mm thick plain type-I, medium density flat pressed three layer, graded particle board (FPT -I) as per IS:3087 bonded with BWP type	sqm	2066.00
7139	Factory made 35 mm thick shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of 12 mm thick both sides prelaminated type - I, medium density flat pressed three layer, graded particle board (FPT - I) as per IS:3087 bonded with BWP type synthetic resin adhesive, as per IS:848	sqm	2267.00
7143	Factory made 35 mm thick shutters with laqminated veneer lumber styles & rails as per TADS 15:1995 and panels of 12 mm thick on e side prelaminated type-I, and other side balancing lamination, medium density flat pressed three layer, graded particle board (FPT-I) as per IS: 3087 bonded with BWP type synthetic resin adhesive, as per IS: 848	sqm	2178.00
7151	Factory made 30 mm thick shutters with laminated veneer lumbers styles & rails as per TADS 15:1995 and panels of sheet glass using 10 kg/sqm glass panes	sqm	1843.00
7154	Factory made 35 mm thck shutters with laminated veneer lumber styles & rails as per TADS 15:1995 and panels of galvanised wire of dia average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm	sqm	1820.00
7155	Factory made 30 mm thick shutters with laminated veneer lumber styles & rauks as oer TADS 15:1995 and panels of galvanised wire gauge with average width of aperture 1.4 mm in both direction with wire of dia 0.63 mm	sqm	1619.00
7157	Laminated veneer lumber confirming to TADS 15:1995 manufactured in factory in frames of doors, windows	10 cud m	793.00
7178	Chemical ASTM C- type I	kg	123.00
7181	C.I. pile shoe	kilogram	56.00
7182	M.S. clamps for pile shoe	kilogram	50.00
7183	Bentonite	tonne	3462.00
7184	Oxidised M.S. safety chain (weighing not less than 450 gms) for door	each	67.00
7187	C.I. grating 150 mm dia, weighing not less than 440 gm	each	28.00
7188	uPVC pipes (working pressure 4 kg /cm ²) Single socketed pipe 75 mm dia	metre	75.00
7189	uPVC pipes (working pressure 4 Kg / cm ²) Single socketed pipe 110 mm dia	metre	144.00
7190	uPVC pipes (working pressure 4 kg/cm ²) Rubber (seal) Ring 75 mm dia	each	18.00
7191	uPVC pipes (working pressure 4 kg/cm ²) Rubber (seal) Ring 110 mm dia	each	22.00
7192	uPVC coupler for uPVC drainage pipes 75 ,mm	each	38.00
7193	uPVC coupler for uPVC drainage pipes 110 mm	each	58.00
7194	uPVC pushfit coupler (single) 75 mm thick	each	56.00
7195	uPVC Pushfit coupler (single) 110 mm thick	each	90.00
7196	uPVC single equal Tee (without door) 75x75x75 mm	each	106.00

7197	uPVC single equal Tee (without door) 110x110x110 mm	each	143.00
7198	uPVC single equal Tee (with door) 75x75x75 mm	each	128.00
7199	uPVC single equal Tee (with door) 110x110x110 mmmm	each	201.00
7208	uPVC bend 87.50, 75 mm bend	each	63.00
7209	UPVCbend 87.50, 110 mm bend	each	106.00
7212	UPVC plain shoe 75 mm bend	each	119.00
7213	UPVC plain shoe 110 mm bend	each	231.00
7214	UPVC pipe clip 75 mm bend	each	18.00
7215	UPVC pipe clip 110 mm bend	each	35.00
7231	Resin bonded Glass wool 16 kg/m3 50 mm thick	sqm	162.00
7232	Resin Bonded Glass wool 24 kg/m3 50 mm thick	sqm	228.00
7233	Fibre glass tissue reinforcemet type II Grade I	sqm	80.00
7236	Precast chequered cement tiles 22 mm thick Dark shade using ordinary cement	sqm	257.00
7237	Precast chequered cement tiles 22 mm thick medium shade using 50% white cement 50% ordinary cement	sqm	413.00
7238	High Allbedo paint	kg	275.00
7239	Epoxy paint	Litre	279.00
7240	Fire retardant paint	Litre	290.00
7241	Melamine polish	Litre	335.00
7244	Table rubbed polished stone 18 mm thick (75x50 cm) Agaria Marble stone - 18 mm thick	sqm	1954.00
7245	Table rubbed polished stone 18 mm thick (75x50cm) Granite stone - 18mm thick	sqm	2010.00
7246	Vertical load testing (INITIAL) of pipes in accordance with IS : 2911 (Part - IV) including installation of loading platform and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification and up to 50 MT capacity pile	per test	37073.00
7247	Vertical load testing (INITIAL) of piles in accordance with IS : 2911(Part -IV) including installation of loading platform and preparation of pile head or construction of test cap and dismantling of test cap after test etc. compete as per specification & above 50MT and up to 100 MT	per test	45002.00
7248	Vertical load testing (INIGIAL) pf piles in accordance with IS : 2911 (PART-IV) including installation of loading platform and preparation of pile head or construction of test cap and dismantling of test cap after test etc. complete as per specification & group of two ro more up to 50 MT	per test	54158.00
7249	Cyclic vertical load testing of piles in accordance with IS : 2911 (Part-IV) including prepartion of pile head etv. for Single pile above 50 tonne capacity pile and up to 100 tonnecapacity pile	per test	16750.00
7250	Cyclic vertical load testing of piles in accordance with IS : 2911(Part-IV) including preparation of pile head etc. for Single pile above 50 tonne capacity pile and up to 100 tonnecapacity pile	per test	25683.00
7251	Cyclic vertical load testing of piles in accoraance with IS : 2911 (Part - IV) including preparation of pile head etc. for Group of two piles up to 50 tonne capacity each	per test	32942.00

7252	Lateral load testing of single pile in accordance with IS : 2911 part IV for detemining safe allowable lateral load load on pile. up to 50 tonne capacity	per test	16750.00
7253	Lateral load testing of single pile in accordance with IS : 2911 part IV for detemining safe allowable lateral load on pile. Above 50 tonne capacity	per test	26353.00
7254	Hardening compound	Litre	45.00
7255	Road Marking paint (spirit based)	Litre	134.00
7256	Superior quality road marking paint (water based)	Litre	190.00
7257	C.P.Brass bibcock 15 mm	each	419.00
7258	C.P. Brass long nose bibcock 15 mm	each	734.00
7259	C.P. Brass long body bibcock 15 mm	each	559.00
7260	C.P. Brass stop cock (concealed) 15 mm	each	573.00
7261	C.P. Brass angle valve 15 mm	each	466.00
7266	Pressed clay tiles 20 mm thick 250 x 250 mm size	1000 nos	13568.00
7267	Plain ceiling tiles (BWP type phenol formaldehyde synthetic resin bonded) 600x600x12 mm)	each	134.00
7268	Semi perforated ceiling tiles (600x600x12 mm)	each	134.00
7269	25 mm thick particle board	sqm	536.00
7270	30 mm thick prelaminated flush door shutter	sqm	949.00
7271	IIInd class teak wood lipping 25 mm wide x 12 mm thick	metre	45.00
7272	25 mm thick melamine faced prelaminated three layer particle board	sqm	1050.00
7273	Resin Bonded Rockwool 48kg/m3	sqm	236.00
7280	Waste plastic additive	tonne	44667.00
7281	Chemical ASTM C -type II	kg	190.00
7295	Granite of any colour, 18 mm thick (slab area upto 0.50 sqm)	sqm	2122.00
7296	Granite of any colour,30 mm thick (slab area up to 0.50 sqm)	sqm	2568.00
7297	Granite of any colour, 18 mm thick (slab area above 0.50 sqm)	sqm	2233.00
7306	Aluminium T or L Sections	kilogram	223.00
7307	For flush door shutters Extra for providing teak veneering on one side instead of commercial veneering	sqm	380.00
7309	Paving Asphalt of grade VG-30 of approved quality	tonne	45783.00
7312	Expandable fastener with plastic sleeve and M.S.screws, 25 mm long	each	11.00
7313	Expandable fastener with plastic sleeve and M.S.screws, 32 mm long	each	12.00
7314	Expandable fastener with plastic sleeve and M.S. screws, 40 mm long	each	16.00
7315	Expandable fastener with plastic sleeve and M.S. screws, 50 mm long	each	17.00
7318	Plasticizer / super plasticizer	kilogram	42.00
7319	wall form panel 1250x500 mm	each	1173.00
7320	Tie bolt 12 mm dia 100 mm length	each	56.00
7321	Tie bolt 12 mm dia 150 mm length	each	67.00
7322	Tie bolt 20 mm dia 150 mm length	each	84.00
7323	Tile bolt 20 mm dia 225 mm length	each	101.00
7324	Spring coil 12 mm	each	18.00

7325	Plastic cone 12 mm dia	each	20.00
7326	Corner angle 45x45x5 mm 1.50 m long	each	335.00
7327	100 mm channel shoulder 2.5 m long	each	1295.00
7328	Double clip (bridge clip)	each	108.00
7329	Single clip	each	86.00
7330	M.S. Tube 40 mm dia	metre	313.00
7331	Wall form panel 1250x450xmm	each	1161.00
7332	Corner angle 45x45x5 mm 2.50 long	each	380.00
7333	Column clamp 450x1070 mm	each	1362.00
7334	Prop 2 m (2-3.5m)	each	927.00
7335	Binding wire	kilogram	59.00
7338	Gun metal cramp	kilogram	369.00
7339	Stainless steel cramp	kilogram	380.00
7340	Stainless steel pin	kg	212.00
7342	Adjustable span ESO+SI (2.35-3.40)	each	2122.00
7343	Adjustable telescopic prop 3 m (2.02-3.75m)	each	1340.00
7344	Beam clamp 300-380 mm (450-1070 mm)	each set	471.00
7345	Prop 4 m	each	1307.00
7346	Double coupler	each	61.00
7347	Cadmium plated full threaded steel screws (30x4 mm dia.)	100 nos	31.00
7348	Aluminium washer 2 mm thick 15 mm dia	100 nos	11.00
7349	12 mm M.S. 'U' beading	metre	17.00
7354	Plastic encapsulated M.S. floor rest 30x20x15 cm	each	128.00
7358	Flushing Cistern P.V.C. 10 lts capacity (low level) (white) (with fittings, accessories and flush pipe)	each	715.00
7359	P.V.C. automatic flushing cistern 5 lts capacity	each	547.00
7361	P.V.C. Automatic flushing cistern 10 lts capacity	each	592.00
7363	15 mm C.P. brass tap with elbow operation lever	each	782.00
7364	White glazed fire clay draining board 600x450x25 mm	each	614.00
7366	Glass reinforced Gypsum (GRG) board 12.5 mm thick	sqm	268.00
7367	Galvanised M.S. sheet 0.5 mm thick pressed channel section of size 50x32 mm	metre	67.00
7369	Galvanised M.S. sheet 0.50 mm thick pressed stud. 48x34x36 mm	metre	84.00
7375	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Single lipped urinal	each	519.00
7376	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Range of two lipped urinals	each	1173.00
7377	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Range of three lipped urinals	each	1396.00
7378	G.I. flush pipe and C.P. brass spreader including C.P. connecting pipe Range of four lipped urinals	each	2122.00
7379	White vitreous china clay half stall urinal flat back 580x380x350 mm or angle back 450x375x350 mm with waste fittings as per IS: 2556	each	1787.00
7380	Precast R.C.C. grating with frame 500x450 mm horizontal grating	each	726.00
7381	Precast R.C.C. grating with frame 450x100 mm vertical grating	each	363.00
7382	Bitumen emulsion rapid setting (R.S.) conforming to IS: 8887	tonne	33277.00

7385	3 mm thick translucent white acrylic plastic sheet	sqm	637.00
7386	12 mm thick particle board ceiling tile	sqm	290.00
7387	Spigot for standard jointing	kilogram	50.00
7388	Dash hold fastener 12.5 mm dia, 50 mm long with 6 mm dia bolt	each	56.00
7389	Anodising 15 microns on aluminium sections	kilogram	45.00
7390	Neoprene / EPDM rubber gasket	metre	28.00
7391	Anodising 25 microns on aluminium sections	kilogram	56.00
7392	Powder coating 50 microns on aluminium sections	kilogram	71.00
7393	Polyester powder coating 50 microns on aluminium sections	kilogram	78.00
7394	Double action hydraulic floor spring with stainless steel cover plate	each	1731.00
7395	6 mm dia. G.I adjustable hangers including clips (up to 1.2 m length)	each	31.00
7396	Double action hydraulic floor spring with brass cover plate	each	1898.00
7397	Base Jack	each	201.00
7398	Challies	each	893.00
7399	Cup locks	each	89.00
7400	15 mm PTMT bib cock	each	112.00
7401	15 mm PTMT bib cock with flange (fancy)	each	156.00
7402	15 mm PTMT bib cock long body with flange	each	179.00
7403	15 mm PTMT bib stop cock (male thread)	each	112.00
7405	20 mm dia. PTMT bib stop cock	each	145.00
7406	PTMT pillar cock	each	179.00
7407	PTMT push cock 15 mm dia	each	101.00
7408	PTMT push cock 12 mm dia 20 mm BSP	each	89.00
7409	PTMT grating 100 mm dia	each	35.00
7410	PTMT Pillar cock (fancy) 15 mm foam flow	each	251.00
7411	125 mm grating with waste hole	each	47.00
7412	Rectangular type with openable circular lid 150 mm size 18 mm high with 100 mm dia (110 gm)	each	136.00
7415	Double acting air valve 50 mm	each	4467.00
7416	Double acting air valve 80 mm	each	5807.00
7417	Double acting air valve 100 mm	each	7593.00
7418	Water meter (including testing charges) 80 mm	each	2379.00
7419	Water meter (including testing charges) 150 mm	each	3685.00
7420	Water meter (including testing charges) 150 mm	each	5583.00
7421	Water meter (including testing charges) 200 mm	each	6030.00
7422	Dirt box strainer 80 mm	each	3138.00
7423	Dirt box strainer 100 mm	each	5114.00
7424	Dirt box strainer 150 mm	each	6488.00
7425	Dirt box strainer 200 mm	each	9213.00
7426	Cat's eye	each	201.00
7427	Water stops Serrated with central bulb (225 mm wide, 8-11 mm thick)	metre	463.00
7428	Water stops Dumb bell with central bulb	metre	436.00
7429	Kickers	metre	419.00
7430	Wedge expansion hold fastener 1/4 or 6 mm	each	16.00
7431	Wedge expansion hold fastener 3/8 or 10 mm	each	17.00
7432	Wedge expansion hold fastener 1/2	each	31.00

7439	8 mm thick (mirror polished tiles machine cut edge) Raj Nagar white	sqm	558.00
7442	Wheel 75 mm dia. 40 mm wide	each	73.00
7443	Aluminium single cleat of size 30x32x3 mm	each	16.00
7444	Aluminium grip strip of 50x12x2 mm	each	12.00
7445	25 mm thick prelaminated flush door shutter both side decorative	sqm	927.00
7449	Aluminium U beading	kilogram	246.00
7451	Glass sheet (pin headed) 4 mm thick	sqm	335.00
7452	Raj nagar plain white marble (table rubbed add polished) 18 mm thick (slab area upto 0.50 sqm)	sqm	726.00
7453	Raj nagar plain white marble (table rubbed and polished) 18 mm thick (slab area more than 0.50 sqm)	sqm	838.00
7466	Second class deodar teak wood lipping 30 mm wide x 12 mm thick	metre	34.00
7468	Veneered particle board with commercial veneering on both sides 12 mm thick	sqm	558.00
7477	Prelaminated particle board with one side decorative and other side balancing lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS:12823 (exterior grade) 12 mm thick	sqm	826.00
7478	Prelaminated particle board with one side decorative and other side balancing lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS:12823 (exterior grade) 18 mm thick	sqm	949.00
7479	Prelaminated particle board with one side decorative and other side balancing lamination, flat pressed 3 layer & graded (medium density) Grade I, Type II conforming to IS:12823 (exterior grade) 25 mm thick	sqm	1039.00
7480	Prelaminated particle board with both side decorative lamination, flat pressed 3 layer & grade (medium density) Grade I, Type II conforming to IS: 12823 (exterior grade) 12 mm thick	sqm	871.00
7485	Oxidised M.S. hinges finished with nickel plating 50 mm (Pver all width)	metre	47.00
7486	Oxidised M.S. hinges finished with nickel plating 65 mm (Over all width)	metre	60.00
7491	PTMT - Waste Coupling 31/32 mm	each	57.00
7492	PTMT - Waste Coupling 38/40 mm	each	71.00
7493	PTMT - Bottle Trap 31/32 mm	each	354.00
7494	PTMT - Bottle Trap 38/40 mm	each	385.00
7495	PTMT - Ball Cock 15 mm Complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	150.00
7496	PTMT - Ball Cock 120 mm Complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	218.00
7497	PTMT - Ball Cock 25 mm Complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	469.00
7498	PTMT - Ball Cock 40 mm Complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	871.00
7499	PTMT - Ball Cock 50 mm Complete with Epoxy Coated Aluminium Rod & H.D. Ball	each	1284.00

7500	PTMT - Angle Stope cock with Flange 15 mm	each	145.00
7501	PTMT - Swiveling shower 15 mm	each	97.00
7503	PTMT - Liquid Soap Container of 400 ml capacity	each	162.00
7504	PTMT - Towel Ring 215x200x37 mm	each	130.00
7505	PTMT - Towel Rail (450 mm)	each	214.00
7506	PTMT - Towel Rail (600 mm)	each	252.00
7507	PTMT - Shelf 450x124x36 mm	each	288.00
7508	PTMT - Urinal Spreader 15 mm	each	142.00
7509	PTMT - Soap Dish/Holder 138x102x75 mm	each	134.00
7512	PTMT - handle 125x34x24 mm	each	34.00
7513	PTMT - handle 150x34x24 mm	each	38.00
7514	PTMT - butt hinges 75x60x10 mm	each	47.00
7515	PTMT - butt hinges 100x75x10 mm	each	63.00
7516	PTMT - Tower bolt 152x42x18 mm	each	73.00
7517	PTMT - Tower bolt 202x42x18 mm	each	89.00
7518	PTMT - door catcher 72x42 mm	each	30.00
7552	Coir veneered board 4 mm thick	sqm	324.00
7553	Coir veneered board 6 mm thick	sqm	436.00
7555	Coir veneered board 12 mm thick	sqm	726.00
7556	Coir veneered board 18 mm thick	sqm	1150.00
7651	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 100 mm dia	metre	893.00
7652	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 150 mm dia	metre	1340.00
7653	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 mm dia	metre	1843.00
7654	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 250 mm dia	metre	2568.00
7655	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 300 mm dia	metre	3194.00
7656	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 350 mm dia	metre	3920.00
7657	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 400 mm dia	metre	5025.00
7658	Ductile Iron class K - 9 pipe Conforming to I.S. 8329- 450 mm dia	metre	5807.00
7659	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 500 mm dia	metre	7348.00
7660	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 600 mm dia	metre	8855.00
7661	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 700 mm dia	metre	12283.00
7662	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 750 mm dia	metre	13288.00
7663	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 800 mm dia	metre	13400.00
7664	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 - 900 mm dia	metre	16192.00
7665	Ductile Iron class K - 9 pipe Conforming to I.S. 8329 -1000 mm dia	metre	18202.00
7666	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 100 mm dia	each	34.00

7668	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 150 mm dia	each	42.00
7669	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 200 mm dia	each	74.00
7670	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 250 mm dia	each	87.00
7671	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 300 mm dia	each	128.00
7672	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 350 mm dia	each	147.00
7673	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 400 mm dia	each	268.00
7674	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 450 mm dia	each	313.00
7675	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 500 mm dia	each	341.00
7676	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 600 mm dia	each	424.00
7677	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 700 mm dia	each	642.00
7678	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 750 mm dia	each	771.00
7679	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 800 mm dia	each	849.00
7680	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 900 mm dia	each	1117.00
7681	Rubber Gaskets conforming to I.S. 5382 of S.B.R quality 1000 mm dia	each	1340.00
7682	Ductile Iron K-12 specials suitable for push on jointing upto 600 mm dia	quintal	14517.00
7683	Ductile Iron K-12 specials suitable for push on jointing over 600 mm dia	quintal	20100.00
7684	Ductile Iron specials suitable for mechanical jointing as per I.S. 9523 utp 600 mm dia	quintal	15298.00
7685	Ductile Iron specials suitable for mechanical jointing as per I.S. 9523 upto 600 mm dia	quintal	21943.00
7686	Ductile Iron Pipe Class K-9 flanges and welding 100 mm dia	metre	2434.00
7687	Ductile Iron Pipe Class K-9 flanges and welding 150 mm dia	metre	3908.00
7688	Ductile Iron Pipe Class K-9 flanges and welding 200 mm dia	metre	4590.00
7689	Ductile Iron Pipe Class K-9 flanges and welding 250 mm dia	metre	3825.00
7690	Ductile Iron Pipe Class K-9 flanges and welding 300 mm dia	metre	7772.00
7691	Ductile Iron Pipe Class K-9 flanges and welding 350 mm dia	metre	9827.00
7692	Ductile Iron Pipe Class K-9 flanges and welding 400 mm dia	metre	11848.00
7693	Ductile Iron Pipe Class K-9 flanges and welding 450 mm dia	metre	14405.00
7694	Ductile Iron Pipe Class K-9 flanges and welding 500 mm dia	metre	16862.00
7695	Ductile Iron Pipe Class K-9 flanges and welding 600 mm dia	metre	23037.00
7696	Ductile Iron Pipe Class K-9 flanges and welding 700 mm dia	metre	28587.00
7697	S&S Centrifugally (Spun) C.I. Pipe class LA 100 mm dia	metre	1005.00
7698	S&S Centrifugally (Spun) C.I. Pipe class LA 125 mm dia	metre	1251.00
7699	S&S Centrifugally (Spun) C.I. Pipe class LA 150 mm dia	metre	1508.00
7700	S&S Centrifugally (Spun) C.I. Pipe class LA 200 mm dia	metre	2568.00

7701	S&S Centrifugally (Spun) C.I. Pipe class LA 250 mm dia	metre	3350.00
7702	S&S Centrifugally (Spun) C.I. Pipe class LA 300 mm dia	metre	4523.00
7703	S&S Centrifugally (Spun) C.I. Pipe class LA 350 mm dia	metre	5416.00
7704	S&S Centrifugally (Spun) C.I. Pipe class LA 400 mm dia	metre	7147.00
7705	S&S Centrifugally (Spun) C.I. Pipe class LA 450 mm dia	metre	8654.00
7706	S&S Centrifugally (Spun) C.I. Pipe class LA 500 mm dia	metre	10050.00
7707	S&S Centrifugally (Spun) C.I. Pipe class LA 600 mm dia	metre	14064.00
7708	S&S Centrifugally (Spun) C.I. Pipe specials as per IS 1538 suitable for lead jointing up to 300 mm dia	quintal	6086.00
7709	S&S Centrifugally (Spun) C.I. Pipe specials as per IS 1538 suitable for lead jointing over 300 mm dia	quintal	9157.00
7710	S&S Centrifugally (Spun) C.I. Pipe specials suitable for mechanical joint as per I.S. 13382 up to 300 mm dia	quintal	10050.00
7711	S & S Centrifugally (SPUN) C.I. Pipe Specials suitable for mechanical joint as per IS 13382 over 300 mm dia	quintal	10608.00
7712	Screwed double flanged centrifugally cast (spun) C.I. Pipe pf Class B conforming to I.S. 1536.- 100 mm dia	metre	1535.00
7713	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 150 mm dia	metre	2401.00
7714	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536 - 200 mm dia	metre	3797.00
7715	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 250 mm dia	metre	4578.00
7716	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 300 mm dia	metre	5851.00
7717	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 350 mm dia	metre	7370.00
7718	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 400 mm dia	metre	9548.00
7719	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 450 mm dia	metre	12172.00
7720	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 500 mm dia	metre	15142.00
7721	Screwed double flanged centrifugally cast (spun) C.I. Pipe of Class B conforming to I.S. 1536, - 600 mm dia	metre	20993.00
7722	Ductile Iron Class K- 7 pipe conforming to I.S.8329 - 100 mm dia	metre	865.00
7723	Ductile Iron Class K - 7 pipe conforming to I.S. 8329 - 150 mm dia	metre	1251.00
7724	Ductile Iron Class K - 7 pipe conforming to I.S. 8329 - 200 mm dia	metre	1731.00
7725	Ductile Iron Class K - 7 pipe conforming to I.S. 8329 - 250 mm dia	metre	2345.00
7726	Ductile Iron Class K - 7 pipe conforming to I.S. 8329 - 300 mm dia	metre	3238.00
7727	Ductile Iron Class K - 7 pipe conforming to I.S. 8329 - 350 mm dia	metre	3847.00
7728	Ductile Iron Class K - 7 pipe conforming to I.S. 8329 - 400 mm dia	metre	4483.00
7729	Ductile Iron Class K - 7 pipe conforming to I.S. 8329 - 450 mm dia	metre	5418.00

7730	Ductile Iron Class K - 7 pipe conforming to I.S. 8329 - 500 mm dia	metre	6404.00
7731	Ductile Iron Class K - 7 pipe conforming to I.S. 8329 - 600 mm dia	metre	8353.00
7732	Ductile Iron Class K - 7 pipe conforming to I.S. 8329 - 700 mm dia	metre	10735.00
7733	Ductile Iron Class K - 7 pipe conforming to I.S. 8329 - 800 mm dia	metre	13512.00
7734	Ductile Iron Class K - 7 pipe conforming to I.S. 8329 - 900 mm dia	metre	17945.00
7735	Ductile Iron Class K - 7 pipe conforming to I.S. 8329 - 1000 mm dia	metre	19019.00
7736	Extruded burnt flyash clay sewer bricks conforming to I.S. 4885	1000 nos	6030.00
7737	Fly ash lime bricks (FALG Bricks) conforming to I.S. 12894	1000 nos	5248.00
7738	Calcium Silicate Bricks machine moulded confirming to I.S. 4139	1000 nos	5583.00
7739	Modified Bitumen Refinery produced CRMB - 55	tonne	45672.00
7741	Modified Bitumen Refinery produced CRMB - 60	tonne	45560.00
7742	Bitumen emulsion medium setting (M.S.) conforming to IS: 8887	tonne	33500.00
7743	M.S. Pipe 150 mm dia casing pipe	metre	1184.00
7744	M.S. pipe 200 mm dia casing pipe	metre	1452.00
7745	PVC blind pipe 150 mm dia as per IS: 12818	metre	558.00
7746	PVC blind pipe 200 mm dia as pe IS: 12818	metre	838.00
7747	M.S. cap 150 mm dia	each	179.00
7748	M.S. cap 200 mm dia	each	223.00
7749	M.S. bail plug 150 mm dia	each	223.00
7750	M.S. bail plug 200 mm dia	each	246.00
7751	PVC slotted pipe 150 mm dia as per IS: 12818	metre	503.00
7752	PVC slotted pipe 200 mm dia as per IS: 12818	metre	782.00
7753	Boulder 50 mm to 200 mm	cum	391.00
7754	Gravel 5 mm to 10 mm	cum	782.00
7755	Gravel 1.5 mm to 2 mm	cum	726.00
7756	Gravel 3 mm to 6 mm	cum	759.00
7757	M.S. pipe 100 mm dia casing pipe	metre	860.00
7758	uPVC blind pipe 100 mm dia as per IS: 12818	metre	402.00
7759	uPVC slotted pipe 100 mm dia as per IS: 12818	metre	424.00
7760	M.S. cap 100 mm dia	each	145.00
7761	M.S. bail plug 100 mm dia	each	179.00
7762	Precast R.C.C. perforated slab	each	893.00
7763	Water supply tanker of 5000 litre capacity	each	893.00
7764	M.S. socket 100 mm dia	each	201.00
7765	M.S. socket 150 mm dia	each	246.00
7766	M.S. socket 200 mm dia	each	313.00
7767	Stone cleaning chemical approved by ASI	Litre	184.00
7768	Water epellent chemical approved by ASI	Litre	1772.00
7769	Stone surface strengthening chemical approved by ASI	Litre	1139.00
7770	Turpentine oil	Litre	76.00
7771	Liquid Amonia 5%	Litre	180.00
7772	Pea Gravel	cum	838.00

7773	Coloured inter locking C.C. paver Block	sqm	520.00
7774	Stone size 10x10x7.50cm	each	10.00
7775	Sodium pentachlorophenate	kilogram	704.00
7800	Ceramic Glazed Tiles Ist quality minimum thickness 5 mm in all colours shades and designs except burgundy, bottle green black	sqm	335.00
7801	Ceramic Glazed Tiles Ist quality 300 x 300 mm in all shades and designs of White, Ivory, grey, Fume Red brown etc.	sqm	408.00
7802	Ceramic Glazed Tiles Ist quality 300 x 300 mm in all shades designs except White, Ivory, Fume Red Brown etc.	sqm	419.00
7803	Rectified - Ceramic Glazed Tiles Ist quality 300 x 300 mm or more in all shades designs White, Ivory, Grey, Fume Red Brown etc	sqm	575.00
7804	Rectified - Ceramic Glazed Tiles Ist quality 300 x 300 mm or more in all shades designs White, Ivory, Grey, Fume Red Brown etc	sqm	609.00
7805	Salem Stainless steel AISI - 304 (18/8) Orrisa pattern W.C. pan 724 mm x 578 mm	each	4243.00
7806	Salem Stainless steel AISI - 304 (18/8) Round basin 405 mm X 355 mm	each	2066.00
7807	Salem Stainless steel AISI - 304 (18/8) Wash basin 530 mm X 345 mm	each	1843.00
7808	Centrifugally cast (spun) iron S&S 100 mm inlet and 100 mm outlet	each	486.00
7809	Centrifugally cast (spun) iron S & S 100 mm inlet and 75 mm outlet	each	523.00
7850	Agaria White marble slab plain 18 mm thick	sqm	1251.00
7857	P.T.M.T. Grating square Slit 150 mm	each	86.00
7858	P.T.M.T. Urinal cock 15 mm dia	each	134.00
7859	P.T.M.T. Bib cock with nozzle 15 mm	each	162.00
7861	P.T.M.T. Stop cock (concealed) 15 mm	each	176.00
7862	15 mm nominal bore and 30 cm length PVC connection pipe with P.T.M.T. Nuts	each	36.00
7863	15 mm nominal bore and 45 cm length PVC connection pipe with P.T.M.T. Nuts	each	45.00
7864	P.T.M.T. extension nipple 15 mm	each	36.00
7865	P.T.M.T. extension nipple 20 mm	each	42.00
7866	P.T.M.T. extension nipple 25 mm	each	64.00
7893	Tactile tile	sqm	969.00
7895	Matt finished vitrified tile 100x100 x16 mm	sqm	1039.00
7896	Vitrified tile	sqm	570.00
7900	Modular common burnt clay bricks of class designation 7.5	1000 nos	5667.00
7901	Machine moulded perforated common burnt clay FPS (non modular) bricks of class designation 12.5	1000 nos	6567.00
7902	Machine moulded common burnt clay modular perforated bricks of class designation 12.5	1000 nos	6567.00
7903	Machine moulded common burnt clay FPS (non modular) bricks of class designation 12.5	1000 nos	5667.00
7904	Machine moulded common burnt clay tile bricks of class designation 12.5	1000 nos	6867.00

8001	24 mm thick Factory made shutters with styles, rails and panels of PVC extruded sections in white, grey or wooden finish	sqm	2401.00
8002	30 mm thick Factory made shutters with styles, rails and panels of PVC extruded sections in white, grey or wooden finish	sqm	2513.00
8003	Factory made PVC rigid foam panelled shutter i/c carriage	sqm	2401.00
8004	Factory made PVC rigid foam panelled shutter as per IS: 4020 i/c carriage	sqm	2848.00
8006	Factory made PVC rigid foam sheet 1 mm thick	sqm	207.00
8007	Factory made PVC rigid foam sheet 5 mm thick	sqm	706.00
8008	Factory made prelaminated PVC rigid foam sheet 5 mm thick	sqm	840.00
8010	48 mm X40 mmX1.5 mm thick Factory made door frame of PVC extruded sections in white, grey or wooden finish	metre	168.00
8011	Factory made door frame PVC extruded sheet i/c carriage	metre	391.00
8012	Adhesive solvent cement	kg	184.00
8014	Factory made door frame size 50x47 mm with wall thickness 5 mm made of single piece extruded profile	metre	547.00
8100	Powder coated M.S. butt hinges 100 mm X58 mm X 1.9 mm	10 nos	95.00
8200	A.P.P. modified polymeric felt (two layers) 1.5 mm thick	sqm	67.00
8201	A.P.P. modified polymeric felt (two layers) 2 mm thick	sqm	111.00
8203	A.P.P. modified 2 mm thick membrane reinforced with glass fibre matt	sqm	186.00
8204	A.P.P. modified 3 mm thick membrane reinforced with glass fibre matt	sqm	231.00
8205	A.P. Modified 3 mm thick membrane reinforced with polyester matt	sqm	274.00
8206	Bitumen primer for bitumen membrane	Litre	92.00
8207	Geotextile 120 gram per sqm membrane	sqm	42.00
8210	Stainless steel screws 50 mm	100 nos	279.00
8211	Stainless steel screws 40 mm	100 nos	223.00
8212	Stainless steel screws 30 mm	100 nos	168.00
8214	Stainless steel screws 20 mm	100 nos	112.00
8215	Stainless steel butt hinges 125x64x1.9 mm IS: 12817 marked	10 nos	279.00
8216	Stainless steel butt hinges 100x58x1.9 mm IS : 12817 marked	10 nos	257.00
8217	Stainless steel butt hinges 75x47x1.8 mm IS : 12817 marked	10 nos	168.00
8218	Stainless steel butt hinges 50x37x1.5 mm IS : 12817 marked	10 nos	145.00
8219	Stainless steel butt hinges (heavy weight) 125x64x2.5 mm IS: 12817 marked	10 nos	369.00
8220	Stainless steel butt hinges (heavy weight) 100x60x2.5 mm IS : 12817 marked	10 nos	268.00
8221	Stainless steel butt hinges (heavy weight) 75x50x2.5 mm IS : 12817 marked	10 nos	218.00
8222	M.S. heavy weight butt hinges 125x90x4.0 mm IS : 1341 marked	10 nos	369.00
8223	M.S. heavy weight butt hinges 100x75x3.5 mm IS: 1341 marked	10 nos	190.00

8224	M.S. heavy weight butt hinges 75x60x3.1 mm IS : 1341 marked	10 nos	101.00
8225	M.S. heavy weight butt hinges 50x40x2.5 mm IS : 1341 marked	10 nos	84.00
8300	1216 mm PE-AL-PE Composite pressure pipe	metre	106.00
8301	1620 mm PE-AL-PE Composite pressure pipe	metre	140.00
8302	2025 mm PE-AL-PE Composite pressure pipe	metre	179.00
8303	2532 mm PE-AL-PE Composite pressure pipe	metre	229.00
8304	3240 mm PE-AL-PE Composite pressure pipe	metre	380.00
8305	4050 mm PE-AL-PE Composite pressure pipe	metre	419.00
8501	Polymer modified cementation coating	kilogram	151.00
8502	Fibre glass cloth	sqm	49.00
8504	Multi surface paint	Litre	251.00
8505	Acrylic exterior paint	Litre	156.00
8506	Premium Arcylic exterior paint I	Litre	262.00
8507	Textured exterior paint	Litre	223.00
8508	Primer for cement paint	Litre	87.00
8509	Special primer (C.W)	Litre	93.00
8510	Metal Primer (U.G.)	Litre	134.00
8589	Calcium Silicate tegular edged ceiling tiles 595x595 mm and 15 mm thick	sqm	958.00
8590	Galvanised Steel main Tee ceiling section Size 24 x 38 x 0.33 mm (3 metre long)	each	214.00
8591	Galvanised Steel perimeter wall Angle Size 24 x 24 0.40 mm (3.00 metre long)	each	140.00
8592	Galvanised Steel intermediate cross T section Size 24 x 25 x 0.33 mm (1.2 metre long)	each	86.00
8593	Galvanised Steel intermediate cross T Section 24 x 25 x 0.33 (0.6 metre long)	each	44.00
8594	Galvanised Steel soffit cleat size 25x35x1.60 mm	each	3.00
8595	Wooden screws with plastic rawl plugs 35x8 mm	each	1.00
8597	GI Metal Tile Clip in Plain Beveled edge global white colour tiles of size 600x600 mm and 0.5 mm thick	sqm	999.00
8598	GI Metal Tile Clip in Perforated Beveled edge global white colour tiles of size 600x600 mm and 0.5 mm thick	sqm	1117.00
8599	GI Metal Tile Lay- in Plain Tegular edge global white color tiles of Size 595x595 mm and 0.5 mm thick	sqm	903.00
8600	GI Metal Tile Lay-in Perforated Tegular edge global white color tiles of Size 595x595 mm and 0.5 mm thick	sqm	1012.00
8601	PVC Laminated Gypsum Tiles (square edge) of Size 595x595 mm and 12.5 mm thick	sqm	523.00
8602	Gypsum Tiles Fully Perforated Square edge of Size 595x595 mm and 12.5 mm thick	sqm	540.00
8604	Spring T-section 24x34x0.45 mm (3.00 meter long)	metre	201.00
8605	C Wall angle section 20x30x20x0.50 mm (3.00 meter long)	metre	173.00
8606	Main C Carrier Size 10x38x10x0.70 mm (3.00 meter long)	metre	183.00
8607	Spring T-connector	each	6.00
8608	C Carrier Connector	each	12.00
8609	C Suspension Clip	each	12.00
8610	Wire Coupling Clip	each	10.00
8611	Main T ceiling sections 24x38x0.3 mm (3 metre long)	each	209.00

8612	Perimeter wall angle 24x24x0.3 mm (3 metre long)	each	132.00
8613	Intermediate cross T-Section 24x25x0.3 mm (1.2 mtr long)	each	80.00
8614	Intermediate cross - T Section 24x25x0.3 mm (0.6 mtr. long)	each	38.00
8615	Hanger rod 4 mm thick	each	9.00
8616	Adjustment clip 85x30x0.8 mm	each	7.00
8617	Soffit cleat (Size 27x37x25x1.60 mm)	each	3.00
8618	Dash fastener 6 mm dia 50 mm long	each	12.00
8620	Vitrified floor tile 50x50 cm	sqm	832.00
8621	Vitrified floor tile 60x60 cm	sqm	983.00
8622	Vitrified floor tile 80x80 cm	sqm	1212.00
8623	Vitrified floor tile 100x100 cm	sqm	1843.00
8625	Poly propylene- Random - Co - Polymer (PPR) pipes SDR 7.4 - 16 mm Outer dia	metre	41.00
8626	Poly propylene- Random - Co - Polymer (PPR) pipes SDR 7.4 - 20 mm Outer dia	metre	64.00
8627	Poly propylene- Random - Co - Polymer (PPR) pipes SDR 7.4 - 25 mm Outer dia	metre	98.00
8628	Poly propylene- Random - Co - Polymer (PPR) pipes SDR 7.4 - 32 mm Outer dia	metre	159.00
8629	Poly propylene- Random - Co - Polymer (PPR) pipes SDR 7.4 - 40 mm Outer dia	metre	238.00
8630	Poly propylene- Random - Co - Polymer (PPR) pipes SDR 7.4 - 50 mm Outer dia	metre	372.00
8631	Poly propylene- Random - Co - Polymer (PPR) pipes SDR 7.4 - 63 mm Outer dia	metre	573.00
8632	Poly propylene- Random - Co - Polymer (PPR) pipes SDR 7.4 - 75 mm Outer dia	metre	782.00
8633	Poly propylene- Random - Co - Polymer (PPR) pipes SDR 7.4- 90 mm Outer dia	metre	1190.00
8634	Poly propylene - Random - Co- polymer (PPR) pipes SDR - 11-110 mm Outer dia	metre	1340.00
8635	Poly propylene - Random - Co- polymer (PPR) pipes SDR - 11- 160 mm Outer dia	metre	2792.00
8636	Chlorinated Polyvinyl - Chloride (CPVC) pipe 15 mm outer dia	metre	61.00
8637	Chlorinated Polyvinyl - Chloride (CPVC) pipe 20 mm outer dia	metre	76.00
8638	Chlorinated Polyvinyl - Chloride (CPVC) pipe 25 mm outer dia	metre	106.00
8639	Chlorinated Polyvinyl - chloride (CPVC) pipe 32 mm outer dia	metre	145.00
8640	Chlorinated Polyvinyl - chloride (CPVC) pipe 40 mm outer dia	metre	207.00
8641	Chlorinated Polyvinyl - chloride (CPVC) pipe 50 mm outer dia	metre	335.00
8642	Chlorinated Polyvinyl - chloride (CPVC) pipe 62.5 inner dia	metre	1016.00
8643	Chlorinated Polyvinyl - chloride (CPVC) pipe 75 mm inner dia	metre	1452.00
8644	Chlorinated Polyvinyl - chloride (CPVC) pipe 100 inner dia	metre	2010.00
8645	Chlorinated Polyvinyl - chloride (CPVC) pipe 150 mm inner dia	metre	2401.00

8646	Silicon sealant	cartridge	343.00
8647	Stainless steel screws 30 x 4 mm	100 nos	32.00
8648	Hermetically sealed double glazed unit made with 6 mm thick clear float glass both side having 12 mm air gap	sqm	2557.00
8649	Stainless steel (SS 304 grade) adjustable friction window stay 205 x 19 mm	each	192.00
8650	Stainless steel (S S 304 grade) adjustable friction window stay 255 x 19 mm	each	240.00
8651	Stainless steel (S S 304 grade) adjustable friction window stay 355 x 19 mm	each	307.00
8652	Stainless steel (S S 304 grade) adjustable friction window stay 510x 19 mm	each	547.00
8653	Stainless steel (S S 304 grade) adjustable friction window stay 710x 19 mm	each	949.00
8654	Masking Tape	metre	3.00
8655	Autoclaved aerated cement (AAC) blocks	cum	2261.00
8656	Gypsum pannel 666 X 500 X 100 mm siz	sqm	536.00
8657	Bonding plaster for Gypsum panel	kilogram	61.00
8659	Water proof ply 12 mm thick	sqm	726.00
8660	Aluminium casement window fastener (Anodised AC 15)	each	45.00
8661	Aluminium casement window fastener (powder coated)	each	46.00
8662	Aluminium casement window fastener (polyester powder coated)	each	45.00
8663	Aluminium round shape handle (anodised AC 15)	each	55.00
8664	Aluminium round shape handle (powder coated)	each	60.00
8665	Aluminium round shape handle (polyester powder coated)	each	66.00
8666	Stainless steel screws 25 mm x 4 mm	100 nos	36.00
8667	UV stabilised 2 mm thick plain FRP sheet	sqm	519.00
8668	UV stabilised 2 mm thick corrugated FRP sheet	sqm	601.00
8669	Mangalore ridge tiles 20 mm thick	each	32.00
8670	Mangalore tiles 20 mm thcik	each	12.00
8671	Precoated glavanished iron profile sheet 0.50 mm TCT	sqm	486.00
8672	Precoated galvanised steel plain ridges	metre	491.00
8673	Precoated galvanised steel flashings / aprons	metre	491.00
8674	Precoated galvanised steel gutter	metre	508.00
8675	Precoted galvanised steel north light curves	metre	508.00
8676	Precoated galvanised steel barge board	metre	497.00
8677	Precoated galvanish steel crimp curve	sqm	530.00
8678	l mm thick 35 mm wide bright finished stainless steel piano hinges	metre	45.00
8682	Eposy Grout	kg	570.00
8683	Red sand stone gang saw cut 30 mm thick	sqm	514.00
8684	White sand stone gang saw cut 30 mm thick	sqm	536.00
8685	Delineator	each	346.00
8686	Precast C.C. Kerb stone M-25	cum	4578.00
8687	Thermoplastic paint	kg	70.00
8688	Glass beads	kg	69.00
8689	Interlocking C.C. paver block (60 mm thick, M-30)	sqm	363.00
8690	High intensity retro- reflective sheet	sqm	1703.00

8691	Punched tape concertina coil 600 m dia . 10 m openable length(Total length 90 m)	bundle	838.00
8692	RBT reinforced barbed wire	metre	10.00
8693	Turn buckle and strengthening bolt	each set	45.00
8694	Precast pavement slab 450 x 450 x 50 mm (M- 30)	each	67.00
8695	Chain link fabric fencing mesh of size 50x50 mm made of G.I. wire of dia 4 mm	sqm	288.00
8696	Chain link fabric fencing mesh of size 50x50 mm made of G.I. wire of dia dia 4 mm. PVC coated to outer dia 5 mm	sqm	318.00
8697	Chain link fabric fencing mesh of size 25x25 mm made of G.I. wire of dia 3 mm	sqm	380.00
8698	Stainless steel cramps (weight 260 grams) with nuts, bolts and washer for dry stone cladding	each	101.00
8699	8 mm thick tapered edge ccalcium silicate board	sqm	411.00
8700	10 mm thick calcium silicate board	sqm	436.00
8701	SS pipe 304 grades with press fit technology as per JIS 3448 standard 48.60 mm outer dia	metre	759.00
8702	Coupling/Socket fittings for 15.88 mm outer dia SS pipe	each	64.00
8703	Telescopic drawer channels 300 mm long	set	156.00
8704	Stainless steel roller for sliding arrangement in racks/cupboards/cabinets shutter	each	9.00
8705	50 mmx42 mmx2 mm thick Factory made door frame of PVC extruded sections in white, grey or wooden finish	metre	156.00
8706	25 mm thick factory made PVC flush door shutter i/c carriage	sqm	2401.00
8707	Factory made glass reinforced plastic door frame 90x45 mm i/c carriage	metre	424.00
8708	30 mm thick factory made glass fiber reinforced plastic panel door shutter i/c carriage	sqm	2066.00
8709	30 mm thick factory made solid PVC profile panelled door single pipece extruded profile decorative finish (wood grain printed on both side)	sqm	2959.00
8710	Factory made solid PVC door frame 60 x 32 mm i/c carriage	metre	324.00
8711	28 mm factory made solid PVC panel door shutter i/c carriage	sqm	2513.00
8712	30 mm thick factory made solid PVC profile panelled door single pipece extruded profile non decorative finish	sqm	2354.00
8713	Fiber glass reinforced plastic chajja	sqm	4020.00
8714	Magnetic catcher triple strip vertical type	each	22.00
8715	Magnetic catcher double strip horizontal type	each	17.00
8716	100 mm mortice lock with 6 levers for aluminium door	each	369.00
8717	12.5 mm thick Glass fibre reinforced Gypsum board	sqm	190.00
8719	2nd class teak wood lipping/ moulded beading or Taj beading of size 18x5 mm	metre	34.00
8720	Ceiling sections 0.55 mm thick having a knurled web of 51.55 mm and two flanges of 26 mm each with lips of 10.55 mm	metre	45.00
8721	Perimeter channel having one flange of 20 mm and another flange of 30 mm with thickness of 0.55 mm and web of length 27 mm	metre	28.00
8722	Nylon sleeve & wooden screws (40 mm)	each	2.00

8723	Counter sunk ribbed head screw 25	100 nos	84.00
8724	12 mm thick marine plywood conforming IS: 710	sqm	949.00
8725	12 mm thick fire retardant plywood conforming to IS: 5509	sqm	983.00
8726	1.5 mm thick decorative laminated sheet	sqm	547.00
8727	1.0 mm thick decorative laminated sheet	sqm	424.00
8730	30 mm thick factory made glass fiber reinforced plastic flush door shutter i/c carriage	sqm	2401.00
8731	High polymer modified quickset tile adhesive	per kg	19.00
8732	Synthetic polyester triangular fibre of length 12 mm, effective diameter 10.40 microns and specific gravity of 1.34 to 1.40	kg	408.00
8733	Synthetic polyester triangular fibre of length 6 mm, effective diameter 10-40 microns and specific gravity of 1.34 to 1.40	kg	408.00
8734	P.V.C. Single piece extruded door frame of profile size 50 mm x 47 mm with wall thickness of 5 mm	metre	391.00
8735	35 mm thick factory made solid panel PVC door shutter of single piece extruded profile non decorative finished (Matt finished)	sqm	2345.00
8736	35 mm thick factory made solid panel PVC door shutter of single piece extruded profile decorative finished (Wood grain finished)	sqm	2903.00
8737	Stainless Steel wire gauge (Grade-304) aperture 1.4 mm and 0.50 mm dia wire	sqm	927.00
8738	Factory made door frame fire rated (60 minutes) made with 16 SWG G.I. Sheet of section 143 mm x 57 mm duly filled with vermiculite based concrete mix	metre	1117.00
8739	Fire rated door shutter made with 16 SWG G.I. sheet (60 minutes) without panel	sqm	5863.00
8740	Fire seal Putty	kg	782.00
8741	Clear fire resistant glass panes 6 mm thick (60 minutes)	sqm	23450.00
8742	G.I.U beading 16 SWG G.I. sheet (zinc coating >120gm/m ²) with ceramic tape of suitable thickness and fire resistant primer coating	metre	290.00
8743	Matrix Mineral Board	metre	73.00
8744	Panic Bar / latch (Double point)	each	5583.00
8745	65 mm x 55 mm x 2 mm thick Factory made door frame of PVC extruded section in white grey or wooden finish	metre	369.00
8746	37 mm thick Factory made shutter with style, rails and panels of PVC extruded section in white or grey finish i/c carriage	sqm	2624.00
8747	75 mm x 53 mm x 2.0 mm thick Factory made door frame of PVC extruded section in white, grey or wooden finish	metre	391.00
8748	37 mm thick Factory made fusion welded shutter with style, rails and panels of PVC extruded section in wooden finish	sqm	2736.00
8750	Zinc alloy (white powder coated) casement handle for uPVC windows	each	179.00
8751	Zinc alloy (white powder coated) Touch Lock for uPVC windows for uPVC windows	each	123.00
8752	Zinc alloy rollers for uPVC windows	each	56.00

8753	Zinc alloy rollers for uPVC door	each	95.00
8754	Zinc alloy (white powder coated) casement lock for uPVC windows	each	112.00
8755	Stainless steel friction hinge of size 200 mm x 19 x 1.9 mm for uPVC windows	each	257.00
8756	Stainless steel friction hinge of size 250 mm x 19 x 1.9 mm for uPVC windows	each	324.00
8757	Stainless steel friction hinge of size 300 mm x 19 x 1.9 mm for uPVC windows	each	413.00
8758	Stainless steel friction hinge of size 350 mm x 19 x 1.9 mm for uPVC windows	each	469.00
8759	Stainless steel friction hinge of size 400 mm x 19 x 1.9 mm for uPVC windows	each	592.00
8760	uPVC extruded profile casement window Frame (50 mm x 50 mm)	metre	184.00
8761	uPVC extruded profile casement window sash (Style and Rail) (62 mm x 34 mm)	metre	168.00
8762	uPVC extruded profile casement window mullion (intermediate section (66 mm x 50 mm	metre	207.00
8763	uPVC extruded profile casement window 'T' profile (one vertical length in between two shutters) (24 mm x 34.5 mm)	metre	56.00
8764	uPVC extruded profile casement window glazing bead (12 mm x 18 mm)	metre	56.00
8765	uPVC extruded profile casement window Frame (67 x 62 mm)	metre	262.00
8766	uPVC extruded profile casement window Sash /Mullion (67 mm x 75 mm) (Style, rail and intermediate section)	metre	296.00
8767	uPVC extruded profile casement window glazing bead (35 mm x 18 mm)	metre	95.00
8768	uPVC extruded profile Two Track Sliding frame (67 mm x 52 mm)	metre	274.00
8769	uPVC extruded profile Sliding window Sash (60 mm x 44)	metre	257.00
8770	uPVC extruded profile Sliding Interlock for window (one vertical length) in each shutter) (45.5 mm x 28 mm)	metre	56.00
8771	uPVC extruded profile Sliding Door Sash (80 mm x 44 mm)	metre	324.00
8772	Aluminium Track on bottom rail for uPVC window	metre	28.00
8773	Wool Pine for uPVC window	metre	20.00
8774	Aluminium Grill	kg	279.00
8775	Steel Galvanised tubular reinforcement for uPVC door/ window	metre	56.00
8776	Stainless Steel dash fastener of 8 mm dia and 75 mm long bolt	each	22.00
8778	Toughened glass 12 mm thickness	sqm	2122.00
8779	SS pipe 304 grades with press fit technology as per JIS 3448 standard 15.88 mm outer dia	metre	161.00
8780	SS pipe 304 grades with press fit technology as per JIS 3448 standard 22.22 mm outer dia	metre	284.00
8781	SS pipe 304 grades with press fit technology as per JIS 3448 standard 28.58 mm outer dia	metre	369.00

8782	SS pipe 304 grades with press fit technology as per JIS 3448 standard 34.00 mm outer dia	metre	523.00
8783	SS pipe 304 grades with press fit technology as per JIS 3448 standard 42.70 mm outer dia	metre	650.00
8784	8 mm thick Calcium silicate perforated tiles of size 595 x595 mm	sqm	768.00
8786	Coupling/Socket fittings for 22.22 mm outer dia SS pipe	each	98.00
8787	Coupling/Socket fittings for 28.58 mm outer dia SS pipe	each	121.00
8788	Coupling/Socket fittings for 34.00 mm outer dia SS pipe	each	258.00
8789	Coupling/Socket fittings for 42.70 mm outer dia SS pipe	each	369.00
8790	Coupling/Socket fittings for 48.60 mm outer dia SS pipe	each	498.00
8791	Reducer for 22.22 mm X 15.88 mm outer Dia SS pipe	each	115.00
8792	Reducer for 28.58 mm X 15.88 mm outer Dia SS pipe	each	157.00
8793	Reducer for 28.58 mm X 22.22 mm outer Dia SS pipe	each	162.00
8795	Reducer for 34.00 mm X 22.22 mm outer Dia SS pipe	each	265.00
8796	Reducer for 34.00 mm X 28.58 mm outer Dia SS pipe	each	265.00
8797	Reducer for 42.70 mm X 15.88 mm outer Dia SS pipe	each	401.00
8798	Reducer for 42.70 mm X 22.22 mm outer Dia SS pipe	each	404.00
8799	Reducer for 42.70 mm X 28.58 mm outer Dia SS pipe	each	404.00
8800	Reducer for 42.70 mm X 34.00 mm outer Dia SS pipe	each	432.00
8801	Reducer for 42.70 mm X 34.00 mm outer Dia SS pipe	each	523.00
8802	Reducer for 48.60 mm X 22.22 mm outer Dia SS pipe	each	525.00
8803	Reducer for 48.60 mm X 28.58 mm outer Dia SS pipe	each	529.00
8804	Reducer for 48.60 mm X 34.00 mm outer Dia SS pipe	each	535.00
8805	Reducer for 48.60 mm X 42.70 mm outer Dia SS pipe	each	583.00
8806	Slip Coupling / Socket 15.88 mm outer dia SS pipe	each	126.00
8807	Slip Coupling / Socket 22.22 mm outer dia SS pipe	each	278.00
8808	Slip Coupling / Socket 28.58 mm outer dia SS pipe	each	462.00
8809	Slip Coupling / Socket 34.00 mm outer dia SS pipe	each	676.00
8810	Slip Coupling / Socket 42.70 mm outer dia SS pipe	each	943.00
8811	Slip Coupling / Socket 48.60 mm outer dia SS pipe	each	1193.00
8812	Elbow 90o for 15.88 mm outer dia SS pipe	each	168.00
8813	Elbow 90o for 22.22 mm outer dia SS pipe	each	292.00
8814	Elbow 90o for 28.58 mm outer dia SS pipe	each	405.00
8815	Elbow 90o for 34.00 mm outer dia SS pipe	each	810.00
8816	Elbow 90o for 42.70 mm outer dia SS pipe	each	1245.00
8817	Elbow 90o for 48.60 mm outer dia SS pipe	each	1527.00
8818	Reducing Elbow 90o for 22.22 mm X 15.88 mm outer dia SS pipe	each	186.00
8819	Reducing Elbow 90o for 28.58 mm X 15.88 mm outer dia SS pipe	each	272.00
8820	Reducing Elbow 90o for 28.58 mm X 22.22 mm outer dia SS pipe	each	278.00
8821	Reducing Elbow 90o for 34.00 mm X 22.22 mm outer dia SS pipe	each	404.00
8822	Reducing Elbow 90o for 34.00 mm X 28.58 mm outer dia SS pipe	each	499.00
8823	Reducing Elbow 90o for 42.70 mm X 34.00 mm outer dia SS pipe	each	879.00
8824	Equal Tee for 15.88 mm outer dia SS pipe	each	200.00
8825	Equal Tee for 22.22 mm outer dia SS pipe	each	291.00

8826	Equal Tee for 28.58 mm outer dia SS pipe	each	373.00
8827	Equal Tee for 34.00 mm outer dia SS pipe	each	777.00
8828	Equal Tee for 42.70 mm outer dia SS pipe	each	1089.00
8829	Equal Tee for 48.60 mm outer dia SS pipe	each	1295.00
8830	Reducing Tee for 22.22 mm X 15.88 mm outer dia SS pipe	each	284.00
8831	Reducing Tee for 28.58 mm X 15.88 mm outer dia SS pipe	each	353.00
8832	Reducing Tee for 28.58 mm X 22.22 mm outer dia SS pipe	each	367.00
8833	Reducing Tee for 34.00 mm X 15.88 mm outer dia SS pipe	each	690.00
8834	Reducing Tee for 34.00 mm X 22.22 mm outer dia SS pipe	each	703.00
8835	Reducing Tee for 34.00 mm X 28.58 mm outer dia SS pipe	each	711.00
8836	Reducing Tee for 42.70 mm X 15.88 mm outer dia SS pipe	each	1032.00
8837	Reducing Tee for 42.70 mm X 22.22 mm outer dia SS pipe	each	1034.00
8838	Reducing Tee for 42.70 mm X 28.58 mm outer dia SS pipe	each	1036.00
8839	Reducing Tee for 42.70 mm X 34.00 mm outer dia SS pipe	each	1046.00
8840	Reducing Tee for 48.60 mm X 15.88 mm outer dia SS pipe	each	1126.00
8841	Reducing Tee for 48.60 mm X 22.22 mm outer dia SS pipe	each	1150.00
8842	Reducing Tee for 48.60 mm X 28.58 mm outer dia SS pipe	each	1159.00
8843	Reducing Tee for 48.60mm X 34.00 mm outer dia SS pipe	each	1207.00
8844	Reducing Tee for 48.60mm X 42.70mm outer dia SS pipe	each	1251.00
8845	Male thread Tee for 15.88 mm outer dia X 15 mm nominal dia threaded	each	360.00
8846	Male thread Tee for 22.22 mm outer dia X 15 mm nominal dia threaded	each	433.00
8847	Male thread Tee for 22.22 mm outer dia X 20 mm nominal dia threaded	each	464.00
8848	Male thread Tee for 28.58 mm outer dia X 15 mm nominal dia threaded	each	522.00
8849	Male thread Tee for 28.58 mm outer dia X 20 mm nominal dia threaded	each	544.00
8850	Male thread Tee for 28.58 mm outer dia X 20 mm nominal dia threaded	each	609.00
8851	Male thread Tee for 34.00 mm outer dia X 15 mm nominal dia threaded	each	759.00
8852	Male thread Tee for 34.00 mm outer dia X 20 mm nominal dia threaded	each	820.00
8853	Male thread Tee for 34.00 mm outer dia X 25 mm nominal dia threaded	each	979.00
8854	Male thread Tee for 34.00 mm outer dia X 32 mm nominal dia threaded	each	1236.00
8855	Male thread Tee for 42.70 mm outer dia X 15 mm nominal dia threaded	each	1158.00
8856	Male thread Tee for 42.70 mm outer dia X 20 mm nominal dia threaded	each	1186.00
8857	Male thread Tee for 42.70 mm outer dia X 25 mm nominal dia threaded	each	1290.00
8858	Male thread Tee for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1433.00
8859	Male thread Tee for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1740.00
8860	Male thread Tee for 48.60 mm outer dia X 15 mm nominal dia threaded	each	1260.00

8861	Male thread Tee for 48.60 mm outer dia X 20 mm nominal dia threaded	each	1298.00
8862	Male thread Tee for 48.60 mm outer dia X 25 mm nominal dia threaded	each	1353.00
8863	Male thread Tee for 48.60 mm outer dia X 32 mm nominal dia threaded	each	1625.00
8864	Male thread Tee for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1803.00
8865	Male thread Tee for 48.60 mm outer dia X 50 mm nominal dia threaded	each	2204.00
8866	Female thread Tee for 15.88 mm outer dia X 15 mm nominal dia threaded	each	368.00
8867	Female thread Tee for 22.22 mm outer dia X 15 mm nominal dia threaded	each	433.00
8868	Female thread Tee for 22.22 mm outer dia X 20 mm nominal dia threaded	each	449.00
8869	Female thread Tee for 28.58 mm outer dia X 15 mm nominal dia threaded	each	561.00
8870	Female thread Tee for 28.58 mm outer dia X 20 mm nominal dia threaded	each	573.00
8871	Female thread Tee for 28.58 mm outer dia X 25 mm nominal dia threaded	each	627.00
8872	Female thread Tee for 34.00 mm outer dia X 15 mm nominal dia threaded	each	842.00
8873	Female thread Tee for 34.00 mm outer dia X 20 mm nominal dia threaded	each	856.00
8874	Female thread Tee for 34.00 mm outer dia X 25 mm nominal dia threaded Female thread Tee for 34.00 mm outer dia X 25 mm nominal dia threaded	each	965.00
8875	Female thread Tee for 34.00 mm outer dia X 32 mm nominal dia threaded	each	1147.00
8876	Female thread Tee for 42.70 mm outer dia X 15 mm nominal dia threaded	each	1126.00
8877	Female thread Tee for 42.70 mm outer dia X 20 mm nominal dia threaded	each	1147.00
8878	Female thread Tee for 42.70 mm outer dia X 25 mm nominal dia threaded	each	1288.00
8879	Female thread Tee for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1344.00
8880	Female thread Tee for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1464.00
8881	Female thread Tee for 48.60 mm outer dia X 15 mm nominal dia threaded	each	1342.00
8882	Female thread Tee for 48.60 mm outer dia X 20 mm nominal dia threaded	each	1356.00
8883	Female thread Tee for 48.60 mm outer dia X 25 mm nominal dia threaded	each	1405.00
8884	Female thread Tee for 48.60 mm outer dia X 32 mm nominal dia threaded	each	1492.00
8885	Female thread Tee for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1554.00

8886	Female thread Tee for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1721.00
8887	Female threaded Connector/Adapter for 15.88 mm outer dia X 15 mm nominal threaded	each	239.00
8888	Female threaded Connector/Adapter for 22.22 mm outer dia X 15 mm nominal threaded	each	290.00
8889	Female threaded Connector/Adapter for 22.22 mm outer dia X 20 mm nominal threaded	each	299.00
8890	Female threaded Connector/Adapter for 28.58 mm outer dia X 15 mm nominal threaded	each	349.00
8891	Female threaded Connector/Adapter for 28.58 mm outer dia X 20 mm nominal threaded	each	360.00
8892	Female threaded Connector/Adapter for 28.58 mm outer dia X 25 mm nominal threaded	each	425.00
8893	Female threaded Connector/Adapter for 34.00 mm outer dia X 25 mm nominal threaded	each	515.00
8894	Female threaded Connector/Adapter for 34.00 mm outer dia X 32 mm nominal threaded	each	678.00
8895	Female threaded Connector/Adapter for 42.70 mm outer dia X 32 mm nominal threaded	each	726.00
8896	Female threaded Connector/Adapter for 42.70 mm outer dia X 40 mm nominal threaded	each	858.00
8897	Female threaded Connector/Adapter for 48.60 mm outer dia X 40 mm nominal threaded	each	1056.00
8898	Female threaded Connector/Adapter for 48.60 mm outer dia X 50 mm nominal threaded	each	1216.00
8899	Male threaded Connector/Adapter for 15.88 mm outer dia X 15 mm nominal threaded	each	243.00
8900	Male threaded Connector/Adapter for 22.22 mm outer dia X 15 mm nominal threaded	each	286.00
8901	Male threaded Connector/Adapter for 22.22 mm outer dia X 20 mm nominal threaded	each	312.00
8902	Male threaded Connector/Adapter for 28.58 mm outer dia X 20 mm nominal threaded	each	394.00
8903	Male threaded Connector/Adapter for 28.58 mm outer dia X 25 mm nominal threaded	each	403.00
8904	Male threaded Connector/Adapter for 34.00 mm outer dia X 25 mm nominal threaded	each	581.00
8905	Male threaded Connector/Adapter for 34.00 mm outer dia X 32 mm nominal threaded	each	712.00
8906	Male threaded Connector/Adapter for 42.70 mm outer dia X 32 mm nominal threaded	each	818.00
8907	Male threaded Connector/Adapter for 42.70 mm outer dia X 40 mm nominal threaded	each	915.00
8908	Male threaded Connector/Adapter for 48.60 mm outer dia X 40 mm nominal threaded	each	1058.00
8909	Male threaded Connector/Adapter for 48.60 mm outer dia X 50 mm nominal threaded	each	1434.00
8910	Valve Connector for 15.88 mm outer dia X 15 mm nominal dia threaded	each	295.00

8911	Valve Connector for 22.22 mm outer dia X 15 mm nominal dia threaded	each	348.00
8912	Valve Connector for 22.22 mm outer dia X 20 mm nominal dia threaded	each	372.00
8913	Valve Connector for 28.58 mm outer dia X 25 mm nominal dia threaded	each	534.00
8914	Valve Connector for 34.00 mm outer dia X 32 mm nominal dia threaded	each	793.00
8915	Valve Connector for 42.70 mm outer dia X 40 mm nominal dia threaded	each	1103.00
8916	Valve Connector for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1482.00
8917	Female Threaded Elbow 90o for 15.88 mm outer dia X 15 mm nominal dia threaded	each	258.00
8918	Female Threaded Elbow 90o for 22.22 mm outer dia X 15 mm nominal dia threaded	each	347.00
8919	Female Threaded Elbow 90o for 22.22 mm outer dia X 20 mm nominal dia threaded	each	358.00
8920	Female Threaded Elbow 90o for 28.58 mm outer dia X 25 mm nominal dia threaded	each	530.00
8921	Female Threaded Elbow 90o for 34.00 mm outer dia X 32 mm nominal dia threaded	each	924.00
8922	Female Threaded Elbow 90o for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1159.00
8923	Female Threaded Elbow 90o for 42.70 mm outer dia X40 mm nominal dia threaded	each	1254.00
8924	Female Threaded Elbow 90o for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1390.00
8925	Female Threaded Elbow 90o for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1620.00
8926	Male Threaded Elbow 90o for 15.88 mm outer dia X 15 mm nominal dia threaded	each	272.00
8927	Male Threaded Elbow 90o for 22.22 mm outer dia X 15 mm nominal dia threaded	each	344.00
8928	Male Threaded Elbow 90o for 22.22 mm outer dia X 20 mm nominal dia threaded	each	363.00
8929	Male Threaded Elbow 90o for 28.58 mm outer dia X 25 mm nominal dia threaded	each	475.00
8930	Male Threaded Elbow 90o for 34.00 mm outer dia X 25 mm nominal dia threaded	each	762.00
8931	Male Threaded Elbow 90o for 34.00 mm outer dia X 32 mm nominal dia threaded	each	927.00
8932	Male Threaded Elbow 90o for 42.70 mm outer dia X 32 mm nominal dia threaded	each	1177.00
8933	Male Threaded Elbow 90o for 42.70 mm outer dia X40 mm nominal dia threaded	each	1336.00
8934	Male Threaded Elbow 90o for 48.60 mm outer dia X 40 mm nominal dia threaded	each	1499.00

8935	Male Threaded Elbow 90o for 48.60 mm outer dia X 50 mm nominal dia threaded	each	1826.00
8936	Cap for 15.88 mm outer dia pipe	each	57.00
8937	Cap for 22.22 mm outer dia pipe	each	81.00
8938	Cap for 28.58 mm outer dia pipe	each	106.00
8939	Cap for 34.00 mm outer dia pipe	each	218.00
8940	Cap for 42.70 mm outer dia pipe	each	319.00
8941	Cap for 48.60 mm outer dia pipe	each	416.00
8942	Pipe Bridge for 15.88 mm outer dia pipe	each	270.00
8943	Pipe Bridge for 15.88 mm outer dia pipe	each	341.00
8944	Pipe Bridge for 28.58 mm outer dia pipe	each	513.00
8945	4 Point facade glass bracket	no	4181.00
8946	2 Point facade glass bracket	no	2090.00
8947	1 Point facade glass bracket	no	1769.00
8948	Flate head bolt	no	820.00
8949	400 fin plate at top	pair	7473.00
8953	Micro Silica	kg	40.00
8954	Stop end tubes for diaphragmwall 600 mm dia.	sqm	6.00
8955	Driving end tubes for diaphragm wall 600 mm dia.	sqm	91.00
9999	Sundries	L.S	1.78
<u>CARRIAGE CODES</u>			
2264	Rubbish	cum	144.00
<u>MATERIALS NOT INCLUDED ABOVE</u>			
MR 1	Anjili wood scantling	cum	65000.00
MR 2	Mango wood	cum	14000.00
MR 3	M sand	cum	2800.00
MR 4	Solid concrete block for masonry (40X20X15cms)	100Nos	3300.00
MR 5	Solid concrete block for masonry (40X20X20cms)	100 Nos	3600.00
MR 6	Solid concrete block for masonry (40X20X10cms)	100 Nos	2750.00
MR 7	Solid concrete block for masonry (30X20X15cms)	100Nos	3200.00
<u>GI Rectangular pipes</u>			
MR 8	100mmX50mm- 16 gauge	metre	245.00
MR 9	do- 18 gauge	metre	208.00
MR 10	80mmX40mm - 16 gauge	metre	185.00
MR 11	do- 18 gauge	metre	158.00
MR 12	50mmX 25mm - 16 gauge	metre	115.00
MR 13	do- 18 gauge	metre	99.00
MR 14	40mmX40mm - 16 gauge	metre	116.00
MR 15	do- 18 gauge	metre	100.00
MR 16	25mmX25mm - 16 gauge	metre	77.00
MR 17	do- 18 gauge	metre	64.00
<u>Powder coated GI corrugated sheet</u>			
MR 18	0.20 mm thick	sqm	200.00
MR 19	0.22mm thick	sqm	213.00
MR 20	0.25 mm thick	sqm	234.00
MR 21	<u>Gi Plain sheet 14 gauge</u>	sqm	1078.00
<u>Powder coated GI plain sheet (japan sheet)</u>			
MR 22	16 gauge	sqm	948.00
MR 23	18 gauge	sqm	717.00
MR 24	20 gauge	sqm	615.00

<u>RATES FOR ROADS WORK PROPOSED BY PWD ROADS DIVISION & NH DIVISION KOLLAM (</u> <u>FROM 01.01.2015 TO 31.03.2015)</u>			
(A) Usage Rates of Plant and Machinery			
Sl. No.	Description of Machine	Unit	Proposed LMR wef 1/1/2015
0.0040	Air Compressor	hour	500
0.0066	Batching and Mixing Plant (a) 30 cum capacity	hour	4000
	Batching and Mixing Plant (b) 15 - 20 cum capacity	hour	1200
0.0061	Bitumen Pressure Distributor	hour	1300
0.0011	Bitumen Boiler oil fired	hour	175
0.0068	Concrete Paver Finisher with 40 HP Motor	hour	4500
0.0009	Concrete Pump of 45 & 30 cum capacity	m3	275
P&M-008	Concrete Bucket	hour	10
0.0002	Concrete Mixer (a) 0.4/0.28 cum	hour	300
P&M-010	Concrete Mixer (b) 1 cum	hour	150
P&M-011	Crane (a) 80 tonnes	hour	825
P&M-012	Cranes b) 35 tonnes	hour	550
P&M-013	Cranes c) 3 tonnes	hour	230
0.0049	Dozer D - 80 - A 12	hour	3250
P&M-015	Dozer D - 50 - A 15	hour	1423
0.0061	Emulsion Pressure Distributor	hour	1250
0.0052	Front End loader 1 cum bucket capacity	hour	1450
0.007-0	Generator (a) 125 KVA	hour	900
P&M-019	Generator(b) 63 KVA	hour	300
0.0059	GSB Plant 50 cum	hour	2000
P&M-021	Hotmix Plant - 120 TPH capacity	hour	
0.0062	Hotmix Plant - 100 TPH capacity	hour	35000
	Hotmix Plant - 60 to 90 TPH capacity	hour	8930
P&M-024	Hotmix Plant - 40 to 60 TPH capacity	hour	7150
	Hydraulic Chip Spreader	hour	2472
0.0061	Hydraulic Excavator of 1 cum bucket	hour	3600
	Integrated Stone Crusher 100THP	hour	3590
	Integrated Stone Crusher 200 HP	hour	11760
	Kerb Casting Machine	hour	200
0.0160.	Mastic Cooker	hour	160
0.006.0	Mechanical Broom Hydraulic	hour	600
0.005.0	Motor Grader 3.35 mtr blade	hour	3550
	Mobile slurry seal equipment	hour	1300
0.0064	Paver Finisher Hydrostatic with sensor control 100 TPH	hour	4000
0.065	Paver Finisher Mechanical 100 TPH	hour	1750
P&M-036	Piling Rig with Bantonite Pump	hour	802
P&M-037	Pneumatic Road Roller	hour	2690
P&M-038	Pneumatic Sinking Plant	hour	585
P&M-039	Pot Hole Repair Machine	hour	83
P&M-040	Prestressing Jack with Pump & access	hour	18
P&M-041	Ripper	hour	18

P&M-042	Rotavator	hour	11
	Road marking machine	hour	160
0.055	Smooth Wheeled Roller 8 tonne	hour	700
0.056	Tandem Road Roller	hour	1750
	Tipper - 5 cum	km	156
0.0053	Tipper - 5 cum	tonne.km	5
0.0017	Tipper - 5 cum	hour	650
P&M-049	Transit Mixer 4.0/4.5 cum	hour	600
0.029	Transit Mixer 4/4.5 cum	km/m,3	50
P&M-051	Transit Mixer 3.0 cum	hour	550
P&M-052	Transit Mixer 3.0 cum	tonne.km	
0.039	Tractor	hour	300
P&M-054	Tractor with Rotevator	hour	245
0.038	Tractor with Ripper	hour	252
	Truck 5.5 cum per 10 tonnes	km	14.5
0.005	Truck 5.5 cum per 10 tonnes	hour	350
0.0071	Truck 5.5 cum per 10 tonnes	tonne.km	5
0.054	Vibratory Roller 8 tonne	hour	2000
0.0057	Water Tanker	hour	250
P&M-061	Water Tanker	km	15.6
0.0059	Wet Mix Plant 60 TPH	hour	2000
Sl. No.	Description of Machine	Unit	
0.0058	Air compressor with pneumatic chisel attachment for cutting hard clay.	hour	475
0.0066	Batch type cold mixing plant 100-120 TPH capacity producing an average output of 75 tonne per hour	hour	3600
P&M-065	Belt conveyor system	hour	
P&M-066	Boat to carry atleast 20 persons	hour	
0.0004	Cement concrete batch mix plant @ 175 cum per hour (effective output)	hour	550
0.0066	Cement concrete batch mix plant @ 75 cum per hour	hour	3600
P&M-069	Cold milling machine @ 20 cum per hour	hour	
P&M-070	Crane 5 tonne capacity	hour	230
P&M-071	Crane 10 tonne capacity	hour	
P&M-072	Crane 15 tonne capacity	hour	
P&M-073	Crane 20 tonne capacity	hour	
0.0037	Crane 40 T capacity	hour	1300
P&M-075	Crane with grab 0.75 cum capacity	hour	240
P&M-076	Compressor with guniting equipment along with accessories	hour	206
P&M-077	Drum mix plant for cold mixes of appropriate capacity but not less than 75 tonnes/hour.	hour	
P&M-078	Epoxy Injection gun	hour	
P&M-079	Generator 33 KVA	hour	240
0.007	Generator 100 KVA	hour	1000
0.0069	Generator 250 KVA	hour	1250

P&M-082	Induction, deinduction and erection of plant and equipment including all components and accessories for pneumatic method of well sinking.	hour	
0.0041	Joint Cutting Machine with 2-3 blades (for rigid pavement)	hour	250
P&M-084	Jack for Lifting 40 tonne lifting capacity.	day	
P&M-085	Piling rig Including double acting pile driving hammer (Hydraulic rig)	hrs	
P&M-086	Plate compactor	hour	
P&M-087	Snow blower equipment 140 HP @ 600 cum per hour	hour	
P&M-088	Texturing machine (for rigid pavement)	hour	
P&M-089	Truck Trailor 30 tonne capacity	hour	
P&M-090	Truck Trailor 30 tonne capacity	t.km	
P&M-091	Tunnel Boring machine	hour	
P&M-092	Vibrating Pile driving hammer complete with power unit and accessories.	hour	
P&M-093	Wet Mix Plant 100 TPH	hour	1500
P&M-094	Wet Mix Plant 75 TPH		1500.000
	Auto Pickup	Day	3000
	Hot bitumen mixer	hour	1000
	Bitumen Boiler oil fired	hour	250
0.0011	Pump set 4000l/hr	Day	3000.000

Note 1:- The local market rate of bituminious materials shall be fixed based on the current cost of those material at Cochin Refinery of BPCL for Tender evaluation.

Note 2:- These market rates are only for preparation of justification estimate and not for making any payment at these rates. Costs of materials are the costs at site.

sd/-
EXECUTIVE ENGINEER
PWD BUILDINGS DIVISION, KOLLAM